

EDITION 2014/2015

ProGlass means "for glass" or "professional products for glass" – this notion guided us when the company was established in the year 2002 and determines all our action since more than a dozen years.

Our product range is orientated to the company working in auto glass business. No matter if it is a small garage or body-shop, the authorized dealer, the auto glass professional or the car building industry and their component suppliers. In all those fields our tools are successfully used.

You will find in our range all tools, machines, accessories and consumable products for the replacement and repair of auto glass.

Further information at: +49 (0) 7023 / 90013-0 or www.proglass.de





1 4 7 10

2 5 8 11

3 6 9 12



IMPRINT

Editor

ProGlass GmbH Michael-Becker-Strasse 2 73235 Weilheim Germany

Phone: +49 (0) 7023 / 90013-0 Fax: +49 (0) 7023 / 90013-23 E-Mail: info@proglass.de Internet: www.proglass.de

VAT Reg. No.: DE 813 343 270

Managing Director: Oliver Siegler

Registered at local court Stuttgart, HRB 231787

Copyright Note

This catalogue is copyrighted. Reproduction of any part in any way is prohibited without the exclusive written consent of Pro-Glass GmbH.

Trademarks

The name ProGlass and the Pro-Glass logo is a trademark by Oliver Siegler in favour of ProGlass GmbH.

Other product or company names in this catalogue are trademarks of the relative companies.






The SPIDER is a revolutionary new device for the removal of bonded windscreens and other vehicle glasses. It works without any cutting blades and it does not use a metal wire. A specially designed fibre line is used to cut through the adhesive bead. The high tensile strength cutting line reaches a similar performance as conventional metal cutting wires. But at the same time it is so soft and flexible that damages




to the vehicle's paint or sensitive surfaces of the interior can be excluded completely. Furthermore, the cutting line can be used several times; usually you will be able to cut out 4-5 windscreens with one piece of cutting line.


Thanks to the ingenious design of this small and handy device, it only requires four different positions to completely remove a windscreen. Further information on the cutting process can be found on the back side.




PREPARATIONS:
Pierce the line from inside to outside with the threading tool,...




...guide it around the glasses edge and secure it on the outside.




STEP 1: Cut the adhesive bead from the starting point to the bottom right corner.



STEP 2: Continue cutting the right A-pillar upwards until you reach the top right corner.



STEP 3: Continue cutting across the roofside to the top left corner.



STEP 4: Cut the left A-pillar downwards to the starting point.

■ WSP-001K

Removal Device SPIDER 001S complete kit in plastic case

Patent pending

German utility patent No. 20 2012 009 378.9



Kit contains:

- 1 SPIDER cutting tool
- 1 cutting line threader (item no. DST-757-WSP)
- 1 dash protector (item no. DBP-1824-WSP)
- 1 bit holder
- 1 cutting line install tool (item no. MS-180-WSP)
- 1 cutting line SF, 91 m (item no. SF-300)
- 1 anchor suction cup (item no. AS-115)
- 1 extended flexible bit holder (item no. FBH-190)
- 1 instruction manual

Additionally needed accessories:

High-torque variable speed cordless drill, e.g. Panasonic cordless drill 14.4 V (item no. AKS-144)



quicklink to the product video







■ SF-300

Spider cutting line SF, 91 m 14 pre-marked lengths at 6.5 m on plastic spool

Special line made of high-tensile, braided polyethylene fibre. The cord has pre-marked lengths which are matched for using it with the Spider cutting tool.

Tensile strength: 110 kg (1078 N)



■ AS-115

Anchor Suction Cup Ø 115 mm for WSP-001K

The vacuum cup with clamp screw is used for the secure fixation of the lose cord end when working with the SPIDER removal system.



DBP-1824-WSP Dashboard Protector for WSP-001S/K



Clear transparent Dashboard Protector from the SPIDER kit as a single/replacement part.

Dimensions: 230 x 240 mm



DST-757-WSP Cutting Line Threader Length: 340 mm

Cutting Line Threader from WRD Glass Tools with a flexible blade made of spring steel. Just lay the Spider cutting line over the notched tip and pass it through the polyurethane bead by pushing the tool from the inside to the outside.

Length: 340 mm

MS-180-WSP Cutting line install tool





A handy install tool for the SPIDER removal system with two different shaped ends. The notch on the one side allows you to lay the cutting line in difficult spots like e. g. at the bottom corners of many windscreens. The eye on the other side is suitable for laying the cutting line fast and easy under sealing lips and encapsulations.

■ FBH-190



Flexible bit holder for WSP-001S/K

The extended flexible bit holder enables you to cut-out small quarter glasses or strongly curved backlites with the WRD Spider. Due to the high torque force occuring in the cut-out process this component is not suitable for long-term work. For a continuous operation we recommend the angle driver W-1414.

Length: approx. 190 mm

W-1414






Angle gear drive for using the Spider removal tool in constricted areas (e.g. for the removal of side glasses or backlites).

Dimensions (LxWxH): 170 x 60 x 25 mm

Gear Ratio: 1.285 Torque (max.): 60 N

■ AKS-144



Replacement battery pack on page 117.

prolass.

■ ADAS-18-S

FEIN SuperWire ADAS 18 with battery and charger

■ ADAS-18-L

FEIN SuperWire ADAS 18 without battery or charger



Reliable removal of glass without the need to reposition even with tight clearances.

Features:

- Simple removal of glass without the need to reposition the Super-Wire.
- Can even be used if the windscreen is very curved and with small gaps.
- High-strength round wire even cuts through double adhesive beads.
- Robust gearbox and motor unit with slipping clutch.
- Remove 40-60 panes with one battery charge.
- Brushless, maintenance-free motor.
- Remote control with LED lamp and 1.5 m cable.
- Slipping clutch prevents wire breakage.



- 1 FEIN SuperWire ADAS 18 in plastic storage case
- 1 rapid charger ALG 50 (only included with ADAS-18-S)
- 1 Li-ion 18 V battery pack (only included with ADAS-18-S)
- 300 m round wire
- 1 starter awl
- 10 metal skewers
- 2 PVC covers (dashboard + headliner)
- 1 vacuum ring for very bent windscreens



quicklink to the product video





OO FEIN Cutting Wire 300 m Replacement wire for FEIN



Replacement wire for FEIN SuperWire cutting system

■ DSC-452



Cutting System CUT-IT complete kit in plastic case

The CUT-IT cutting system has been revised by the manufacturer and is now available in an improved version.

The cut-out process of a windscreen is completely performed by only one person.

The bridge of the system is fixed to the windscreen from inside while the cut-out wire is led around the outside contour of the windscreen.

By re-positioning the guide roller the wire is always guided close to the windscreen in a favorable cutting angle. In conjunction with the optional dashboard protector, this system enables you to cut out the windscreen without having to dismantle the interior trim, which can be very time-consuming.

Damages both of the interior as well as of the pinchweld around the windscreen are practically eliminated with this system.

Kit contains:

- 1 CUT-IT bridge with 2 suction cups
- 1 guide roller with 1 suction cup
- 1 wire threader
- 1 spool of squared cutting wire (item no. XKD-44)
- 1 pair of safety goggles
- 1 plastic case with molded insert
- 1 instruction manual

Recommended Accessories:

- 3/8" ratchet
- dashboard protector (item no. DBP-4525)







Fix the GLASS BOT on the inside of the windscreen and feed the cutting wire along the glasses edge on the outside. The high-



torque electric motor slowly winds up the wire on a spindle and pulls it from outside to inside by cutting through the polyurethane (cutting speed approx. 4 cm/s). The operator always retains full control over the cutting process – by releasing the remote control's switch the motor stops immediately. By displacing the guide roller – as shown in the fi gures – the wire will be guided in a favourable angle on the inside. Thereby the operator always has a free hand left, e. g. to simultaneously move the dashboard protector.









- Electrical power tool that cuts with a wire from exterior inwards, eliminating the risk of pinch weld damage
- no nerv or muscle damage from high vibration tools (no hand/arm vibration)
- no physical strain for the operator
- today's vehicles have very tight tolerances between glass and body that restrict the use of pull knives and other cutting tools
- open pinchwelds require more than ever that the removal process does not damage the paint
- thanks to the battery operation also suitable for mobile use





quicklink to the product video



■ GBS-180L

Cutting System Glass Bot LION complete kit in plastic case

Patent pending

The Glass Bot LION is a further development of the already known battery powered cutting system. Besides from the up-to-date Li-lon battery technology the tool has been equipped with a new controller unit. The wired remote control now offers a vario trigger which regulates the Glass Bot LION's operating speed continiously variable. At the same time the battery has been moved from the tool into the remote control unit.

Kit contains:

- 1 Glass Bot LION cutting tool
- 1 rechargeable battery (item no. BP-180)
- 1 battery charger (item no. PBA-1827)
- 2 spools of cutting wire (item no. XKD-44)
- 1 wire threader (item no. DST-757)
- 1 Pointed Pliers with wire cutter 160 mm long (item no. SPZ-160)
- 1 wire-stop suction pad (item no. EDS-150-S)
- 1 guide roller with pump suction cup (item no. ULR-120)
- 1 can of adhesive agent for suction cups (item no. HRS-100)
- 1 dashboard protector (item no. DBP-4525)
- 1 wire guiding spatula (item no. DFS-100)
- 1 wire guide (item no. DH-280)
- 1 pair of safety goggles (item no. SB-886)
- 1 foam lined plastic case 500 x 375 x 175 mm

■ GB-10L

Cutting Tool Glass Bot LION battery powered

Patent pending



- 1 Glass Bot LION cutting tool
- 1 rechargeable battery (item no. BP-180)
- 1 battery charger (item no. PBA-1827)



■ BP-180

Li-Ion Rechargeable Battery 18 V (1,5 Ah) for Glass Bot LION





ProGlass Sawing and Cutting Wires

It was in the seventies when the first passenger cars in Europe were manufactured with a bonded windscreen and the garages were faced with a problem: How could they remove the windscreen from the vehicle without smashing the glass with a hammer?

The first solution was found by using piano wire. On the one hand these wires were thin and on the other hand solid enough. Two pieces of wood had to suffice as handles to hold the wire ends – by that the bonding could be cut through and the glass be taken out in one piece. From this, over the years, a braided wire – similar to our todays Sawing Wire SD – was developed. That is why this type of wire is still known as "piano wire".

Another frequently used thing in these days was "cheese wire", thus a wire made for cutting cheese. Although this term is also still used by many technicians the current cut-out wires for bonded auto glass have not a lot in common with the products used in former times.

But this very day sawing and cutting wires still are the most commonly used tool for cutting out bonded auto glass. In our range we carry five different types of metal wires with different cross-sections and sizes. Depending on the application and personal liking every auto glass technician will find his favourite wire on the following pages.








ProGlass Cut-Out Wire DD, triangular 0.8 x 0.8 mm, ring at 2.0 m

ProGlass Cut-Out Wire DD, triangular 0.8 x 0.8 mm, ring at 2.0 m

Due to the pointed cutting angle of 60° the ProGlass triangular cut-out wire has a particularly good cutting ability. To avoid damages to the painted car body and to the interior this cutting wire should be used mainly for cutting easily accesible bondings.

Application: to pull only

Tensile strength: 80 kg (784 N)













ProGlass Sawing Wire SD, Ø 0.80 mm, ring at 2.0 m



ProGlass Sawing Wire SD, Ø 0.80 mm, 22 m on plastic spool


ProGlass Sawing Wire SD, Ø 0,80 mm, 44 m on plastic spool

ProGlass sawing wire is made of three resistant, brass-plated steel wires that are braided to one strand. The result is a very stable and still flexible sawing wire with a diameter of 0,80 mm. Because of it's sawing action this wire is especially good for extra wide or tough bondings.

The wire is held on the plastic spool by a wide rubber band that makes it easy to spool off and cut a required portion while the remaining wire is safely held on the spool.

Application: to saw only

Tensile strength: 110 kg (1078 N)











ProGlass Cut-Out Wire VKD, squared 0.6 x 0.6 mm, ring at 2.0 m



ProGlass Cut-Out Wire VKD, squared 0.6 x 0.6 mm, 22 m on plastic spool


ProGlass Cut-Out Wire VKD, squared 0.6 x 0.6 mm, 44 m on plastic spool

Because of its sharp edges this wire has the best cutting action when it is pulled - it is not made for sawing as it would break too fast! To avoid damages to the painted car body and to the interior squared cutting wire should be used mainly for cutting easily accesible bondings.

The wire is held on the plastic spool by a wide rubber band that makes it easy to spool off and cut a required portion while the remaining wire is safely held on the spool.

Application: to pull only

Tensile strength: 70 kg (686 N)













ProGlass Cutting Wire XKD, squared 0.7 x 0.7 mm, ring at 2.0 m



ProGlass Cutting Wire XKD, squared 0.7 x 0.7 mm, 22 m on plastic spool


ProGlass Cutting Wire XKD, squared 0.7 x 0.7 mm, 44 m on plastic spool


The tensile strength of ProGlass XKD cutting wire is by 36% higher than of VKD cutting wire. Therefore this square wire is especially good for cutting double beads or extremely wide polyurethane beads. Thanks to its high tensile strength and the excellent cutting ability this wire works also great with cutting systems like the Roll-Out or the Glass Bot.

The wire is held on the plastic spool by a wide rubber band that makes it easy to spool off and cut a required portion while the remaining wire is safely held on the spool.

Application: to pull only

Tensile strength: 95 kg (931 N)











ProGlass Round Wire RD, Ø 0.68 mm, ring at 2.0 m



ProGlass Round Wire RD, Ø 0.68 mm, 22 m on plastic spool


ProGlass Round Wire RD, Ø 0,68 mm, 44 m on plastic spool

The round profile and the small diameter make this wire a real problem solver for today's cars with narrow gaps between glass and body. It has the same high tensile strength as our proven squared cutting wire but offers at the same time a much lower risk to damage interior linings and dashboards.

The wire is held on the plastic spool by a wide rubber band that makes it easy to spool off and cut a required portion while the remaining wire is safely held on the spool.

Application: to pull only

Tensile strength: 70 kg (686 N)









■ DSS-704

ProGlass Wire Cutting Kit DSS with squared and braided wire, in 5 parts

Kit contains:

- 1 T-handle wire threader (item no. DST-733)
- 1 pair of wire handles (item no. DGL-200)
- 1 ProGlass sawing wire, 22 m (item no. SD-22)
- 1 ProGlass cutting wire, 22 m (item no. VKD-22)



■ SDK-202

ProGlass Wire Cutting Kit SDK with braided wire, in 4 parts

Kit contains:

- 1 wire threader (item no. DST-125)
- 1 pair of wire handles (item no. DGL-200)
- 1 ProGlass sawing wire, 22 m (item no. SD-22)



■ VKS-202

ProGlass Wire Cut-Out Kit VKS with squared wire, in 4 parts

Kit contains:

- 1 wire threader (item no. DST-125)
- 1 pair of wire handles (item no. DGL-200)
- 1 ProGlass cutting wire, 22 m (item no. VKD-22)



■ RDK-202

ProGlass Wire Cut-Out Kit RDK with squared wire, in 4 parts

Kit contains:

- 1 wire threader (item no. DST-125)
- 1 pair of wire handles (item no. DGL-200)
- 1 ProGlass round wire, 22 m (item no. RD-22)





ProGlass One Man Wire Cut-Out Tool Kit EDS

The 150 mm diameter sucker holds the wire absolutely reliable in place and takes over the part of the second person!

Very easy and fast attachment of the bell-shaped sucker by merely pressing it against the glass. The wire is driven very close to the glass to avoid damages to the dash board or interior linings.

Adapted for squared and round wire (not for sawing wire!)

Kit contains:

- 1 suction cup with wire fastener (item no. EDS-150-S)
- 1 primer/cleaner for suction cups (item no. HRS-100)
- 1 ProGlass round wire, 22 m (item no. RD-22)
- 1 ProGlass squared cutting wire, 22 m (item no. VKD-22)
- 1 wire threader (item no. DST-125)
- 1 wire handle with suction cup (item no. DGL-201S)

quicklink to the product video







EDS-150-0

ProGlass One Man Wire Cut-Out Tool EDS

Kit contains:

- 1 suction cup with wire fastener (item no. EDS-150-S)
- 1 primer/cleaner for suction cups (item no. HRS-100)





HRS-100

ProGlass Adhesive Agent For Suction Cups can at 100 ml

It highly degreases the rubber and improves the adhesion between rubber and glass (the glass must be clean as well). Other cleaning agents with a similar efficient formula will destroy the rubber surface within short time.





ProGlass Dashboard Protector approx. 60 x 30 cm

ProGlass Dashboard Protector with 2 suction cups approx. 60 x 30 cm

The Dashboard Protector is made of a 2 mm plastic material. The elastic plastic material adapts to all curves and is at the same time very imperishable and strong so that all cutting an sawing wires slide along easily.

This tool is the perfect companion to cut out glasses using wire. Thanks to the special shape it can be used practically on all sides and corners of all cars. Push the board between dashboard/interior trim and glass until it touches the adhesive bead. By that you will not only avoid any kind of damages to the sensible surfaces of interior parts but also protect the VIN plate and the pinchweld edges.

In combination with the double suction cups DSN-37 the protective board can be fixed on the glass in any position.



■ DSN-37

■ DBP-4525

Double Suction Cups (set of 2 pieces) PVC sucker Ø 37 mm, transparent

Double sided suction cups to fix the ProGlass dashboard protector DBP-6030 on the glass. By that the protective board can be fixed wherever needed, also along the A-pillar or on the roof side.



ProGlass Dashboard Protector approx. 49 x 26 cm

The Dashboard Protector is made of a 2 mm plastic material. The elastic plastic material adapts to all curves and is at the same time very imperishable and strong so that all cutting an sawing wires slide along easily.

This tool is the perfect companion to cut out glasses using wire. Thanks to the special shape it can be used practically on all sides and corners of all cars. Push the board between dashboard/interior trim and glass until it touches the adhesive bead. By that you will not only avoid any kind of damages to the sensible surfaces of interior parts but also protect the VIN plate and the pinchweld edges.

In combination with the double suction cups DSN-37 the protective board can be fixed on the glass in any position.

■ DP001P00



ICOR Dashboard Protector, set of 2 pieces, approx. 60 x 24 cm

ICOR Dashboard Protector, set of 2 pieces, approx. 60 x 24 cm



■ DP001P01




ICOR Protective Board for A-pillars and roofliners, approx. 40 x 10 cm

ICOR Protective Board for A-pillars and roofliners, approx. 40 x 10 cm



■ DH-280



Simple tool to protect the interior trims when cutting out a bonded vehicle glass with wire.





The wire hold is fixed with its two suction cups from the inside of the glass, close to the glasses edge. The cutting or sawing wire is thereby guided closely to the glass and can not cut into Apillar trims or the roof lining.

problass.



Wire Guiding Spatula with wooden handle, 100 mm wide blade

The spatula is very practical to guide the wire from inside the vehicle. This tool is especially helpful to lift the wire over positioning pins or to loosen these pins from the glass.



■ ULR-120

ProGlass Guide Roller With Pump Cuction Cup

- for guiding the cutting wire from inside of the vehicle
- leading the wire in an optimized angle facilitates cutting
- secure mounting to the glass with integrated vacuum pump
- suitable for manual use as well as for wire cutting tools
- suction cup Ø 120 mm



■ ULR-150



ProGlass Guide Roller With Suction Cup

- for guiding the cutting wire from inside of the vehicle
- leading the wire in an optimized angle facilitates cutting
- easy mounting by merely pressing the bell-shaped suction cup against the glass
- suitable for manual use as well as for wire cutting tools
- suction cup Ø 150 mm





ProGlass Wire Guide, long version

The extra long wire guide also works with the latest Mini-Vans and Coupés because his flat tip is real 16 cm long! Overall length of the tool is ca. 38 cm. Knurled head screw with thread in M4 for secure fastening of the wire without the use of tools.



ProGlass Wire Guide, long version

The extra long wire guide also works with the latest Mini-Vans and Coupés because his flat tip is real 16 cm long! Overall length of the tool is ca. 38 cm. Knurled head screw with thread in M4 for secure fastening of the wire without the use of tools.



ProGlass Wire Guide and Wire Handle

- Kit contains:
- 1 wire guide (item no. DGH-300)
- 1 wire handle (item no. DGL-201)



Pointed Pliers With Wire Cutter 160 mm long

Pointed pliers make it easy to grip the wire end after it has been pierced through the adhesive bead. These pointed pliers do also have an integrated wire cutter.





DGL-200

Wire Handles, set of 2 pieces

These self-locking wire handles have an excellent grip on each type of wire.

The handle is made of shock resistant plastic, sleeve and shaft are made of chrome-plated metal.



■ DGL-201

Wire Handle, single

This self-locking wire handle has an excellent grip on each type of wire.

The handle is made of shock resistant plastic, sleeve and shaft are made of chrome-plated metal.





Wire Handle With Suction Cup

The fixed suction cup allows you to stick this handle to the glass or even the painted car body. So you can go around the vehicle's front and grab it from the other side easily. The handle will not fall down and hit the car body. The wire will not unnecessarily touch the painted car body or other damageable surfaces.





■ IWH-500



Wire Handles TightWire, set of 2 pieces

Wire handles with screw-clamp fastening. For quick and secure fixing of all sawing and cutting wires as well as cutting lines.

Unscrew the handle, insert the wire end into the hole and bend it over, pull it around the bolt at least one time and twist the handle back together tightly.






Curved Wire Threader Kit 53, 58 and 61 mm (1 piece of each)

The curved wire threader enables threading of the cutting wire even where the gap between the glass and the pinchweld is very small. This is especially helpful on side and back windows where conventional wire threaders are often difficult to use. The curved threader can be pushed through the adhesive bead from inside to outside or from outside to inside. Piercing works best with the aid of some long-nosed pliers.

The kit contains 1 piece of each curved wire threader in 53, 58 and 61 mm.



Curved Wire Threader, 53 mm package at 3 pieces

Curved Wire Threader, 58 mm package at 3 pieces

Curved Wire Threader, 61 mm package at 3 pieces

The curved wire threader enables threading of the cutting wire even where the gap between the glass and the pinchweld is very small. This is especially helpful on side and back windows where conventional wire threaders are often difficult to use. The curved threader can be pushed through the adhesive bead from inside to outside or from outside to inside. Piercing works best with the aid of some long-nosed pliers.




■ DST-125

DEG-SET

T-Handle Wire Threader, small length: 125 mm


Hollow needle made of steel with a T-handle made of aluminium to pierce the polyurethane bead and pass the wire through.






L-handle Wire Threader, slitted tip, Length: 340 mm

Very solid wire threading device with a flexible blade made of spring steel. Just lay the wire in the notched tip and pass it through the polyurethane by pushing the tool from the inside to the outside.



T-Handle Wire Threader, large length: 325 mm

Very solid wire threading device with a fl exible blade made of spring steel. Just lay the wire in the notched tip and pass it through the polyurethane by pushing the tool from the inside to the outside.



L-Handle Wire Threader, large length: 340 mm

Very solid wire threading device with a fl exible blade made of spring steel. Push the tip through the polyurethane from the inside to the outside, pass the wire through the eye (Ø 1.6 mm) and pull the tool back.



Wire Threader, large length: 340 mm

Very solid wire threading device with a fl exible blade made of spring steel. Just lay the wire in the notched tip and pass it through the polyurethane by pushing the tool from the inside to the outside.









■ SY-S1PRO

Systocut S1 PRO Auto Glass Cut-Out Knife complete kit in plastic case

- very efficient cut-out knife with ergonomic handle design
- quick-release system for fastest exchange of blades
- the blade can be mounted to the tool in five different positions which makes the tool very flexible to use
- non-skid handle surface

Kit contains:

- 1 cutting tool Systocut S1 PRO
- 1 blade 25 mm (item no. SY-KK1)
- 1 blade 33 mm (item no. SY-KK2)
- 1 pair of safety gloves "Systocut", cut-resistant
- 1 foam lined plastic case 274 x 228 x 81 mm



quicklink to the product video





Systocut S1 ECO Auto Glass Cut-Out Knife

- very efficient cut-out knife with ergonomic handle design
- screw fastening of blades
- low-priced version of the S1 cutting tool
- non-skid handle surface

Kit contains:

- 1 cutting tool Systocut S1 ECO
- 1 blade 25 mm (item no. SY-KK1)
- 1 blade 33 mm (item no. SY-KK2)





SY-KK1

SY-KK2

SY-KK4



Systocut Blade 33 mm long

Standard blades for the Systocut S1 cutting tool. Suitable for Systocut S1 PRO and S1 ECO.

Thanks to the 2-hole-fastening the blade can be locked in different positions. The 47 mm long blade has a reinforced wing.





SY-KK6

Systocut Blade "Mammoth", 67 mm long

The "Mammoth"-blade has been especially designed for cutting those difficult to reach the set back adhesive beads on the bottom side of many windscreens. Suitable for Systocut S1 PRO and S1 ECO.

This blade has an extra large wing to make the blade solid enough for the extreme load due to the increased length.



Systocut Blade AX, 25 mm long Systocut Blade AX, 33 mm long

Reinforced blades for the Systocut S1 cutting tool. Suitable for Systocut S1 PRO and S1 ECO.

Thanks to the 2-hole-fastening the blade can be locked in different positions. Compared to the standard blades the AX series has a reinforced wing which makes them more robust.





ProGlass Pull Knife with quick release system, with neoprene handle cover

- ergonomically shaped pull knife for optimum power transmission
- non-skid and protecting covers to avoid scratches
- blade exchange within seconds
- includes 1 stainless steel blade 25 mm long



■ SMQ-525

ProGlass Pull Knife Kit in plastic case

Kit contains:

- 1 ProGlass pull knife (item no. ZMQ-500)
- 1 stainless steel blade 25 mm (item no. UW-725)
- 1 stainless steel blade 38 mm (item no. UW-738)
- 1 scraper blade 19 mm (item no. SK-119)
- 1 foam lined plastic case 240 x 215 x 45 mm



ProGlass Pull Knife with quick release system

- ergonomically shaped pull knife for optimum power transmission
- corrugated handle design with maximum grip
- blade exchange within seconds
- includes 1 stainless steel blade 25 mm long



ProGlass Pull Handle with neoprene cover

Replacement pull handle, suitable for the ProGlass pull knives ZMK-110, ZML-395, ZMQ-500 and ZMX-400.



REID Pull Knife, slim, with quick release system

- ergonomically shaped pull knife for optimum power transmission
- non-skid and protecting covers to avoid scratches
- slim handle design (Ø 30 mm) for longer working without fatigue
- blade exchange within seconds
- includes 1 stainless steel blade 25 mm long



REID Pull Knife with quick release system

- ergonomically shaped pull knife for optimum power transmission
- non-skid and protecting covers to avoid scratches
- blade exchange within seconds
- includes 1 stainless steel blade 25 mm long



■ RK-500-01

REID Pull Handle

Replacement pull handle for the REID pull knives QC-200 and RK-500.



FA-500

REID Repair Kit for pull knives

Repair kit consisting of screw and plastic washer to fix the pull handle to the knife.

Suitable for REID pull knives QC-200 and RK-500.





■ UW-3007

UltraWiz Pull Knife with fast release lever mechanism, with flexible pull handle

UltraWiz Lever Pull Knife with ergonomic handle design and unique fast release lever mechanism. Opening the lever releases the blade immediately. The blade can be adjusted stepless within a wide range. By closing the lever the blade is held in position securely. Includes 1 pull knife blade 25 mm long.



UltraWiz Pull Knife with flexible pull handle

UltraWiz pull knife with ergonomic handle design. The lateral locking screw makes blade replacements faster than with standard pull knives. Includes 1 pull knife blade 25 mm long.



■ UW-3001RK

UltraWiz Pull Handle

Replacement pull handle for the UltraWiz pull knives UW-3001 und UW-3007.



ProGlass Pull Knife with neoprene cover

Rugged and proved standard pull knife with flexible pull handle. With neoprene covered handles and PVC covered pull cable for better handling and to avoid scratches. Includes 1 pull knife blade 25 mm long.

total length: 170 mm (incl. blade /excl. handle)



ProGlass Pull Knife with neoprene cover, short model

Rugged and proved standard pull knife with flexible pull handle. The short handle facilitates working in constricted area (e.g. below the bonnet). With neoprene covered handles and PVC covered pull cable for better handling and to avoid scratches. Includes 1 pull knife blade 25 mm long.

total length: 110 mm (incl. blade /excl. handle)



ProGlass Standard Pull Knife

Rugged and proved standard pull knife with flexible pull handle. Includes 1 pull knife blade 25 mm long.

total length: 165 mm (incl. blade /excl. handle)



ProGlass Standard Pull Knife, short model

Rugged and proved standard pull knife with flexible pull handle. The short handle facilitates working in constricted area (e.g. below the bonnet). Includes 1 pull knife blade 25 mm long.

total length: 105 mm (incl. blade /excl. handle)





ProGlass Pull Handle with neoprene cover

Replacement pull handle, suitable for the ProGlass pull knives ZMK-110, ZML-395, ZMQ-500 and ZMX-400.



ProGlass Standard Pull Handle

Replacement pull handle, suitable for the ProGlass pull knives ZKS-110 and ZMS-382.



RS-123

ProGlass Repair Kit for pull knives

Repair kit consisting of screw, plastic washer and nut to fix the pull handle to the blade.

Suitable for ProGlass pull knives ZKS-110, ZMK-110, ZML-395 and ZMS-382.




Universal Sharpening Stone with handle

This sharpening stone with plastic handle is ideal for sharpening all pull knife blades, scraper blades, utility blades and power tool blades.

Working is much easier with a sharp blade!





Suitable for all pull knives in our range.





UltraWiz Standard Pull Knife Blade 19 mm long package at 5 pieces

UltraWiz Standard Pull Knife Blade 19 mm long package at 10 pieces

UltraWiz Standard Pull Knife Blade 25 mm long package at 5 pieces

UltraWiz Standard Pull Knife Blade 25 mm long package at 10 pieces

UltraWiz Standard Pull Knife Blade 38 mm long package at 5 pieces

UltraWiz Standard Pull Knife Blade 38 mm long package at 10 pieces

The Standard series from UltraWiz marks the worldwide industry standard for pull knife blades. Made of carbon steel (a low-alloy steel with a high carbon content) these blades offer a fine edge in combination with a good durability and hardness.

Suitable for all pull knives in our range.



UltraWiz Pull Knife Blade, extra thin, 19 mm long package at 5 pieces

UltraWiz Pull Knife Blade, extra thin, 19 mm long package at 10 pieces

UltraWiz Pull Knife Blade, extra thin, 25 mm long package at 5 pieces

UltraWiz Pull Knife Blade, extra thin, 25 mm long package at 10 pieces

UltraWiz Pull Knife Blade, extra thin, 38 mm long package at 5 pieces

UltraWiz Pull Knife Blade, extra thin, 38 mm long package at 10 pieces

The UltraThin series from UltraWiz has a 40% thinner cutting edge than the standard blades. Therefore these blades cut more easily through adhesive beads but still offer the same durability and hardness than the UltraWiz Standard blades.

Suitable for all pull knives in our range.



UltraWiz Paint Protection Blades 19 mm long package at 5 pieces

UltraWiz Paint Protection Blades 19 mm long package at 10 pieces

UltraWiz Paint Protection Blades 25 mm long package at 5 pieces

UltraWiz Paint Protection Blades 25 mm long package at 10 pieces

UltraWiz Paint Protection Blades 38 mm long package at 5 pieces

UltraWiz Paint Protection Blades 38 mm long package at 10 pieces

This blade series has a smooth plastic coating on the back, so if the blade touches the paint, it will not be damaged. The coating is very tough and will not easily rub off. The blade is based on the UltraWiz UltraThin series, so it is one of the thinnest blades in the industry.

Suitable for all pull knives in our range.



UltraWiz Stainless Steel Blade, 19 mm long

UltraWiz Stainless Steel Blade, 19 mm long package at 10 pieces

UltraWiz Stainless Steel Blade, 25 mm long

UltraWiz Stainless Steel Blade, 25 mm long package at 10 pieces

UltraWiz Stainless Steel Blade, 38 mm long

UltraWiz Stainless Steel Blade, 38 mm long package at 10 pieces

With the Stainless Steel series in the year 2000 UltraWiz presented the first coined stainless steel blade of the auto glass industry. The blade combines the known advantages of the Standard series with an improved durability, a better consistency and a longer lasting sharp edge. As each of these blades can be used for a very long time we offer them not only in the original package at 10 pieces but also as single packaged blades.

Suitable for all pull knives in our range.





UltraWiz Stainless Steel Blade Assortment, in 3 parts

Kit contains:

- 1 UltraWiz stainless steel blade 19 mm
- 1 UltraWiz stainless steel blade 25 mm
- 1 UltraWiz stainless steel blade 38 mm



UWS-6

* than standard blades

UltraWiz Klingensortiment, 6-feilig UltraWiz Blade Assortment, 6-parts



UltraWiz Blade Assortment, in 6 parts

Kit contains:

- 1 UltraWiz Pull Knife Blade 19 mm
- 1 UltraWiz Pull Knife Blade 25 mm
- 1 UltraWiz Pull Knife Blade 38 mm
- 1 UltraWiz Pull Knife Blade, extra thin, 19 mm
- 1 UltraWiz Pull Knife Blade, extra thin, 25 mm
- 1 UltraWiz Pull Knife Blade, extra thin, 38 mm



■ RKB-410-S/S REID Extended Shank Stainless Steel Blade, 25 mm long

REID Extended Shank Stainless Steel Blade, 25 mm long package at 6 pieces

REID Extended Shank Stainless Steel Blade, 38 mm long REID Extended Shank Stainless Steel Blade, 38 mm long package at 6 pieces

This blade series has a longer shaft compared to the standard REID stainless steel blades. This gives you more clearance between the pull knife and the glass resp. the car body which is often very helpful.

Available in the typical package at 6 pieces or single. Suitable for all pull knives in our range.



Standard Stainless Steel Blade, 19 mm long Standard Stainless Steel Blade, 19 mm long package at 5 pieces

Standard Stainless Steel Blade, 25 mm long

Standard Stainless Steel Blade, 25 mm long package at 5 pieces

Standard Stainless Steel Blade, 38 mm long

Standard Stainless Steel Blade, 38 mm long package at 5 pieces

Well-priced stainless steel blade series. The cutting part of these blades is a little bit thinner and the edge is grinded in a different angle than the stainless series from UltraWiz and REID. Therefore they work with less cutting resistance. Because of the thinner material they also bend and twist more easily when cutting through hard adhesive. Anyway they offer a good cost-performance ratio.

Suitable for all pull knives in our range.





ProGlass Special Pull Knife Blade, 30 mm long, stainless steel, for set back adhesive beads

ProGlass Special Pull Knife Blade, 60 mm long, stainless steel, for set back adhesive beads

The unique double-angled shape of this blades enables you to use a pull knife where you could never use it before!

Typical application area of the 60 mm blade are set back adhesive beads that can be found on the bottom side of many windscreens and that could never be reached with a pull knife blade before.

The 30 mm blade is perfect for all other situations with a body superstructure - meaning that the fenders or the hood are covering the glasses edge, making it impossible to use a 90 degree angled blade.







UltraWiz Special Blade "Offset Clearance" package at 5 pieces

This blade enables cutting around the bottom corners or the bottom edge when the glass is partly covered by fenders and/or the hood.

The blade has a cutting length of 25 mm.



UltraWiz Special Blade "Offset Moulding" package at 5 pieces

This blade enables you to release a glass from its moulding when the moulding has been bonded to the pinchweld as a result of excessive use of adhesive. The blade cuts between glass and moulding. After cutting just slide the glass down until it can be removed. After that the moulding can be separated from the pinchweld without damage.

The blade has a cutting length of 25 mm.



UltraWiz Interior Pull Knife Blade 13 mm package at 5 pieces

UltraWiz Interior Pull Knife Blade 19 mm package at 5 pieces

Finally a blade series that enables you to use your pull knife from inside the vehicle! With these blades you can cut out many side and back glasses with ease.

Don't believe it? Try to cut out the next back glass of a VW Golf III with the 13 mm long blade and you will be surprised. Works also on side glasses.





■ OM-520



ProGlass Oscillating Cut-Out Knife "Heavy Duty" with 1 blade OK-51

- rugged tool for frequent use
- powerful air motor with 22,000 rpm
- backward facing air exhaust with silencer
- safety throttle to avoid an unintended start of the motor
- delivered with hex key for blade exchange
- blade clamp fits all FEIN blades
- air connection 1/4, air consumption 300 l/min
- max. operating pressure 6.2 bar (90 psi)
- net weight: approx. 1.0 kg



ProGlass Oscillating Cut-Out Knife "Economy" with 1 blade OK-51

- standard tool for occasionally use
- rugged air motor with 22,000 rpm
- · backward facing air exhaust with silencer
- safety throttle to avoid an unintended start of the motor
- delivered with special key for blade exchange
- blade clamp fits all FEIN blades
- air connection 1/4, air consumption 220 l/min
- max. operating pressure 6.2 bar (90 psi)
- net weight: approx. 0.95 kg





ProGlass Oscillating Cut-Out-Knife "Heavy Duty" with 1 blade OK-51

Extra low vibration drive for non-tiring work under regular and frequent use.

- rugged air motor with 22,000 rpm
- · backward facing air exhaust with silencer
- safety throttle to avoid an unintended start of the motor
- delivered with special key for blade exchange with swivelling and removable extra handle
- blade clamp fits all FEIN blades
- air connection 1/4, air consumption 300 l/min
- max. operating pressure 6.2 bar (90 psi)
- net weight: approx. 1.15 kg



■ OMS-520

ProGlass Auto Glass Cut-Out Knife Kit "Heavy Duty" in plastic case

Kit contains:

- 1 cut-out knife OM-520
- 1 scraper blade OK-50
- 1 of each cutting blade OK-51, OK-52, OK-53 and OK-54
- 1 foam lined plastic case 340 x 275 x 83 mm



■ OMS-605

ProGlass Auto Glass Cut-Out Knife Kit "Economy" in plastic case

Kit contains:

- 1 cut-out knife OM-605
- 1 scraper blade OK-50
- 1 of each cutting blade OK-51, OK-52, OK-53 and OK-54
- 1 foam lined plastic case 340 x 275 x 83 mm



■ OMS-610

ProGlass Auto Glass Cut-Out Knife Kit "Deluxe" in plastic case

- 1 cut-out knife OM-610 with extra handle
- 1 scraper blade OK-50
- 1 of each cutting blade OK-51, OK-52, OK-53 and OK-54
- 1 foam lined plastic case 340 x 275 x 83 mm





Scraper Blade, cranked, 16 mm wide

Cutting blade, straight, cranked cutting depth 50 mm

Cutting blade, straight, cutting depth 35 mm

Cutting blade, curved, cranked, cutting depth 55 mm

Cutting blade, straight, cranked immersion length 90 mm, cutting depth 50 mm

Robust universal blades for oscillating cutters. Made of hardened stainless steel with a 19 mm double-hexagonal adaptor.

The blades are compatible with the current oscillators from Fein, CP, ProGlass, Rodcraft, Equalizer, etc.



Viper blade, short, L-shaped cutting depth 19 mm

Viper blade, long, L-shaped cutting depth 25 mm

Viper blade, extra-long, L-shaped cutting depth 38 mm

These L-shaped blades are used for cutting out bonded vehicle glasses without damaging the neighbouring pinchweld. At the same time Viper blades are very robust and cut through tough adhesive beads, where other blades just give up and break. Made of hardened steel with a 19 mm double-hexagonal adaptor.

The blades are compatible with the current oscillators from Fein, CP, ProGlass, Rodcraft, Equalizer, etc.



Air Hose Reel 12 m, blue

Heavy duty composite case construction. With swivelling wall bracket for installation. Polyurethane braided hose. Delivered with one air plug (item no. OP-20M) and one coupler (item no. OC-20F) for immediate use.

Technical data:

- hose length: 12 mhose-Ø: 8 x 12 mm
- max. operating pressure: 15 bar



PU Spiral Coiled Air Hose Inside-Ø 6.0 mm, 7.5 m long, air connection 1/4"

Connection hose made of flexible polyurethane. The spiral coiled hose can be extended on up to 80 % of its total length (useable length = 6.00 m).



■ DG-322

Rotary Joint for air hoses air connection 1/4"

The rotary joint prevents the air hose from damages or early wear-out. Rotatable at 360°.





■ DLR-160

Air Regulator 11 bar (160 psi) air connection 1/4"

Very compact air regulator with pressure gauge to regulate the required working pressure.



■ PT-321

Direct lubricator (not filled) air connection 1/4"

This handy lubricator can be placed between air hose and tool and maintains the tool. Your air tool will get the right amount of oil automatically.

Please order additional: Air Tool Oil ATO-100



■ ATO-100

Air Tool Oil, bottle at 100 ml

This heavy duty air tool oil can be used for all air tools in our catalogue. Air tools must be oiled daily when used regularly. If you use your tool not regularly you must oil it before and after each use (and run the motor for a few seconds).

The bottle with the long fine tip makes it easy to fill the direct lubricator PT-321.



Coupler for compressed Air, inside thread R 1/4"
Coupler for compressed Air, outside thread R 1/4"



Air Plug with inside thread R 1/4"
Air Plug with outside thread R 1/4"



■ OS-20F Air socket with inside thread R 1/4"



■ OD-20M

Air socket with outside thread R 1/4"







FEIN SuperCut Automotive FSC 1.6, in tool case with accessories

Kit contains:

- 1 electronic oscillator 400 W
 11,000-18,500 1/min, net weight: approx. 1.3 kg
- 1 blade exchange key
- 1 sharpening stone
- 1 plastic tool case

■ FEC-416Q



FEIN SuperCut Automotive FSC 1.6Q with quick clamping system, in tool case with accessories

Kit contains:

- 1 electronic oscillator 400 W
 11,000-18,500 1/min, net weight: approx. 1.45 kg
- 1 blade exchange key
- 1 sharpening stone
- 1 plastic tool case

■ AFSC-18



FEIN Battery-Powered SuperCut Automotive AFSC 18 with quick clamping system, in tool case with accessories

- 1 battery-powered oscillator 18 V 11,000-18,500 1/min, net weight (incl. battery) approx. 2.0 kg
- 1 sharpening stone
- 1 protective cover for tool changes
- 2 Li-Ion battery packs 18 V, 2.4 Ah
- 1 battery charger
- 1 plastic tool case

■ FEC-416Q-A FEIN Professional Set For Vehicle Glazing



Kit contains:

- 1 FEIN SuperCut 1.6Q with plastic tool case (FEC-416Q)
- 3 L-shaped cutter blades, toothed (FB-207)
- 2 L-shaped cutter blades, toothed (FB-208)
- 1 L-shaped cutter blade, toothed (FB-209)
- 1 hook blade (FB-111)
- 1 hook blade(FB-157)
- 2 hook blades (FB-212)
- 1 straight cutter blade Z-bend, with adjustable stop roller (FB-143)
- 1 straight cutter blade, Z-bend, toothed (FB-081)







- 1 FEIN Battery-Powered SuperCut 1.6Q with plastic tool case (AFSC-18)
- 3 L-shaped cutter blades, toothed (FB-207)
- 2 L-shaped cutter blades, toothed (FB-208)
- 1 L-shaped cutter blade, toothed (FB-209)
- 1 hook blade (FB-111)
- 1 hook blade(FB-157)
- 2 hook blades (FB-212)
- 1 straight cutter blade Z-bend, with adjustable stop roller (FB-143)
- 1 straight cutter blade, Z-bend, toothed (FB-081)



■ FEC-416Q-KFZ FEIN Professional Set For Automobile Workshops



Kit contains:

- 1 FEIN SuperCut FSC 1.6Q (FEC-416Q) in plastic tool case
- 2 hook blades (FB-076)
- 1 hook blade (FB-079)
- 1 hook blade (FB-101)
- 2 L-shaped cutter blades, toothed (FB-207)
- 1 L-shaped cutter blade, toothed (FB-208)
- 1 Hook blade, reinforced (FB-157)
- 1 straight cutter blade, Z-bend, with adjustable stop roller (FB-143)
- 1 shovel-shaped scraper blade with scrape protection coating (form 129)
- 1 HSS saw blade Ø 80 mm (FSB-103)
- 1 stopper knife





- 1 FEIN SuperCut FSC 1.6Q (FEC-416Q) in plastic tool case
- 2 straight cutter blades, toothed (FB-073)
- 2 straight cutter blade, Z-bend, toothed (FB-081)
- 1 hook-shaped cutter blade, toothed (FB-217)
- 1 curved cutter blade, Z-bend, toothed (FB-072)
- 2 L-shaped cutter blades, toothed (FB-207)
- 1 L-shaped cutter blade, toothed (FB-209)
- TE-Shaped Cutter blade, toothed (LD-203
- 1 hook blade, toothed (FB-212)
- 1 shovel-shaped scraper blade with scrape protection coating (form 105)
- 1 traction cable with fastening




^{*} immersion length/cutting length





^{*} immersion length/cutting length



^{*} immersion length/cutting length



■ AEB-406



Equalizer Excalibur Deluxe Kit in storage case with accessories

Pneumatic version of the unique Equalizer Auto Glass Cut-Out tool. Cuts almost any car glass from inside the vehicle.

- Powerful 375 Watt air motor with silencer
- 4,200 rpm for fast and vibration-free cutting
- Extremely compact, light-weight and sturdy tool
- Air connection 1/4 inch, air consumption 230 l/min
- max. operating pressure 6.2 bar (90 psi)

Kit contains:

- 1 air-powered "Excalibur" tool, net weight approx. 1.6 kg
- 2 x 100 mm, 2 x 300 mm, 1 x 200 mm blades
- 1 serrated blade 200 mm
- 1 x 100 mm, 1 x 200 mm, 1 x 300 mm sheath
- 1 pair of safety glasses
- 1 T-handle hex key 1/8 inch
- 1 video instruction (DVD)
- 1 foam lined plastic case 500 x 375 x 175 mm





Equalizer Magnum XP Deluxe Kit in storage case with accessories

Electric version of the unique Equalizer Auto Glass Cut-Out tool. Cuts almost any car glass from inside the vehicle.

- Powerful and durable 520 Watt electrical motor
- Electronic speed control from 0 3,200 rpm
- Ball bearing drive shaft
- Robust gearing

- 1 electric "Magnum XP" tool, 230V / 50Hz net weight approx. 2.6 kg
- 2 x 100 mm, 1 x 200 mm, 2 x 300 mm blades
- 1 serrated blade 200 mm
- 1 x 100 mm, 1 x 200 mm, 1 x 300 mm sheath
- 1 pair of safety glasses
- 1 T-handle hex key 1/8 inch
- 1 video instruction (DVD)
- 1 foam lined plastic case 500 x 375 x 175 mm



The serrated Equalizer blades are especially recommended for very hard or extremely wide adhesive beads.



The classical Equalizer blades have a smooth cutting edge. These blades can be re-sharpened manually with a sharpening stone and have a great service life.



The sheath is the unique, patented idea that makes the Equalizer line of tools work. It guides the blade, regulates the cutting depth and protects the interior.



■ KLR-500

ProGlass PUR Remover bottle at 500 ml

Polyurethane and butyl can easily enter the sheath and cause excess strain on the drive unit. Therefore you should clean the sheath after each use. We recommend to soak sheath and blade for some time in a PUR remover bath. The special cleaning agent dissolves the adhesions and enables you to remove all adhesive residues from inside the sheaths.





...not just another windscreen tool

- cuts hard, wide and high polyurethane
- adjustable cutting depth control for every blade
- minimum hand/arm vibration





long blades

easily reach below any dashboard or hard to reach areas



short blades

for good tool control in easy accessible areas



from outside

operates as a powered pull knife that allows cutting from outside for extremely fast removal without physical force



from inside

the flexible and versatile blades follow curved glass as found for example on hatch glasses, safely remove encapsulated glasses



small & versatile

small tool and different blades allow you to work in tight spaces such as small quarter glasses



also for busses and trains

thanks to the variety of blades the BTB tool can be used for the removal of all kind of glasses, panels and mouldings

■ WK10HD



BTB Heavy Duty Air Power Tool

- tool only (without blades and accessories)
- exclusive short and fast in-line stroke absorbs reciprocal cutting action of blades
- change blades in less than 10 seconds
- small, powerful and light weight
- cutting depth control system and nylon control head avoids scratching glass or painted panels
- low noise and vibration levels (HAV)
- fully adjustable speed, stroke and power
- motor speed without load max. 6,500 U/min
- air consumption only 140 l/min
- max. operating pressure 6.0 bar









Manual Blade Handle for BTB blades

Manual Blade Double Handle for BTB blades

With the manual blade handle and the manual blade double handle you can use all BTB blades also manually.




BTB Universal Key

Handy screwdriver for the blade clamping screw on the BTB tool.



■ WKSTR



Besides the air tool this kit contains a basic assortment of accessories for cutting out bonded glasses on modern vehicles.

Kit contains:

- heavy duty air tool WK10HD, net weight approx. 1.6 kg
- blades: WK2, WK4Z-S, WK27S, WK28M
- adjustable cutting depth control arms: WK11BW5, WK11FW
- accessories: WK-KEY, WK7, WK8DSM, WK9, WK11VEL, WK-GA
- training package: users manual, WK12CD introduction CD, WK12TCD training CD
- vinyl tool roll



■ WKCLS-BX

BTB Classic Kit (7 blades)

Besides the air tool this kit contains an assortment of accessories that enable you to cut out most bonded glasses on modern vehicles with ease.

- heavy duty air tool WK10HD, net weight approx. 1.6 kg
- blades: WK2-S, WK3, WK24Z-S, WK24ZR-S, WK27S, WK28M, WK6-M
- adjustable cutting depth control arms: WK11AW, WK11BW5, WK-11CW. WK11FW
- accessories: WK-KEY, WK7, WK8, WK9, WK11VEL, WK20, WK-GA
- training package: users manual, WK12CD introduction CD, WK12TCD training CD
- sturdy plastic case



■ WKTEC-BX



BTB Technician Kit (11 blades)

Besides the air tool this kit contains a comprehensive assortment of accessories for fast and simple cutting out of practically all bonded glasses on modern vehicles.

Kit contains:

- heavy duty air tool WK10HD, net weight approx. 1.6 kg
- blades: WK1-S, WK2-S, WK4-S, WK4Z-S, WK4R-S, WK6-M, WK24Z, WK24ZR-S, WK24R-S, WK27S, WK28M
- adjustable cutting depth control arms: WK11AW, WK11BW5, WK-11CW, WK11EW, WK11FW
- accessories: WK-KEY, WK7, WK7L, WK8, WK9, WK11VEL, WK20,WK-GA
- training package: users manual, WK12CD introduction CD, WK12TCD training CD
- sturdy plastic case

■ WKTDM-BX







Besides the air tool this kit contains a comprehensive assortment of accessories for fast and simple cutting out of practically all bonded glasses on modern vehicles including commercial vehicles.


- heavy duty air tool WK10HD, net weight approx. 1.6 kg
- blades: WK1-S, WK3, WK4R-S, WK4Z, WK5-S, WK6-M, WK24Z-S, WK24ZR-S, WK24, WK27S, WK28M, WK27RM, WK28RS
- adjustable cutting depth control arms: WK11AW, WK11BW5, WK-11CW, WK11DW5, WK11EW, WK11FW
- accessories: WK-KEY, WK7, WK7L, WK8, WK9, WK11VEL, WK20.WK-GA
- training package: users manual, WK12CD introduction CD, WK12TCD training CD
- sturdy plastic case


















BTB Pinchweld Scraper Blade, 40 mm wide

BTB Winged Pinchweld Scraper Blade, 15 mm wide

BTB Winged Pinchweld Scraper Blade, 20 mm wide

BTB Winged Pinchweld Scraper Blade, 25 mm wide



■ SFE-329

Equalizer Blade Sharpener

A power tool is only as good as its blade! This blade sharpener is perfect for sharpening all nonserrated Equalizer and BTB blades quickly and easily and is a must for every tool box.



■ SDS-250

ProGlass Cutting Lubricant bottle at 250 ml

No matter which power tool you are using: Each blade cuts easier if you spray the adhesive bead with a cutting lubricant. The following is essential to understand: The wider your blade the more important the lubrication to reduce the friction between blade and adhesive bead. Our cutting lubricant is delivered as a concentrate and should be mixed with water at an 1:10 ratio (suitable spray bottles in chapter 14: Cleaning, Maintaining, Coating).











ProGlass Pinchweld Scraper Kit in plastic case, with long scraper tool

Kit contains:

- 1 pinchweld scraper, long (like item no. FSC-300)
- 10 blades 12 mm wide (item no. SC-313)
- 10 blades 16 mm wide (item no. SC-316)
- 10 blades 20 mm wide (item no. SC-320)
- 1 foam lined plastic case (240 x 215 x 45 mm)

ProGlass Pinchweld Scraper Kit in plastic case, with short scraper tool (not shown)

Same like FSK-300, but instead of a long scraper tool it comes with a short scraper tool (like item no. FSC-150).

The blades of this pinchweld scraper are sharp like razor blades. The practical clamping mechanism enables a very quick blade exchange without using any tools.



Pinchweld Scraper Kit in plastic case, with short scraper tool and utility knife

Useful set including a pinchweld scraper tool and a utility knife with numerous replacement blades.

- 1 pinchweld scraper, short
- 5 blades 12 mm wide (like item no. SC-313)
- 5 blades 16 mm wide (like item no. SC-316)
- 5 blades 20 mm wide (like item no. SC-320)
- 5 blades angled, 16 mm wide (like item no. SCA-316)
- 1 utility knife
- 5 trapezoid blades (in dispenser, like item no. TK-10)
- 1 plastic case (240 x 160 x 50 mm)

WEW

ProGlass Scraper with quick change system 120 mm long, with 5 blades 16 mm wide

Aluminium pinchweld scraper without handle for fine cutting jobs. The practical clamping mechanism enables a very quick blade exchange without using any tools.

Includes 5 pieces of the 16 mm wide blade (like item no SC-316).



■ FSC-120



ProGlass Pinchweld Scraper with quick blade exchange 150 mm long

Pinchweld scraper with ergonomically shaped, non-skid handle and short shaft. The practical clamping mechanism enables a very quick blade exchange without using any tools.

Includes 5 pieces of the 16 mm wide blade (like item no SC-316).






ProGlass Pinchweld Scraper with quick blade exchange 190 mm long

Pinchweld scraper with ergonomically shaped, non-skid handle and long shaft. The practical clamping mechanism enables a very quick blade exchange without using any tools.

Includes 5 pieces of the 16 mm wide blade (like item no SC-316).









Scraper Blades 12 mm, package at 10 pieces

Scraper Blades 16 mm, package at 10 pieces

Scraper Blades 18 mm, package at 10 pieces

Scraper Blades 20 mm, package at 10 pieces

Scraper Blades angled, 16 mm wide. package at 10 pieces



Our high-grade stainless steel scraper blades are optimized for the use with our tools FSC-120, FSC-150 and FSC-300. But they also fit with tools from other manufacturers.

For perfect results the grinded side of the blade faces to the body. By driving the tool in the correct angle you will get a constantly thin layer of remaining material. Damages to the car body can be really avoided.

TIP:

By pulling the loose end of the adhesive bead the blades will cut the material even easier.



SCE-012

SCR-006

SCR-012

Parer Blade, 12 mm wide

Parer Blade, Ø 6 mm

Parer Blade, Ø 12 mm

These parer blades are especially good for cleaning the pinchweld from excessively applied polyurethane in curves and corners. Thereby the special shape reduces the risk of damaging the paint compared to standard scraper blades. The blades are suitable for our scraper tools FSC-150 and FSC-300.

GS-380

Glass Scraper with plastic handle, for 40 mm wide blades

Wide scraper with long handle for comfortable use. With its 40 mm wide, razor sharp blades this tool is dedicated to remove labels and to clean glasses from residues.

All metal parts are made of stainless steel. Delivered with 1 blade and a protective cover for safe storage when not in use.



■ GS-120

Glass Scraper with retractable blade, for 40 mm wide blades

Wide scraper with retractable blade for safe use and transportation. With its 40 mm wide, razor sharp blades this tool is dedicated to remove labels and to clean glasses from residues.

All metal parts are made of stainless steel or brass-plated. Includes 1 blade.



■ MS-6

Mini Scrapers, package of 6 pieces (sorted colours) for 40 mm wide blades

The mini scrapers are simply practical and can be used for a million different things!

When not in use, the blade can be fl ipped so that the metal backed part faces outside. Like that the scraper can be carried in the pocket and is always on hand. Inclusive 1 blade for each piece.





NEW

Plastic Razor Blades, package at 10 pieces

These plastic razor blades are good for removing stickers and labels from glass surfaces. As the blade is made of plastic it cannot scratch the glass like a metal blade could.





■ RK-10

■ RK-100A



Scraper blades 40 mm wide package at 10 pieces

Scraper blades 40 mm wide package at 100 pieces

Top quality industrial blades with a thickness of 0.009 (=0.23 mm) and a solid metal back. Each blade has a single paper wrapping in the box to prevent you from injuries.



RK-10HD

RK-100HD



Heavy Duty Scraper blades 40 mm wide package of 10 pieces

Heavy Duty Scraper blades 40 mm wide package of 100 pieces

Heavy Duty industrial blades with a thickness of 0.012 (=0.30 mm) and a solid metal back. Each blade has a single paper wrapping in the box to prevent you from injuries.



Pinchweld Scraper Set, in 3 parts

Set with three different pinchweld scrapers. Fixed blades made of polished spring steel.

- 1 blade approx. 100 mm long, 16 mm wide
- 1 blade approx. 50 mm long, 20 mm wide
- 1 blade approx. 50 mm long, 13 mm wide



Scraper Set, in 3 parts

Set with three different scrapers. Fixed blades made of polished spring steel. Metal cap at the rear end of the handle.

- 1 blade approx. 100 mm long, 50 mm wide
- 1 blade approx. 100 mm long, 32 mm wide
- 1 blade approx. 100 mm long, 32 mm wide, bent



ProGlass Pinchweld scraper with neoprene cover 13 mm wide, exchangeable blade

ProGlass Pinchweld scraper with neoprene cover 16 mm wide, exchangeable blade

ProGlass Pinchweld scraper with neoprene cover 19 mm wide, exchangeable blade

Standard pinchweld scraper tool (total length: 250 mm) with neoprene cover. The spring steel blade can be re-sharpened and, if necessary, be replaced.



Pinchweld Scraper with aluminium handle 13 mm wide, exchangeable blade

Pinchweld Scraper with aluminium handle 16 mm wide, exchangeable blade

Pinchweld Scraper with aluminium handle 19 mm wide, exchangeable blade

Well-priced pinchweld scraper tool (total length: 240 mm). The spring steel blade can be re-sharpened and, if necessary, be replaced.




Scraper blade, 13 mm wide, 140 mm long

Scraper blade, 16 mm wide, 140 mm long Scraper blade, 19 mm wide, 140 mm long

Spring steel pinchweld scraper blades suitable for all pinchweld scrapers of this page and many standard pull knives.

NOTE: The 13 and 16 mm wide blades do not fit with quick release pull knives.




Plastic Scraper, 19 mm wide

Plastic Scraper, 25 mm wide

Sturdy fiber-reinforced scrapers for the removal of bonded rails and badges.





■ UCH-319

U-Groove Parer Knife with pull handle

With the round shape of its blades this knife is able to clean excessive polyurethane from the pinchweld where a normal pinchweld scraper will not work. Two different wide blades let you cut narrow or wide grooves.

Includes one small and one large blade.



■ UCC-320

U-Groove Parer Knife without pull handle

With the round shape of its blades this knife is able to clean excessive polyurethane from the pinchweld where a normal pinchweld scraper will not work. Two different wide blades let you cut narrow or wide grooves.

Includes one small and one large blade.



■ UCS-321

Small Parer Blade, for UCH-319 and UCC-320

width of cut: approx. 7 mm depth of cut: approx. 18 mm



■ UCL-322

Wide Parer Blade, for UCH-319 and UCC-320

width of cut: approx. 9 mm depth of cut: approx. 18 mm


BK-315

Banana Knife with serrated blade total length 320 mm

The blade is serrated on the inside and sharpened on the outside. With its bent shape it is ideal to cut a polyurethane bonding where pull knives or cut-out tools will not work (e. g. the lower corners of a windscreen that are often covered by the wings). Thanks to its long narrow blade it has an extremely good reach and outmatches a standard long knife.



Replacement Blade for Banana Knife BK-315



ProGlass Long Knife 460 mm long ProGlass Long Knife 610 mm long

Rugged long knife made of aluminium with a non-skid neoprene covered handle. Integrated spare blade compartment. Includes 2 trapezoid blades.



■ UML-332

Utility Knife SMART-EDGE



Ergonomically shaped knife, also for big hands, with non-skid rubber platings. The blade is fully retractable. The blade length can be regulated with the slide in multiple steps. It has an eject button to exchange the blade rapidly and without using a screwdriver. Replacement blades can be stored in the integrated blade compartment. Includes 5 trapezoid blades.



UMS-437

Utility Knife AMERICAN-LINE

This light-weight and handy utility knife with black painted aluminium handle has a fully retractable blade, a multi-step blade length adjustment and offers a spare blade compartment inside the handle. The solid blade holder inside is also made of metal so the blade will not slip out under heavy use. Includes 1 trapezoid blade.



■ UMF-344

Utility Knife with fixed blade

The rugged knife with silver painted, chequered aluminium handle is the right companion for all heavy duty jobs. Because the blade is fixed between the two handle parts it will not slip out - even under heavy use. To replace the blade just swivel the red bayonet socket and open the handle. Replacement blades can be stored inside the handle. Includes 3 trapezoid blades.



■ TK-5

Trapezoid Blades, package at 5 pieces



Trapezoid Blades, dispenser at 10 pieces



■ TKS-100

Trapezoid Blades Dispenser with 100 blades

The dispenser lets you easily withdraw new blades individually. Used blades are inserted at the top of the dispenser and so they are safely put away.



■ XUB-05

Trapezoid Blades, extra long, package at 10 pieces

The cutting length of these blades is 120 mm while standard trapezoid blades are only 60 mm long. This blade increases the range by 60 mm!

NOTE: When using a retractable blade knife these extra long blades will not be retracted completely.



Hooked Blades, package at 5 pieces

The hooked blades are perfect for cutting off rubber seals from installed glasses without damaging the car body because only the non-cutting part on the outside is facing to the body.



Olfa® Long Knife for 18 mm wide blades with 1 snap-off blade



Olfa® Knife for 18 mm wide blades with 1 snap-off blade



Olfa® Snap-Off Blades 18 mm, package at 10 pieces



Olfa® Snap-Off Blades extra sharp, 18 mm wide package at 10 pieces



Olfa® Solid Blades 18 mm, not segmented, package at 10 pieces



Olfa® Silver Knife for 9 mm blades with 3 snap-off blades

Knife and blades are made of stainless steel - therefore this is the ideal tool for the installation of window films.



Olfa® Knife for 9 mm blades with 1 snap-off blade

A small and handy knife with 9 mm wide snap-off blades for all fine jobs.



■ AB-10

Olfa® Snap-Off Blades 9 mm package at 10 pieces





Olfa® Snap-Off Blades extra sharp, 9 mm wide package at 50 pieces



Olfa Snap-Off Stainless Steel Blades 9 mm package at 10 pieces



Olfa® Extra Heavy Duty Cutter with 1 snap-off blade







Olfa® Snap-Off Blades 25 mm package at 5 pieces



■ MESSER-C

Knife CUTTEX 9 mm

Snap-off blade knife CUTTEX by Martor Solingen with ProGlass logo and imprint: www.proglass.de

Tel. 07023/900130

Blade size 9 mm. Suitable replacement blade item no. ABC-10.





Martor Snap-Off Blades, 9 mm wide, package at 10 pieces

Replacement blades for the knife CUTTEX 9 mm









Clip Remover "Pig Foot", wide

Simple Clip Remover for door coverings. For easy removal of door coverings without damaging the plastic clips.



Clip remover, small

A clip remover with a particular narrow and fi ne tip. With the pointedly approaching v-notch, it is especially suitable for very small clips at newer vehicle models.



Clip-Remover, angled

This clip remover is ideal for the removal of cowling clips in recessed holes and areas.



Clip-Remover Kit, in 2 parts

■ CES-125

The two clip removal tools in this kit have a fine tip and are very strong at the same time. They help you to remove all those small clips that were almost impossible to reuse because you were never able to remove them without damage.



Clip Removal Tool

Very flat clip removal tool for all kind of clips with a reach of 10 cm even for clips far underneath the door lining. The other side has a reach of 5 cm and offers thereby a larger lever force.



Clip Removal Pliers to dismantle clips and linings

Clip pliers for professional removal of plastic clips, no scratches or dents at the coachwork. Dismantling of door linings without damage.



TrimClip Pliers to dismantle clips and linings

Pliers with extra flat jaws with 3 different recesses. Each type and size of clips can be grabbed easily and safely.



Clip Pliers

CS-696

Thanks to the specially designed jaws these pliers can also remove very flush installed clips and two-part clips.





Clip Remover Kit, in 5 parts

These five tools made of polished steel cover the whole range of door and lining clips. With this kit you can remove almost all clips fast, easily and without damage.



MHS-068

Hook and Pick Set, in 4 parts

These mini hooks are only about 100 mm long. They are very helpful where 'normal' hook tools do not work.



■ MHK-069

Ball-tipped Mini Hook Set, in 4 parts

These ball-tipped mini hooks are very helpful where standard-sized ball-tipped hooks do not work.

The ball diameter of each tool is 3.0 mm.



■ MHD-110

Double Mini Hook, set of 2 pieces

These mini hooks have a long reach and can help you to adjust rubber mouldings where all other hook tools are simply too big. They are also great little helpers to pick up small pieces.




Trim Jack, heavy duty model

Heavy duty trim jack for removing tight metal trims and all other hardly to remove mouldings. Total length 230 mm.



Trim Jack

Mainly used to remove re-usable trims. The wide and flat form as well as the curvature enables to lift the trim without damaging. In addition it is perfect to lever simple rubber or plastic mouldings or trims with a metal core. Total length 205 mm.



Dismantling Lever Set, made of plastic, in 5 parts

Dismantling of clips, trims and linings with metal tools, often causes damages like scratches. Therefore this five parts tool is completely made of sturdy and loadable plastics. It is a must for each car glass workplace.



Clip & Strip Remover





■ LEC-SET1

Clip and Strip Remover Kit, in 4 parts

4 straight clip and weather strip removers made of durable plastics.

Kit contains:

- 1 weather strip remover, flat (item no. LEC-175F)
- 1 straight clip remover, L-shaped (item no. LEC-175FL)
- 1 straight clip remover, V-shaped (item no. LEC-175FV)
- 1 straight clip remover, Z-shaped (item no. LEC-175FZ)





■ LEC-SET2

Clip and Strip Remover Kit, in 3 parts

3 bent clip and weather strip removers made of durable plastics.

Kit contains:

- 1 weather strip remover, bent (item no. LEC-175G)
- 1 bent clip remover, U-shaped (item no. LEC-175GU)
- 1 bent clip remover, V-shaped (item no. LEC-175GV)









Belt Moulding Remover

When removing a belt moulding it is important that you can save it. This tool slides down into the door opening and pulls out the moulding easily without any damage.





■ DLH-511

Moulding Release Tool with two hook ends

Classical moulding release tool with two hook ends. Rubber spacers at the bottom avoid scratches on glass or varnishing.



Blind Rivet Pliers with twistable head

Some rivets are put into places that are almost inaccessible. This tool has a 360° twistable head that works in all directions. By that the nose can reach almost everywhere. Comes with four different nose pieces and a wrench to change them.



■ BNZ-2685

Blind Rivet Pliers, standard

Standard riveting tool with an extended nose length. Thanks to the long nose this tool lets you install rivets in vehicle doors with ease. Comes with four different nose pieces and a wrench to change them.



■ BN-308

■ BN-326

■ BN-408

Blind Rivets, 3.0 x 8 mm, package at 50 pieces Blind Rivets, 3.2 x 6 mm, package at 50 pieces Blind Rivets, 4.0 x 8 mm, package at 50 pieces



■ WAB-150

Wiper Arm Puller BMW shank width: 23 mm, working height: 37 mm

Heavy wiper arm puller for BMW from series E32/E34. This tool is designed very similar to the original BMW tool and has exactly the same function.



Wiper Arm Puller with flexible shank width 15-35 mm, working height 40 mm

Heavy wiper arm puller for almost all BMW series and Rolls Royce RR1 and RR2.

Also perfect for many other cars!



■ DWR-120

Wiper Arm Puller, Heavy Duty shank width: 16 mm, working height: 38 mm

Extremely loadable wiper arm puller. For use on almost all passenger cars and many commercial vehicles. Especially recommended for the BMW E34 (5) and E32 (7) series, that have wipers with adjustable inclination.



■ TE-125

TORX Socket T80 for 1/2" drive

This TORX Socket T80 is needed for dismantling the wiper cover of the BMW E32 and E34 series.





■ HWA-2636

Wiper Arm Puller "EasyLift II" shank width: 26 mm, working height: 38 mm

The EasyLift II fits for Audi models from 2001. The wiper arm puller is designed for heavy use. It also offers a brass cap to protect the wiper arm thread against damage.



■ EWA-1702

Wiper Arm Puller Easy Lift shank width: 18 mm, working height: 32 mm

This wiper arm puller is trouble-free applicable under casted air defl ectors. It can also be used for nearly all other types of wipers. Made of specially hardened steel.



ZAW-090

Wiper Arm Puller, universal shank width: 38 mm, working height: 28 mm

A sturdy tool for use on almost all passenger cars and many commercial vehicles, because of a large-scale adjustment to pull of the wipers.





Wiper puller Volkswagen Group shank width: 63 mm, working height: 63 mm

Suitable for most models from the Volkswagen group and many others. To protect the wiper arm bolt the large screw is hollow. So to use this tool the wiper arm nut must to loosened, but must remain on the bolt. By that the screw of the tool is holding up against the nut.





■ WAN-3650



Wiper Arm Puller Audi Q7 shank width: 36 mm, working height: 16 mm

Compact and very robust wiper arm puller, especially designed for the wiper arm of the Audi Q7 and other models with similar wiper arm construction.



■ SWA-2316

Standard Wiper Arm Puller shank width: 16 mm, working height: 26 mm

A universal wiper arm puller with clamping screw for easy handling (without extra tool). Suitable for many vehicles.



■ WAZ-919

Wiper Arm Pliers

Multi-purpose pliers to remove most standard wiper arms. Not suitable for heavy load.



■ UAZ-1950

Wiper Arm Puller, heavy-duty shank width: 18 mm, working height: 48 mm

Real heavy universal puller for various jobs - also fits for many wiper arms.





■ RMP-416

Installation Pliers for rearview mirrors with bayonet clamp

With these pliers you can easily remove and install all rearview mirrors with bayonet clamp (e. g. most VW and Audi models). No risk of damaging the windscreen or the mirror.

■ RMP-416-1

Replacement Plastic Jaws for (1 pair) RMP-416

(not shown)



■ CE-749

Special Tool for C-Clips

For the removal of 'C'-shaped clips on window handles (e. g. Opel).



■ CTM-310

Moulding Installer

To install a flush-mounted moulding by using your thumbs often produces an uneven and rippled appearance. With this tool you can simply roll the moulding in place and you will get a smooth and untouched appearance. Also suitable for mounting weather strips.



■ GH-701

Rubber Hammer Ø 50 mm weight: 380 gr

Almost indispensable tool to install mouldings and linings.



■ STS-039

Socket Set 1/4 drive in 39 parts

Made of robust chrome-vanadium steel. Delivered in a sturdy plastic box (245 x 130 x 44 mm) with molded insert.

Kit contains:

- 1 ratchet wrench (72 teeth)
- 1 hand grip
- 1 short extension
- 1 large extension with toggle function
- 1 cardan joint
- 13 hexagon sockets (4/4,5/5/5,5/6/7/8/9/10/11/12/13/14)
- 4 cross-head bits (PH1/PH2/PZ1/PZ2)
- 2 slotted bits (5,5 / 7)
- 5 hexagon l-keys (1,2/1,5/2,0/2,5/3,0)
- 3 allen insert (4/5/6)
- 7 Torx (T8/T10/T15/T20/T25/T27/T30)



RSS-0819

Ratchet Wrench Set of 7 pieces

- The professional ratchet mechanism has a gear with 72 teeth (5° returning angle) and allows you to work on narrow places.
- With their small ring end side these wrenches are the perfect alternative to classical ratchets and nuts.
- The wrenches conform to ANSI standard. However, opening very hard fixed screws with the gear-side could break the gear mechanism.
- The set includes the wrench sizes 8, 10, 12, 13, 14, 17 and 19 mm.
- Delivered on a wall-mountable plastic support.



■ SDM-421

Mini Screwdriver Set









Who doesn't know that! You can see the screw but no screwdriver can reach into the narrow space above the screw head. That's a job for the only 3.4 cm long mini screwdrivers! The set contais 2 Phillips screwdrivers (PH0, PH1) and 2 slotted srewdrivers (5 mm, 6 mm).









MB-743

Rearview Mirror Screwdriver TORX T15 / TORX T20



Rearview Mirror Screwdriver hex driver 2.0 mm / hex driver 2.5 mm



Rearview Mirror Screwdriver TORX T15 / Phillips PH1



■ MSP-2030

Nut Splitter Set

If a nut is so damaged that you can not open it you should have a nut splitter available. The smaller one has an eye diameter of 20 mm, the bigger one of 30 mm. Total length is 117 resp. 150 mm.



■ WSS-106

Angle Screwdriver without handle for use with the cordless driver

Screwdriver bits fix magnetically. Fits for all 1/4 inch bits.



■ MS-180





The round end of the plastic installation stick is appropriate for working on rubber mouldings or render a fresh PU bead, the flat scraper end is good to use for cleaning and removing excessive polyurethane. A tool with almost unlimited applications.



Installation Stick Round/Round of ivory coloured plastic, 200 mm long

Plastic installation stick with two rounded ends for working on rubber mouldings or render a fresh PU bead. A tool with almost unlimited applications.



Handle with installation stick round/round



Handle with one installation stick with 2 round ends (like MS-181). The installation stick is fastened with a set screw.



Handle for installation stick





Hollowed out handle to hold an installation stick MS-180 or MS-181. The installation stick is fastened with a set screw.



■ HLK-012

Lift Support Clamp

This clamp enables you to fix old pneumatic springs of bonnets or hatches. Open the bonnet up to the desired angle, attach the clamp - fix it - ready.





Telescopic Bonnet Holder made of aluminum, in 3 parts

Set of Replacement Rubber Caps for THH-540

Keeps the bonnet or hatch open at any desired angle. Telescopic bonnet holder stepless adjustable from 54 to 120 cm.







■ LB-300

Power-Lifter inflatable bag 15 x 20 cm

The PowerLifter facilitates detaching bonded glasses, regardless of the method used. You place the bag at an already detached point between the glass and the car body and infl ate it. Lifting the glass, stretches the remaining PU bead, which can now be much easier detached. The bag is made of fi bre-reinforced fabric, which is extremely tough and loadable. Only at about 150 kg the pressure-relief valve opens.







Power-Lifter, long version inflatable bag 15 x 40 cm

The extended PowerLifter can be used fl at or folded. By that it can lift the glass from the top edge much more. The big PowerLifter can be used even more universally than its small brother LB-300. The bag is made of fi bre-reinforced fabric, which is extremely tough and loadable. Only at about 150 kg the pressure-relief valve opens.



SSH-290

Window Holder Set

Holds the side window while you are working on the window lifter so that you have both hands free. This window holder set also keeps a windscreen from sliding down while the polyurethane hardens (fix one end on the glass, the other end on top of the car). Very stable due to cast-in thread. Cable length 45 cm.



FDS-700



Flexible Double Suction Cup

The flexible double suction cup is the best to secure a freshly bonded windscreen. These suction cups stay exactly in position and will not let the glass move a single millimeter! Made of two plastic suction heads with 80 mm rubber disks, connected with a foam covered steel cable (cable length 42 cm).







Moulding Clamp, blue, package at 6 pieces Moulding Clamp, blue, single

Versatile capabilities:

- retains freshly bonded mouldings, badges or mirror plates
- press on freshly bonded vehicle glazings (e. g. if the upper corners do not align properly)
- prevents freshly bonded vehicle glazings from sagging (fix the sucker to the window to hold it up against the roof)







Moulding Clamp, red, package at 6 pieces Moulding Clamp, red, single

This version has a long slotted hole instead of the three single fixing holes. So it can be easier positioned. The PVC suction cup with a diameter of 80 mm holds on glass as well as on metal.

Versatile capabilities:

- retains freshly bonded mouldings, badges or mirror plates
- press on freshly bonded vehicle glazings (e.g. if the upper corners do not align properly)
- prevents freshly bonded vehicle glazings from sagging (fix the sucker to the window to hold it up against the roof)







■ SLP-101

Rope Insert Tool for passenger vehicles tube outside-Ø: 6 mm, rope length: 6 m

An indispensible tool for the replacement of glasses that are installed with a rubber gasket. With the curved tube you easily place the rope in the channel of the rubber profile. Thanks to the ergonomically shaped handle the rope does not carve into your fingers while installing the rubber moulded glass.

■ SLP-101-01

Replacement Rope 6 m for Rope Insert Tool SLP-101

Very flexible and high-tensile rope made of fine nylon netting.



SLN-102

102

Rope Insert Tool for commercial vehicles tube outside-Ø: 8 mm, rope length: 9 m

An indispensible tool for the replacement of glasses that are installed with a rubber gasket. With the curved tube you easily place the rope in the channel of the rubber profile. Thanks to the ergonomically shaped handle the rope does not carve into your fingers while installing the rubber moulded glass.

■ SLN-102-01

Replacement Rope 9 m for Rope Insert Tool SLN-102

SI A

Very flexible and high-tensile rope made of fine nylon netting.



Locking Strip Tool with 2 double end tips

General purpose tool with two double end tips = four different sized eyelets. Tips are fixed with a big knurled head screw and so no additional tool is required for turning and exchanging the tips. Suitable for locking strips of approx. 6 - 15 mm width.



■ LT-750-1

■ LT-750

Replacement Eyelet Set (2 pieces) for LT-750

Inner dimensions of the eyelets: 7.5 (14.5) mm / 13.5 mm / 11.0 mm / 16.0 mm



■ LT-415

Locking Strip Tool with interchangeable eyelets

With this locking strip tool you can install all locking strips with a width from 8 - 19 mm. All eyelets can also be combined with the roller wheel (installed on the picture) to easily install locking strips.



■ LT-415-1

Replacement Eyelet Set (5 pieces) for LT-415

Inner dimensions of the eyelets: 9.5 mm / 10.5 mm / 11.5 mm / 12.5 mm / 13.5 mm material thickness: 2.0 mm







Installation Stick Round/Flat of ivory coloured plastic, 200 mm long

The round end of the plastic installation stick is appropriate for working on rubber mouldings or render a fresh PU bead, the fl at scraper end is good to use for cleaning and removing excessive polyurethane. A tool with almost unlimited applications.



Installation Stick Round/Round of ivory coloured plastic, 200 mm long

Plastic installation stick with two rounded ends for working on rubber mouldings or render a fresh PU bead. A tool with almost unlimited applications.



Handle with installation stick round/round

Handle with one installation stick with 2 round ends (like MS-181). The installation stick is fastened with a set screw.



■ ISH-691



Handle for installation stick

Hollowed out handle to hold an installation stick MS-180 or MS-181. The installation stick is fastened with a set screw.



Rubber Hammer Ø 50 mm weight: 380 gr

Almost indispensable tool to install mouldings and linings.



Moulding Installer

To install a flush-mounted moulding by using your thumbs often produces an uneven and rippled appearance. With this tool you can simply roll the moulding in place and you will get a smooth and untouched appearance. Also suitable for mounting weather strips.





MHS-068

Hook and Pick Set, in 4 parts

These mini hooks are only about 100 mm long. They are very helpful where 'normal' hook tools do not work.



■ MHK-069

Ball-tipped Mini Hook Set, in 4 parts

These ball-tipped mini hooks are very helpful where standard-sized ball-tipped hooks do not work.

The ball diameter of each tool is 3.0 mm.



■ MHD-110

Double Mini Hook, set of 2 pieces

These mini hooks have a long reach and can help you to adjust rubber mouldings where all other hook tools are simply too big. They are also great little helpers to pick up small pieces.



■ GH-753

Pointed Hook, special shape "L"

The double bent hook is great to leverage a rubber profile over the pinchweld's edge.

total length: 190 mm



Pointed Hook, with short shaft

total length: 200 mm



Pointed Hook, with long shaft

total length: 280 mm



Ball-Tipped Hook, with short shaft

ball-Ø: 4.5 mm total length: 200 mm



Ball-Tipped Hook, with long shaft

ball-Ø: 5.0 mm total length: 280 mm







Pointed Hook, special shape "U"

The tridimensionally bent hook is great for working on rubber moulded glasses and for dismantling plastic panels.

total length: 210 mm





Pointed Hook, special shape "V"

The tridimensionally bent hook is great for working on rubber moulded glasses and for dismantling plastic panels.

total length: 210 mm



Equalizer Pointed Hook with long shaft

Pointed hook with long shaft and extra-long hook.

total length: 320 mm



Equalizer Pointed Hook with short shaft

Pointed hook with short shaft and extra-long hook.

total length: 220 mm





Glass Breaking Pliers 200 mm long jaw width approx. 25 mm



Glass Breaking Pliers 225 mm long jaw width approx. 25 mm



Glass Cutter, full metal version 130 mm long

- straight edge stand-off distance 1.8 mm
- cutting angle 120°



Glass Cutter with turnable head 130 mm long

- straight edge stand-off distance 2.5 mm
- cutting angle 135°
- wooden handle



Glass Cutter with rounded handle 119 mm long

- straight edge stand-off distance 2.0 mm
- cutting angle 135°



Oil Glass Cutter with narrow head 170 mm long

- heavy metal cutter
- narrow cutting head
- straight edge stand-off distance 2.5 mm
- cutting angle 135°
- handle made of aluminium with oil tank



■ GCO-170L

Oil Glass Cutter with wide head 170 mm long

- heavy metal cutter
- wide cutting head
- straight edge stand-off distance 2.5 mm
- cutting angle 135°
- handle made of aluminium with oil tank



■ OGC-118

Oil for glass cutters bottle at 118 ml





LED Torch with flexible shaft

Replacement Bulb for FTL-430

Requires three 1.5 V Lady batteries (not included).



Mini Torch with flexible shaft

Replacement Bulb for FTL-402

The torch comes with a small removable magnet tip. This makes it easy to find and pick up lost screws in a vehicle. Requires two 1.5 V AA batteries (not included).



Penlight

Replacement Bulb for PF 216

Ball-pen shaped mini torch made of painted tin and plastics. Requires two 1.5 V AAA batteries (not included).



- BA-LADY
- BA-MICRO
- BA-MIGNON
- Alkaline Battery 1.5V, type LADY
- Alkaline Battery 1.5V, type AAA
- Alkaline Battery 1.5V, type AA



LED Penlight

Ball-pen shaped LED torch with very bright LED. Made of painted tin and plastics. Requires two 1.5 V AAA batteries (**included**).



LED Torch

Robust and handy pocket lamp made of anodized light metal. The bright LED light is evenly dispersed by a lens. A distance of 10 cm results in an evenly bright spot with a diameter of approx. 4.5 cm (angle of radiation ca. 12°). With clip for safe transportation in your pocket. Colour: anthracite. Requires two 1.5 V AAA batteries (not included).



■ LC-014-S

Torch Clip With Suction Cup

Plastic clip to hold the TL-130 and other small torches with a diameter of 15-16 mm. Insert the torch in the flexible holder and fix it easily to all smooth surfaces. Alternatively you can clip the torch almost anywhere.





■ LC-014-M

Torch Clip With Magnet

Plastic clip to hold the TL-130 and other small torches with a diameter of 15-16 mm. Insert the torch in the flexible holder and fix it easily to all magnetic surfaces. Alternatively you can clip the torch almost anywhere. The magnet is detachable.





■ ULF-481

Ultrasonic Leak Detector

The ultrasonic leak detector makes it easy to find leak points quickly and reliably, e. g. on bonded glasses. The set includes an ultrasonic transmitter, a receiver and headphones. Requires two 9 V batteries (not included).

Note:

This device is operating with ultrasonic waves. Even smallest leaks can be indicated very reliably. But leaks on bonded vehicle glazings can only be found on dry vehicles! If the vehicle to test is wet you must first let it dry completely before you can use this leak detector to identify a leak on the adhesive bead. Also the glasses edge respectively the pinchweld must not be covered by any trims and mouldings. These parts will also hinder the ultrasonic waves and make it therefore impossible to find any leaks underneath.



■ TSP-2550


Telescopic Mirror 25 x 50 mm

Small longish telescopic mirror with a clip to carry it in your shirt pocket, extendable from 11 - 44 cm.



Telescopic Mirrior Ø 50 mm

Big round telescopic mirror, extendable from 18 - 32 cm.



Flexible Grabber

Flexible Grabber with four claws for picking up small parts from difficult to reach areas.

Length 60 cm, max. opening of claws ca. 20 mm.



MH-120 Telescopic Magnet

The telescopic magnet is a real multi-purpose tool. The extremely strong magnet is capable to lift and carry weights up to 1.5 kg! Extendable from 12 - 60 cm.



■ MSK-356

Magnet Bowl for small parts Ø 150 mm

The bowl can be placed almost everywhere on a vehicle because the bottom has a rubber cover to avoid scratches. The strong magnet surely holds the bowl itself and all magnetic contents.



Ball-Tipped Hook with extra long shaft

This extremely long tool is great for cleaning glass run channels in vehicle doors. By moving the round tip up and down in the run channel it will push out any loose parts without damaging the rubber.

ball-Ø 6.0 mm, total length: 540 mm



■ LTK-170





Lockout Tool Set professional tool kit to open car doors

It can easily happen that you lock yourself out, while working on a clients car. The lock-out tool kit enables you to cope with the situation. You open the car door without damaging painting, moulding or lining.

Tool kit in 17 parts with an illustrated manual, in a black folding bag made of sturdy synthetic leather (see small fig.).

NOTE:

Will not work on modern vehicles with an electronically controlled locking system.



■ KSK-4510

Plastic wedges set of 2 pieces

The plastic wedges are made of an impact-resistant material.

length 10 cm, width 4.5 cm, height 2.3 cm



Equalizer TightSpot Paint Protector set of 2 pieces

Sometime you have to park cars so close together that the open door could damage the next vehicle. When this happens you need a Set of TightSpots. They are made of dense foam rubber block and a vaccum cup that holds the block in the right position.

ROLLING WORK SEAT



■ RH-727



Rolling Work Seat 45 x 33,5 x 25 cm

Solid rolling work seat with three open compartments and one subdivided compartment under the lid. With four robust swivelling rollers made of plastic (roller \emptyset : 50 mm).

- load capacity: 110 kg
- very good manoeuvrability thanks to the 360° swivelling casters
- practical compartments for tools and small parts
- for convenient working on door glasses
- also perfect for headlight restoration
- allows a knee- and back-friendly work position



■ AKS-144

Panasonic Cordless Drill 14.4 V

High-power, robust and compact cordless drill with Li-lon battery technology. 2-step gear for powerful screwing and fast drilling. Delivered with 2 battery packs (1.5 Ah), battery charger and plastic tool case.



■ BP-144

Li-Ion Battery Pack 14.4 V, 1.5 Ah for AKS-144





Putty Knife 30 mm wide, with solid wooden handle
Putty Knife 40 mm wide, with solid wooden handle
Putty Knife 50 mm wide, with solid wooden handle

These putty knives have a flexible steel blade with a big wooden handle and are very suitable to produce sealing joints on commercial vehicles, as well as other jointing work.

Blade length: 110 mm Total length: 220 mm



Glazing Knife, sabre-shaped

Glazing knife with wooden handle for glazing and jointing work.

blade length: 110 mm blade width: 40 mm



Glazing Knife, straight shape

Glazing knife with wooden handle for glazing and jointing work.

blade length: 95 mm blade width: 27 mm



■ PI-300

PI-400



PI-150





Power Inverter 12V / 230V (150W / 300W max.) with plug for power outlet/cigarette lighter

Power Inverter 12V / 230V (300W / 600W max.) with plug for cigarette lighter and crocodile clamps

Power Inverter 12V / 230V (400W / 1200W max.) with plug for cigarette lighter and crocodile clamps

Small, handy power inverters electrical or electronical appliances for 230 V connection can be used with 12 V vehicle power systems. With the included cables the inverters can be connected to vehicle power outlets of directly with the vehicle's battery.

The power inverters have a (permanent) output power of 150, 300 or 400 W and are provided with an overload protection, a reverse battery protection (fuse) and an automatic switch-off to protect the battery from total discharge.

These inverters deliver an AC current with modified sinus wave. Many electrical devices like e. g. notebboks, video players, radios, lamps, fans or battery chargers can be operated trouble-free. The inverters with higher wattage can even be used with dust cleaners or electrical cutting tools. However the devices input power in watt must not be higher than the continious power rating of the inverter.

NOTE:

Never try to operate a fluorescent lamp (e.g. an UV lamp for wind-screen repair) or an energy-saving lamp with these inverters. Devices with build-in NiCd batteries and internal charger should also not be operated. Any damages caused by non-observance of the instruction manual are not covered by our warranty!

All devices with <u>external</u> battery charger or mains connector should run trouble-free.







grit 200 **Diamond Sanding Pad, purple** ■ DSP-400 grit 400

Diamond Sanding Pad, white ■ DSP-800 grit 800 Diamond Sanding Pad, blue

DSP-1000

grit 1000 These handy foam blocks are coated with a flexible diamond sanding surface on one side.

The sanding pads are perfect for grinding small damages and irregularities on glass edges (NOTE: Please only grind the glass edges and never the glass surface!). Moreover they will work on all hard material, but also on many soft surfaces. Even rubber and plastic parts can be burred clean and easy.



Glass

ProGlass Workshop Covers

While working on a customer's vehicle it is not only important to perform a proper repair, but also to avoid secondary damages. Therefore the vehicle should be protected anytime from any unnecessary risk best possible.

Our workshop covers protect the vehicle's interior and exterior in an optimum way. The new Wing Protector covers doors and wings – thus exactly the area in which a technician could get in touch with the varnish – to protect this area particularly well. The non-skid Car Covers also prevent from scratching the varnish or the dashboard. At the same time they offer a safe depot for tools and small parts. The Seat Covers protect the vehicle's interior from soil and damage, depending on the model only the two front seats or the whole front passenger area.

All our workshop covers are made from high-quality components and sewn in manual production in Germany. The outcome of this is durable and hard-wearing products – made for the professional use. In the production we set a high value on accurately positioned and neatly processed seams. In all strained areas, like e. g. the practical hangers, we even use double seams.

This is really visible quality - for products that last for a long time.



■ DSS-200



ProGlass Double Seat Cover

Big, one-piece seat cover for covering both front seats, the center console, the footwell and the threshold.

Advantages:

- no glass pieces or dirt on the seats and on scratch-sensitive surfaces
- less dirt means less time for cleaning = time saving
- professional appearance towards the customer

- the fabric (Nylon 70D) is hard-wearing, persistent and water-repellent
- the reverse side is skidproof thanks to a soft PVC coating
- thanks to the triangular extension for the centre console suitable for most passenger cars
- all materials are colour-fast and light-resistant
- the cover is fully washable
- high-quality manufacturing made in Germany
- available with individual logo in small quantities







■ ESS-075



ProGlass Single Seat Cover

Seat cover for covering one front seat.

New design (delivery from May 2014: Now adapted to all different sized car seats - incl. sports seats.

Advantages:

- no glass pieces or dirt on the seats and on scratch-sensitive surfaces
- less dirt means less time for cleaning = time saving
- professional appearance towards the customer

- with practical hanger loop for clean storade when not in use
- fhe fabric (Nylon 70D) is hard-wearing, persistent and water-repellent
- the reverse side is skidproof thanks to a soft PVC coating
- all materials are colour-fast and light-resistant
- the cover is fully washable
- high-quality manufacturing made in Germany
- available with individual logo in small quantities







■ KFS-150



ProGlass Wing Protector 150 x 50 cm

A workshop cover for wings and doors with very flexible mounting options. This unique cover is suitable for all magnetic and non-magnetic car bodies.

Thanks to the various mounting options this wing protector can be used on all different kind of cars! It can be fixed to the vehicle with the integrated magnetic tape, by hanging into the clearance between wing and hood or into the door window opening, with the cords at the upper corners to screws, holes or in door seals, with center cords and stopper at side mirrors.

Advantages:

- no risk of scratching the painting
- quick and easy handling thanks to the flexible mounting options
- professional appearance towards the customer

- the fabric (Nylon 70D) is hard-wearing, persistent and water-repellent
- skidproof, cushioned reverse side (5 mm thick non-slip mat)
- magnetic tapes for safe mounting on steel bodies
- plug-in tongues for easy mounting to car body clearances
- cords for variable mounting to screws, holes or in door seals
- all materials are colour-fast and light-resistant
- the cover is washable by hand (please do not clean in a washing machine because of the magnetic tapes and the cords)
- high-quality manufacturing made in Germany
- available with individual logo in small quantities











ProGlass Car Cover 120 x 50 cm

Protective mat with a skidproof, cushioned reverse side for covering and protecting hoods, fenders or dashboards.

Advantages:

- no risk of scratching the painting (fender covers with magnets can easily cause small scratches and dents)
- quick and easy handling (no more time-consuming masking of hood and fender edges with tape)
- safe and practical place to deposit hand tools on a vehicle
- professional appearance towards the customer

Properties:

- with practical hanger loop for clean storade when not in use
- the fabric (Nylon 70D) is hard-wearing, persistent and water-repellent
- skidproof, cushioned reverse side (5 mm thick non-slip mat)
- all materials are colour-fast and light-resistant
- the cover is fully washable
- high-quality manufacturing made in Germany
- · available with individual logo in small quantities



ProGlass Car Cover 80 x 45 cm

Protective mat with a skidproof, cushioned reverse side for covering and protecting hoods, fenders or dashboards.

Advantages:

- no risk of scratching the painting (fender covers with magnets can easily cause small scratches and dents)
- quick and easy handling (no more time-consuming masking of hood and fender edges with tape)
- safe and practical place to deposit hand tools on a vehicle
- professional appearance towards the customer

- with practical hanger loop for clean storade when not in use
- the fabric (Nylon 70D) is hard-wearing, persistent and water-repellent
- skidproof, cushioned reverse side (5 mm thick non-slip mat)
- all materials are colour-fast and light-resistant
- the cover is fully washable
- high-quality manufacturing made in Germany
- available with individual logo in small quantities

Customized Covers

Starting from a quantity of only 10 pieces (assorted) you can order our car and seat covers with your own logo.

Please contact us for further details and to obtain an individual quote for your needs!









Cut-Resistant Protection Gloves, size M, per pair Cut-Resistant Protection Gloves, size L, per pair Cut-Resistant Protection Gloves, size XL, per pair

Pleasing to wear, made of finely knitted fabric with woven in glass fibre and grey PU coating at the inside. Outstanding cutting protection, breathable back side, perfect abrasion resistance, excellent sense of touch.

CE / EN 388 CAT II / 4 5 4 2 (cutting protection level 5!)



Finely Knitted Gloves, non slip, size M, per pair Finely Knitted Gloves, non slip, size L, per pair Finely Knitted Gloves, non slip, size XL, per pair

Gloves pleasing to wear, made of finely knitted fabric - especially permeable to air and with optimum fit. Safe grip, due to the polyurethane coating at the inside. Excellent sense of touch combined with a good hand protection.

CE / EN 388 CAT II / 4 1 3 1



Winter Knitted Gloves, size M, per pair Winter Knitted Gloves, size XL, per pair

The perfect winter gloves for the workshop and in the auto glass mobile service. Seemless knitted glove with foamed and waterproof crinkle latex coating. Soft and warm, especially used for outside work during the winter season. Thanks to the latex coating these gloves are really non-skid with a secure grip.

CE / EN 388 CAT II / 1 2 3 1 + EN 511 / X 1 X



Nitrile Gloves, size M, per pair

Nitrile Gloves, size L, per pair

Nitrile Gloves, size XL, per pair

Cotton tricot gloves with a nitrile coating. Partly coated back side, breathable, high flexible and with a secure grip. The tricot material keeps your hands warm and dry - even in damp weather.

CE / EN 388 CAT II / 3 1 1 1





Knitted Gloves, non-slip, size M, per pair Knitted Gloves, non-slip, size L, per pair Knitted Gloves, non-slip, size XL, per pair

High-quality cotton/nylon mix knitted gloves that are comfortable to wear and have an optimum fit. Safe grip, due to non slip dots at the palm. Good sense of touch combined with a high protection against cutting.

CE / EN 388 CAT II / 0 2 4 2



Protective Leather Gloves, per pair

High-quality gloves made of cattle split leather with reinforced sections of full leather for high demands at the inside. Excellent abrasion and puncture resistance. Outside and palm made of cotton fabric.

These gloves cannot be compared with cheap products made of inferior material which you can buy in the DIY store next door.

CE / EN 388 CAT II / 4 1 2 4



■ EHN-694

Nitrile Disposal Gloves, powder-free package at 100 pieces


Nitrile has similar carrying properties than Latex or Vinyl. But it is also resistant against chemicals. Everybody who is doing glass repairs or working with solvents should wear these gloves to protect the skin.

CE / EN 455









Nitrile Disposal Gloves, black, powder-free Size: XL, package at 100 pieces

These gloves have textured fingertips for better handling of small items, are high chemical and puncture resistant, and contain no MBT or Latex. They have an unsurpassed comfort and have no offensive odor.

CE / EN 455









■ SB-886

Safety Goggles

Unbreakable goggles made of transparent polycarbonate (PC). The ear pieces can be adapted individually due to the very pliable material. The goggles are shaped in a style that will fit over the most spectacle frames.



■ EHL-652

Latex Disposal Gloves, powder-free package at 100 pieces

Powder-free gloves are particularly suitable for touching the glass edges without leaving traces. No negative impact on adhesion.

CE / EN 455



■ EHL-140

Latex Disposal Gloves, powdered package at 100 pieces

Latex gloves protect your hands against polyurethane, primer and other persistent dirt. At the same time they protect your skin against aggressive cleaning agents

CF / FN 455



■ EHV-500

Vinyl Disposal Gloves, powdered, package at 100 pieces

Vinyl is stretchable and tearproof similar to latex. Therefore it is a perfect solution for persons with latex allergy.

CE / EN 455





■ CMU-099





All-Round Clips Storage Container with 99 compartments

Very spaciously clips and small parts storage container with up to 99 compartments. Thanks to the variable dividers this container offers multiple fields of application. Made of shockproof plastic, with robust locks.

Dimensions: 420 x 300 x 410 mm





■ CKM-021





Clips and small parts storage box with 21 compartments

Small parts storage box made of milky-transparent, shockproof plastic, with robust locks. Thanks to the variable arrangement of the dividers you can create bigger or smaller compartments as needed.

Delivery without content.

Dimensions: 364 x 248 x 50 mm





■ CMM-018

Clip storage cabinet with 18 compartments

Small parts storage case for mobile use. Perfect to organize clips, rubber spacers, sensor adhesive pads and other small parts. The 18 boxes can be taken out separately if needed.

Dimensions: 300 x 300 x 150 mm









NEW

Divider for clip storage cabinet CMM-018

The divider separates each box of the clip storage cabinet in two compartments.






■ IND-0609

INDECO Perforated Tool Board 960 x 480 mm, blue

■ IND-0612

INDECO Perforated Tool Board 960 x 980 mm, blue

INDECO tool board made of 1.5 mm perforated steel sheet. The boards are powder-coated and therefore very sturdy and durable. Due to a fine matrix of holes (12 x 12 mm hole spacing, 4.2 mm hole diameter) the board can be arranged individually.



■ IND-601796

INDECO Screw, single

Each holder requires two screws. Do not forget to order, because commonly available screws are too long.



IND-601099

Shelf, 250 x 100 x 15 mm

Solid shelf for small parts and tins or bottles. Made of electroplated steel panel.



Tool Holder 440 mm capable to hold 19 tools

A clear and neat way to store tools. Each tool is always ready to hand. The strip is made of aluminium with clamps of plastic. It has two holes for wall fastening or to fi x it onto a perforated tool board (delivered without tools).



■ IND-601703

Holder, 45 mm long



■ IND-601704

Holder, 23 mm long

■ IND-607703

Holder, 45 mm long



■ IND-601727

Holder, 12 mm wide

■ IND-601730

Holder, 18 mm wide



■ IND-601720

Holder, 20 mm deep

■ IND-601721

Holder, 32 mm deep



■ IND-601734

Holder, for 1/2" box nut



■ IND-601756

Holder, Ø 21 mm, height: 50 mm one side closed



■ IND-601723

Holder, 20 mm round

■ IND-601725

Holder, 58 mm round



■ IND-611071

Tool Holder, 13-15 mm

■ IND-611074

Tool Holder, 25-27 mm







Tool Board with 34 tools

Kit contains:

- 1 ZMX-400 pull knife with quick change system
- 1 UW-119 UltraWiz pull knife blade 19 mm, package at 5 pieces
- 1 UW-125 UltraWiz pull knife blade 25 mm, package at 5 pieces
- 1 UW-138 UltraWiz pull knife blade 38 mm, package at 5 pieces
- 1 GS-380 glass scraper
- 1 RK-100A scraper blades, package of 100 pieces
- 1 LH-230 trim Jack
- 1 CEG-148 clip remover, wide
- 1 GHS-140 pointed hook, with short shaft
- 1 GHK-140 ball-tipped hook, with short shaft
- 1 FSC-300 ProGlass scraper, with quick change system
- 1 LT-750 locking strip tool with 2 double end tips
- 1 SLN-102 rope insert tool for passenger cars, rope 6 m long
- 1 DGH-300 wire guide
- 1 MH-120 telescopic magnet
- 1 MHS-068 hook and pick set, in 4 parts
- 1 MS-180 installation stick, round/flat
- 1 DST-733 T-handle wire threader, large
- 1 SPZ-160 pointed pliers with wire cutter
- 1 SB-886 safety goggles
- 1 SD-22 ProGlass sawing wire, braided, spool at 22 m
- 1 VKD-22 ProGlass cutting wire, squared, spool at 22 m
- 1 UMS-437 utility knife AMERICAN-LINE
- 1 TKS-100 trapezoid blades, dispenser at 100 pieces
- 1 HK-5 hook blades, package of 5 pieces
- 1 ZAW-090 wiper arm puller, universal
- 1 LM-460 ProGlass long knife 460 mm
- 2 PSH-120-1 ProGlass 2-cup suction lifter, single
- 2 FIX-080 moulding clamp, single
- 1 STG-3850 woven adhesive tape, black, 38 mm wide
- 1 DGL-200 wire handles, self-locking, set of 2 pieces
- 1 SHL-109 knitted gloves, size L
- 2 WH-400 tool Holder 440mm
- 1 IND-610 tool board INDECO 960 x 480 mm,blue, equipped with holders



Tool Case with 31 tools

High-quality and robust tool case made of plastic. Equipped with all tools needed to exchange a bonded windscreen. With this case you are ready to go! The two perfectly cut foam linings are good to keep track of your tools. Every single piece has a tidy place. So you have your tools always at your fingertips and nothing disappears.

Kit contains:

- 1 SD-22 ProGlass sawing wire, braided, spool at 22 m
- 1 VKD-22 ProGlass cutting wire, squared, spool at 22 m
- 1 DGL-200 wire handles, self-locking (pair)
- 1 DHL-300 wire guide, long version
- 1 DST-733 T-handle wire threader, large
- 1 SPZ-160 pointed pliers with wire cutter
- 1 ZMX-400 quick release pull knife
- 1 UWE-3 UltraWiz stainless steel blade assortment
- 1 GS-380 glass scraper
- 1 RK-100A scraper blades 40 mm wide (package at 100 pieces)
- 1 FSC-150 ProGlass scraper, with guick change system
- 1 SC-313 scraper blades 12 mm, package at 10 pieces
- 1 SC-316 scraper blades 16 mm, package at 10 pieces
- 1 SC-320 scraper blades 20 mm, package at 10 pieces
- 1 XL-2 Olfa long knife
- 1 LB-10 Olfa snap-off blades, package at 10 pieces
- 1 MS-180 installation stick round/flat
- 1 LH-230 trim jack
- 1 CEG-148 clip remover, wide
- 1 GHS-280 pointed hook, with long shaft
- 1 GHS-140 pointed hook, with short shaft
- 2 PSH-120-1 ProGlass 2-cup suction lifter, single
- 2 FIX-080 moulding clamp, single
- 1 SHX-110 knitted gloves, size XL
- 1 SB-886 safety goggles
- 1 STS-039 socket set 1/4" drive in 39 parts
- 1 ZAW-090 wiper arm puller, universal
- 1 KSZ-163 V-notch pliers
- 1 KA-539 cartridge opener







Auto Glass Tool Cart, fully equipped

High-grade tool cart made of aluminium, plastics and coated steel plate. 4 guide rollers, thereof 2 with brake. 360° swivelmounted glass rack with 4 rubber cups for preparing glasses (item WSH-7050). The three top drawers are fully equipped with all hand tools needed to replace bonded and non-bonded glasses. And to keep everything in a nice order each tool has its own space in a rigid-foam lining. The three lower drawers without lining offer enough space for power tools or other big tools. In one of the high drawers for example we have put in the pair of suction lifters. To protect your tools all drawers can be locked with a central lock.

A paper roll holder (item PRH-380), a rod to hang the spray bottles, a 10 litre waste bin (item WAB-909) and two boxes for small parts such as clips and/or cans (items WKB-300 and WKB-400) are furthermore included.







| item no. | description | item no. | description | item no. | description | item no. | description |
|----------|--|----------|------------------------|----------|------------------------|-----------|---------------------|
| GHS-280 | pointed hook, long | STS-039 | socket set | ZMX-400 | pull knife | GS-380 | glass scraper |
| GHS-140 | pointed hook, short | MHS-068 | hook and pick set | UWE-3 | stainless steel blades | RK-100A | scraper blades |
| CEG-148 | clip remover | SB-886 | safety goggles | SLP-101 | rope insert tool | MS-180 | installation stick |
| LH-230 | trim jack | DGL-200 | wire handles | LT-415 | locking strip tool | MS-181 | installation stick |
| DWR-120 | wiper arm puller | DST-733 | T-handle wire threader | KSZ-163 | V-notch pliers | OL-30 | universal knife |
| ZAW-090 | wiper arm puller | SD-22 | sawing wire, 22 m | FSC-150 | pinchweld scraper | XL-2 | long knife |
| PF-216 | penlight | VKD-22 | cutting wire, 22 m | SC-313 | scraper blades 12mm | LB-10 | snap-off blades |
| MH-120 | telescopic magnet | SPZ-160 | pointed pliers | SC-316 | scraper blades 16mm | KA-539 | cartridge opener |
| RMP-416 | installation pliers for rearview mirrors | DHL-300 | wire guide | SC-320 | scraper blades 20mm | PSL-150-1 | suction lifter (2x) |



■ WSA-600-0

Tool Cart, empty Dimensions ca. (LxWxH): 800 x 450 x 985 mm

High-grade tool cart made of aluminium, plastics and coated steel plate. Four drawers with a height of ca. 55 mm and two big drawers with a height of ca. 125 mm. All drawers are 100% useable and can be locked with a central lock to protect your tools.

On the left side it has a rack to hang spray bottles, on the right side it has a grill to hook in boxes for small parts or other things.



Glass Rack



The glass rack transforms the tool cart WSA-600-0 into an auto glass work centre. The rack can be swivelled by 360°. If required you can take it off the screw-mounted base very easily.

Dimensions incl. base and rubber plates (LxWxH): 98,5 x 60,0 x 16,0 cm carrying capacity (if mnounted on WSA-600-0): 60 kg



■ PRH-380

Paper Roll Holder for tool cart WSA-600-0

Made of black powder coated metal tube. Max. roll diameter 34 cm, max. roll width 41 cm. Delivered incl. mounting parts.





■ WAB-909

Waste Bin for tool cart WSA-600-0

Plastic waste bin to hang-on, capacity 10 l.



■ WKB-300

Accessory Box for tool cart WSA-600-0 305 x 80 x 82 mm

■ WKB-400

Accessory Box for tool cart WSA-600-0 402 x 100 x 100 mm



■ WZK-5127

Tool Box with shelf dimensions: 530 x 290 x 270 mm

Robust plastic case for the storage of tools. Includes one movable shelf for small items.

The case can even be used as a seat or pedestal. Maximum load is 120 kg.





■ WZK-5132

Tool Box with shelf and compartments in the lid dimensions: 525 x 295 x 322 mm

Robust plastic case for the storage of tools. Includes one movable shelf for small items. There are four compartments in the lid with movable dividers.

Because of the compartments in the lid this case can not be used as a seat or pedestal.















Tool Box on Wheels dimensions: 610 x 375 x 415 mm

Robust and very spacious plastic box on wheels with an extendable handle. With two movable shelfs and the detachable lid with further compartments for small items this case is the perfect companion in the mobile service.

The case can be used as a seat or pedestal. Maximum load is 120 kg.















Rolling Workshop STANLEY II

The rolling workshop Stanley II is the well-priced alternative made of plastic to the model "Professional" (item no. RW-205).

The tool trolley can be demounted with snap closures in two parts for transportation.

Features:

- Removable tool tray in the top. Thereunder is a big compartment that offers enough room for a pair of suction cups.
- Drawer for tools or small parts.
- Higher drawer for tool storage.
- Big bottom compartment for power tools or other big tools.
- Extractable handgrip for convenient and easy transportation.

Delivery without Tools.

Dimensions: 448 x 348 x 778 mm









■ RW-205



The rolling workshop offers enough space for all tools and supplies that the auto glass professional needs. Thanks to the compact dimensions this tool trolley is an excellent companion for the mobile service. With a single movement the tool trolley can be demounted in two parts for transportation.

Features:

- removable tool tray in the top
- thereunder is a big compartment that offers enough room for a pair of suction cups
- drawer for tools
- big bottom compartment for power tools or other big tools
- extractable handgrip for convenient and easy transportation
- retainer for extension cords or air hoses

Delivery without Tools.

Dimensions: 568 x 389 x 730 mm







problass.







Rolling Workshop STANLEY FatMax

Features:

- Rolling workshop made of metal and plastic with two drawers, a large storage bin and a detachable, 30 cm high toll box
- 20" Detachable metal plastic tool box with removable tray
- Large metal rust proof latches with padlock eye
- Two deep 4" drawer with ball bearing slides
- One drawer with removable boxes for small parts
- Large metal storage bin that provides extra large capacity of portable tool storage
- Heavy duty 7" wheel

Delivery without Tools.

Dimensions: 568 x 389 x 893 mm







■ RW-239



Rolling Workshop STANLEY FatMax

Features:

- Rolling workshop made of plastic for the transport of large amounts of equipment and materials - saves time and effort on repeated trips to the van!
- Robust telescopic handle
- Opens up easily into a 4 level workstation
- Giant lower bin ideal for bulky equipment and tools
- Tool box with lift-out tray for smaller tools, which fits neatly into the fold-out lid

Delivery without Tools.

Dimensions: 549 x 413 x 733 mm


















ProGlass Windscreen Trestle Deluxe

- robust construction load capacity 90 kg
- made of Ø 25 mm steel tube, blue powder coated
- four high-quality rubber pads (Ø 125 mm) carry the glass
- each glass support is adjustable by angle and position, thus perfect support for every glass
- width multi adjustable to carry all sizes of glass
- delivered demounted, with illustrated manual (assembly in about 5 minutes)






SWS-580 W

SWS-580-01

Windscreen Trestle Standard

Rubber Plates for SWS-580, single


- classical design, made of lacquered steel tube Ø 25 mm
- four big rubber plates to hold the glasses firmly
- width multi adjustable to carry almost all sizes of glasses
- delivered partly mounted
- load capacity: 60 kg





ProGlass Windscreen Trestle Economy


- well-priced and nevertheless sturdy windscreen trestle
- made of shock-resistant lacquered steel tube
- soft coating is made of non-skid material and particularly resistant
- width multi adjustable to carry almost all sizes of glasses
- delivered completely mounted
- load capacity: 80 kg





ProGlass Windscreen Trestle Heavy Duty

- very sturdy version load capacity up to 100 kg
- made of shock-resistant lacquered steel tube Ø 30 mm
- soft coating is made of non-skid material and particularly resistant
- width multi adjustable to carry almost all sizes of glasses
- delivered demounted, with illustrated manual (assembly in about 5 minutes)







■ SRD-030

■ SRE-015

Glass Rack double-sided with 30 support (carrying capacity max. 600 kg)

Glass Rack single-sided, with 15 supports (carrying capacity max. 300 kg)

ATTENTION:

Despatch only by forwarding agency! For this item additional shipping cost always applies. We will confirm the actual shipping cost with our order confirmation. These items are only available in Germany and the other EC countries!

Features:

- very solid rack for storage of all types of car glasses
- all pipes are coated with a strong PVC hose
- the inclination angle of the pipes is approx. 70°
- shock absorbing rubbers at the end of each tray
- each tray can easily carry 5 glasses of the same type (distance between pipes: 11 cm)
- deliver partly mounted
- prepared for wall- and floor-mounting




height: 240 cmwidth: 83 cmdepth: 120 cmnet weight: 85 kgmax. load: 600 kg



Data SRE-015:

height: 240 cmwidth: 83 cmdepth: 60 cmnet weigth: 55 kgmax. load: 300 kg




ProGlass Glass Rack with 5 compartments, collapsible

ProGlass Glass Rack with 9 compartments, collapsible

- rack completely made of high-grade aluminium this means no peeling off paint, no rust
- non-skid rubber cams and supports hold all sizes of glasses firmly
- tubes are all padded with resistant material
- rack delivered completely mounted, ready to bolt to the vehicle's bottom (fixing material included)
- in case of disuse, collapsible in a few seconds by pulling out the locking pins









■ PSL-150-1

ProGlass 2-Cup Suction Lifter "Pro Deluxe"

Easier and safer to attach than common suction lifters with clamp lever technology - the bell-shaped rubber pads already adhere onto the glass surface with slight pressing - even before pressing down the lever!

- 2 bell-shaped suction cups with large seal avoid slipping or coming off
- pin-jointed heads for an optimum hold on all curved glasses
- slotted handle to pass a belt through
- load capacity for each lifter is 60 kg
- frame made of light-weight and shock-resistant plastic
- diameter of suction cup 150 mm





PSH-120-1

ProGlass 2-Cup Suction Lifter "Pro"

- pin-jointed heads for optimum hold on curved glasses
- slotted handle to pass a belt through
- load capacity for each lifter is 60 kg
- frame made of light-weight and shock-resistant plastic
- diameter of suction cup 115 mm





■ PHX-150-1

ProGlass Single Suction Lifter "Pro Deluxe"

- single-cup suction lifter for one-hand operation with big suction cup 150 mm
- load capacity 30 kg
- for easier and safer handling
- frame made of light-weight and shock-resistant plastic



■ PHL-115-1

ProGlass Single Suction Lifter "Pro"

- handy single-cup suction lifter for one-hand operation
- diameter of suction cup 115 mm
- load capacity 30 kg
- frame made of light-weight and shock-resistant plastic



■ SHV-125-1

2-Cup Suction Lifter, single with 1-hand-operation

- Particularly flexible bell-shaped rubber pads fit onto all glasses
- fast 1-hand-operation for serial assembling or transportation
- diameter of rubber pad is 125 mm
- load capacity for suction lifter is 40 kg



bring suction lifter close



place it on the glass



press it down



done!



pull lever to release







ProGlass Vacuum Lifter Kit

Kit contains:

- 2 single vacuum lifters SHP-150-1
- 1 ellbow pad
- 1 plastic case 365 x 200 x 180 mm



ProGlass Vacuum Lifter, single



Easier and safer to attach than common suction lifters with clamp lever technology - the bell-shaped rubber pads already adhere onto the glass surface by slightly pressing them down!

- bell-shaped rubber pad (Ø 150 mm) for optimal hold, also on strongly curved glass surfaces
- fixed with the integrated vacuum pump
- safety ring at the pump plunger for optical monitoring of the vacuum
- load capacity for each single lifter is 60 kg



■ SHP-200-1



Vacuum Lifter for heavy glasses single, in plastic case

- bell-shaped rubber pad (Ø 230 mm) with multiple-seal lip
- for optimum hold, also on strongly curved glass surfaces
- fixed with the integrated vacuum pump
- red safety ring at the pump plunger enables optical monitoring of the vacuum
- load capacity for each lifter is 120 kg







Vacuum Lifter for heavy glasses single, in plastic case

- bell-shaped rubber pad (Ø 230 mm) with multiple-seal lip
- for optimum hold, also on strongly curved glass surfaces
- fixed with the integrated vacuum pump
- red safety ring at the pump plunger enables optical monitoring of the vacuum
- load capacity for each lifter is 120 kg







■ SHG-200

Single Suction Cup with spherical rubber pad

- spherical rubber pad also fits extremely curved glasses
- fast application without lever or pump
- suction cup diameter: 165 mm
- material: rubber
- load capacity per piece: 20 kg



■ RTD-509

Pair of Ratcheting Tie Downs

- to secure freshly bonded-in glasses
- with German TÜV/GS symbol that stands for proved safety
- solid ratcheting mechanism
- length of each belt: 5 m





Window Carrier

The window carrier allows you to easily carry large windows without the use of suction lifters and with only one person. Made of fiber-reinforced plastic.









Windscreen Lift up to 3.50 m height for busses, trucks and trains

The ProGlass Windscreen Lift facilitates the fitting of big and heavy windows on busses, trucks or trains.

The model SL-350-B has a suction unit with three suction cups with an overall load capacity of 210 kg. The lift has a total height (extended) of approx. 3.50 m. This is even high enough to exchange the top wind-screen on big coaches.

The whole construction can be easily folded down for transportation in a service truck. Thanks to the integrated transportation casters this can be done by a single person (total weight 160 kg).

All functions are mechanical (no external power source necessary) - only lifting and lowering of the window can be supported sensible by using a cordless screwdriver (not included!).



By using the Windscreen Lift the manpower requirements for the glazing of big vehicles can be reduced by minimum one person. Therefore it will pay for itself within short time.



■ SL-300-S

Windscreen Lift up to 3.00 m height for busses, trucks and trains

The model SL-300-S has a suction unit with two suction cups (load capacity 140 kg, height approx. 3.00 m, total weight 120 kg) and can be disassembled for transportation without much effort. With this device you can exchange the windscreen on trucks and the most busses with ease.

■ PFN-300



Mobile Scaffold for bus and truck work

Finally a safe working space for the glazing of busses and trucks!

The construction platform with its 4 big swivelling castors (Ø 150 mm, gummed, with brake) can be positionned easy and in a safe manner. In addition, all castors are vertically adjustable to adapt the scaffold on uneven ground.

Two fitters can comfortably move the windscreen to the vehicle: They both have enough space to stand on the platform as it is 3.0 m wide. The steps are fixed on the levels of 50, 75 and 100 cm, they could however be floored higher if needed. In this case an additional safety rail would be necessary.

Assembly and disassembly of the scaffold is quick and easy to handle without the use of tools. The maximum weight of a single part is of only 24 kg, so that it can be done completely by one person.

total weight: 121 kg

loading length (max.): 3.07 m loading heigth (max.): 1.54 m

- the ideal scaffold for the glazing of busses and trucks
- working height ca. 3 m (expandable if required)
- TÜV approved, load capacity 200 kg/m² (scaffold class 3) in accordance with EN1004
- the platform size with 2.90 m x 0.60 m offers a safe working space
- all parts are easy to handle (max. weight 24 kg)
- quick assembly without the use of tools thanks to the patented locking system









Aegis SOLO II Deluxe Kit installation device

The installation device AEGIS® Solo™ II allows the installation of windscreens "solo", meaning by a single technician. By that large windscreens, including the biggest vans, can be installed by only one person - a job that mostly needed two technicians so far.

The AEGIS® Solo™ II features a reversible arm that works from both sides of the vehicle. This arm can also be adjusted to 2 different lengths to fit for all sizes of vehicles.

Works with any windscreen curvature. The AEGIS® Solo™ II is based off of the popular AEGIS® Solo™; design.

The Deluxe Kit additionally includes two glass handlers SHP-150-1. Due to their comfortably big handle design these vacuum pump suction lifters facilitate the handling and pivoting of the glass.

quicklink to the product video





Aegis SOLO II Standard Kit installation device

The Standard Kit comes without the additional glass handlers SHP-150-1. Besides that it includes all the same parts from the Deluxe Kit. To work with the SOLO II Standard Kit will require the use of a pair of suitable suction lifters (you may already own).





Assembly Jig 10 x 1.0 mm package at 2 pieces

For a professtional windscreen installation in accordance with the manufacturer's instructions you must observe the correct clearance between the glass and the car body. As bonded glasses must not be moved once they have been set, it is beneficial to ensure the correct clearance during the installation process.

With its 1.0 mm thick plastic discs the assembly jig permits an auto glass installation accurate to the last millimetre. Simply position as

many discs as needed between glass and pinchweld. The assembly jig can be fixed either on the glass or on the car body.

At the same time the assembly jig can be used as a clearance gauge for all car body jobs (e. g. when mounting fenders or aligning doors and hoods).







Work Platform StepTop, max. load 150 kg

- foldable work platform with water-proof and non-slip phenolicresin panel (109 x 30 cm)
- ideal for working on vans and small trucks (height of platform: 50 cm)
- safety locks on both sides prevent unintentional folding
- multiple riveted robust aluminum step/rail joints with 4 additional stable corner braces
- quick and space-saving storage (13.5 cm thick)
- non-slip, large dimensioned foot caps ensure safe foothold







Wheel Step Ladder load capacity: 225 kg

- facilitates working on high vehicles
- simply put it over the front wheel, if necessary swivel in from the front
- applicable for almost all saloon cars, vans, SUVs and allterrain vehicles with a wheel diameter of at least 600 mm

Note: Due to the size of the wheel arch and the construction of the suspension strut not suitable for all vehicles





■ SK-1060K

ProGlass SK-1060K 1-Component PUR Auto Glass Adhesive cartridge at 310 ml

ProGlass SK-1060K is a single-component auto glass adhesive with a short drive-away time which can be used during the whole year.

The adhesive is high-modulous, easy to applicate, it can be used for practically all vehicles and offers a safe drive-away time of only 1 hour with passenger airbag (tested by TÜV).

With these features ProGlass SK-1060K is a true all-in-one product for automotive replacement glazing.

For further information please refer to the technical data sheet.

packaging unit: carton at 12 pieces incl. plastic nozzle



■ SK-1060B

ProGlass SK-1060B 1-Component PUR Auto Glass Adhesive sachet at 400 ml

ProGlass SK-1060B is a single-component auto glass adhesive with a short drive-away time which can be used during the whole year.

The adhesive is high-modulous, easy to applicate, it can be used for practically all vehicles and offers a safe drive-away time of only 1 hour with passenger airbag (tested by TÜV).

With these features ProGlass SK-1060B is a true all-in-one product for automotive replacement glazing.

For further information please refer to the technical data sheet.

packaging unit: carton at 12 pieces incl. plastic nozzle and adaptor





Adhesive Agent / All-in-One Primer bottle at 125 ml (new volume)

SP-1001

Adhesive Agent / All-in-One Primer bottle at 15 ml

This all-in-one primer (black primer) is the perfect UV protection for our ProGlass PUR adhesive. But as a real universal talent the primer can also be applied on all other surfaces incl. the remaining PUR bead on the pinchweld and coatings on the new glass. No separate activator or transparent primer is necessary.

Additionally this all-in-one primer is an effective anticorrosive so that eventually occuring damages on the pinchweld can be simply covered with this primer (apply 2 layers).

NEW: 14 days storage life after the first opening of the bottle!

For further information please refer to the technical data sheet.





ProGlass Pre-Cleaner can at 1,000 ml

The pre-cleaner is meant for cleaning and degreasing of a new glass before applying the primer for the adhesive. The highly effective formulation does not only take off any adhesive tape residues and greasy contaminations but also reliably removes silicone residues and flexibilizers from foams and plastic foils that are commonly used to protect automotive glasses during transportation.





■ SKS-1060K



ProGlass Bonding Kit Cartridge

Kit contains:

- 1 cartridge SK-1060K auto glass adhesive (310 ml)
- 1 bottle SP-1001 All-In-One primer (15 ml)
- 2 applicators (same as AP-100)
- 1 plastic nozzle
- 1 product information / application note





§§. SK-1060 K

ProGlass Bonding Kit Sachet

Kit contains:

- 1 sachet SK-1060B auto glass adhesive (400 ml)
- 1 bottle SP-1001 All-In-One primer (15 ml)
- 2 applicators (same as AP-100)
- 1 plastic nozzle and adaptor
- 1 product information / application note



- KSP-1580-12 Plastic nozzles M15 x 1.5, package of 12
- **KSP-1580-100** Plastic nozzles M15 x 1.5, package of 100

Cartridge nozzles made of PE with embossed cutting marks, for 'cut to fit' use. For the application of auto glass adhesives in aluminium cartridges with standard thread M15 x 1.5. With separately available adaptor (item no. KBA-4915) also suitable for sachets.



- KSP-1580S-12 Plastic nozzles M15 x 1.5 (pre-cut), package of 12
- KSP-1580S-100 Plastic nozzles M15 x 1.5 (pre-cut), package of 100

Cartridge nozzles made of PE with pre-cut V-notch and guiding pin. For the application of auto glass adhesives in aluminium cartridges with standard thread M15 \times 1.5. With separately available adaptor (item no. KBA-4915) also suitable for sachets.



- KBA-4915-12 Adaptor for plastic nozzles M15 x 1.5, package of 12
- KBA-4915-50 Adaptor for plastic nozzles M15 x 1.5, package of 50

Plastic adaptor made of PE for using auto glass adhesive in sachets with standard plastic nozzles with inside thread M15 x 1.5~mm.





■ AP-100

Applicators, lint-free, 105 mm long, 100 pieces per carton

■ AP-100-B

Applicators, lint-free, 105 mm long, 100 pieces per plastic bag

■ AP-25

Applicators, lint-free, 105 mm long, 25 pieces per plastic bag

■ AP-2500

Applicators, lint-free, 105 mm long, 2.500 pieces in a corrugated cardboard box (not shown)

Applicators for clean and exact application of black and transparent primers, cleaning agents, etc.

The applicator tuffs are made of pure cotton, virtually lint-free, solid and tightly equipped, for an evenly covering application.



■ APL-100

Applicators, lint-free, 130 mm long, 100 pieces per carton

■ APL-100-B

Applicators, lint-free, 130 mm long, 100 pieces per plastic bag

■ APL-25

Applicators, lint-free, 130 mm long, 25 pieces per plastic bag

■ APL-2500

Applicators, lint-free, 130 mm long, 2.500 pieces in a corrugated cardboard box (not shown)

The 130 mm applicators keep your fingers clean.

With the longer wire they also reach the bottom of most 250 ml bottles. All other features of the APL applicators are the same than of our AP applicators.



■ DM-1094

Applicators small, lint-free, 150 mm long, 100 pieces per plastic bag



Small head applicators with a wooden stick.

■ PCG-180-KF



Milwaukee Cordless Caulking Gun 18 V for 310 ml cartridges and sachets up to 400 ml

- ProGlass exclusive remodeling with 400 ml aluminium barrel
- incredibly high squeezing pressure of 4300 N for a simple processing of highly viscous material
- up-to-date lithium-ion battery technology for maximum performance at a minimum weight (power tool including battery 2.7 kg)
- highest application accuracy of all battery guns on the market
- variable speed trigger for optimal control
- Vmax restriction on 6-speed wheel (feed rate 0 9 mm/s)
- remaining content easily visible by the position of the rack
- no dripping of sealant thanks to electronic rack release function after disengaging the trigger
- rack disengages automatically for fast reloading
- ergonomically shaped, non-skid 2-component handle
- delivered with one 18 V Li-lon battery pack (1.5 Ah)
- Milwaukee 30-min. quick charger included







Milwaukee Cordless Caulking Gun 18 V for 310 ml cartridges

- one-side open plastic barrel for quick and easy reloading of cartridges
- incredibly high squeezing pressure of 4300 N for a simple processing of highly viscous material
- up-to-date lithium-ion battery technology for maximum performance at a minimum weight (power tool including battery 2.6 kg)
- highest application accuracy of all battery guns on the market
- variable speed trigger for optimal control
- Vmax restriction on 6-speed wheel (feed rate 0 9 mm/s)
- remaining content easily visible by the position of the rack
- no dripping of sealant thanks to electronic rack release function after disengaging the trigger
- rack disengages automatically for fast reloading
- ergonomically shaped, non-skid 2-component handle
- delivered with one 18 V Li-Ion battery pack (1.5 Ah)
- Milwaukee 30-min. quick charger included

10



■ PCG-180-F



Milwaukee Cordless Caulking Gun 18 V for 600 ml sachets

- long 600 ml aluminium barrel for big sachets
- incredibly high squeezing pressure of 4300 N for a simple processing of highly viscous material
- up-to-date lithium-ion battery technology for maximum performance at a minimum weight (power tool including battery 2.9 kg)
- highest application accuracy of all battery guns on the market
- variable speed trigger for optimal control
- Vmax restriction on 6-speed wheel (feed rate 0 9 mm/s)
- remaining content easily visible by the position of the rack
- no dripping of sealant thanks to electronic rack release function after disengaging the trigger
- rack disengages automatically for fast reloading
- ergonomically shaped, non-skid 2-component handle
- delivered with one 18 V Li-Ion battery pack (1.5 Ah)
- Milwaukee 30-min. quick charger included

■ PCG-180-URS Conversion Kit for Milwaukee 600 ml (PCG-180-F)



With this conversion kit you can convert your Milwaukee caulking gun PCG-180 or PCG-180-KF without effort into a caulking gun with 600 ml aluminium barrel. The converted caulking gun is equal to our item number PCG-600-F. The kit includes all necessary parts and the tool can be rebuild at any time.

■ KPA-418



Metabo Cordless Caulking Gun 10.8 V for 310 ml cartridges and sachets up to 400 ml

- high discharge force of 4413 N (450 kg) for easy processing of all materials even particularly viscous ones
- infinitely variable setting of the discharge speed for precision working
- remaining content easily visible by the position of the rack
- no dripping thanks to automatic retraction of the gear rack
- rack disengages automatically for fast reloading
- all-metal gear for long service life
- weight (power tool including battery): 2.5 kg
- Ultra-M technology for highest performance, gentle charging, optimum energy utilisation and long service life
- delivered with one 10.8 V Li-Ion battery pack (4.0 Ah)
- 3-year battery pack warranty by means of Ultra-M technology
- Metabo guick charger LC40 included



Metabo Cordless Caulking Gun 10.8 V for sachets up to 600 ml

- high discharge force of 4413 N (450 kg) for easy processing of all materials - even particularly viscous ones
- infinitely variable setting of the discharge speed for precision working
- remaining content easily visible by the position of the rack
- no dripping thanks to automatic retraction of the gear rack
- rack disengages automatically for fast reloading
- all-metal gear for long service life
- weight (power tool including battery): 2.7 kg
- Ultra-M technology for highest performance, gentle charging, optimum energy utilisation and long service life
- delivered with one 10.8 V Li-lon battery pack (4.0 Ah)
- 3-year battery pack warranty by means of Ultra-M technology
- Metabo guick charger LC40 included





Cox Cordless Caulking Gun 10.8 V for cartridges and sachets up to 400 ml

- short 400 ml aluminium barrel for cartridge and sachet use
- powerful caulking gun with an ejection pressure of 2000 N
- speed regulator for controlled application
- weight (power tool including battery): 1.65 kg
- delivered with one 10.8 V, 1.3 Ah Li-lon battery pack
- Cox 60-min. quick charger included



COX Cordless Caulking Gun 14.4 V for 600 ml sachets

- long 600 ml aluminium barrel for cartridge and sachet use
- powerful caulking gun with an ejection pressure of 2000 N
- speed regulator for controlled application
- weight (power tool including battery): 1.8 kg
- delivered with one 10.8 V, 1.3 Ah Li-lon battery pack
- Cox 60-min. quick charger included

AKP-036

Panasonic Cordless Caulking Gun 3.6 V for cartridges and sachets up to 400 ml

- short 400 ml aluminium barrel for cartridge and sachet use
- powerful and robust cordless caulking gun with an ejection pressure of 2500 N
- weight (power tool including battery): 2.16 kg
- speed regulator build into handle for controlled application
- delivered with one 1,5 Ah (Li-Ionen) battery pack
- Panasonic 30-min. quick charger included





Li-lon Battery Pack 3.6 V, 1.3 Ah for AKP-036





QC-025

15-min.-Quick Charger for AKP-036

for Ni-MH and Li-Ion battery packs - <u>not suitable</u> for Ni-Cd battery packs!





■ BP-180

Milwaukee Li-Ion Battery 18 V (1.5 Ah) for PCG-180 /-F /-KF



■ PBA-1827

Milwaukee Quick Charger (30 min.) for PCG-180 /-F /-KF



■ BP-418



Metabo Li-Power Battery 10.8 V, 4.0 Ah for KPA-418 / KPA-618



■ LC-40



Metabo Battery Charger 10.8 V, for KPA-418 / KPA-618








Li-Ion Battery Pack 10.8 V, 1.3 Ah, for AKP-410 / AKP-610







Alternative rechargeable batteries and chargers for Panasonic caulking guns

All batteries and chargers have been tested comprehensively and are in industrial use for years. Especially the 2.4 Volt batteries offer significantly higher capacities (Ah) compared to the original Ni-Cd batteries. Thus the battery has more power available which stands for a longer operating time with one battery load. The chargers also offer advantages over the originals. Thanks to the electronic charge control the batteries are charged more optimal. The result is a longer operating time per battery load and the whole product life can be extended.

Panasonic has stopped the production and the delivery of Ni-Cd batteries in spring 2012. With these batteries you can continue to use your power tool without the need to buy a new charger.



■ BP-2414

Ni-Cd Battery 2.4 V - 1.4 Ah

■ BP-2420

Ni-Cd Battery 2.4 V - 2.0 Ah

■ BP-2424

Ni-Cd Battery 2.4 V - 2.4 Ah

■ BP-2430MH

Ni-MH Battery 2.4 V - 3.0 Ah

All battery packs suitable for caulking gun AKP-025-E.

NOTE: For the Ni-MH battery pack BP-2430MH the quick charger BC-2448 must be used.



■ BC-2448

Quick Charger 2.4 - 4.8 V

Charging system for Ni-Cd and Ni-MH batteries from Panasonic ans alternative battery packs. This charger can be used as a replacement of the original charger QC-025.



■ BP-7220

Ni-Cd Battery 7.2 V - 2.0 Ah

Battery pack suitable for caulking guns AKP-050 and AKP-050L.



■ BC-4814

Quick Charger 7.2 V

Charging system for Ni-Cd and Ni-MH batteries from Panasonic ans alternative battery packs. This charger can be used as a replacement of the original charger QC-050.



■ TN-310

COX Pneumatic Caulking Gun for 310 ml cartridges max. operating pressure 10 bar

- pneumatic caulking gun without piston compressed air streams directly towards the bottom of the cartridge (the cartridge must not be damaged or dented at the bottom)
- NOT suitable for sachets!
- regulation of ejection speed with integrated valve



■ TN-600

COX Pneumatic Caulking Gun for 600 ml sachets max. operating pressure 10 bar

- pneumatic caulking gun with floating piston compressed air streams directly towards the bottom of the floating piston which presses towards the sachet
- **NOT** suitable for cartridges!
- regulation of ejection speed with integrated valve





COX Pneumatic Caulking Gun for cartridges and sachets up to 400 ml, max. operating pressure 10 bar

- pneumatic caulking gun with piston rod mechanical piston is pressed towards the bottom of the cartridge or sachet by compressed air
- regulation of ejection speed with integrated valve





COX Manual Caulking Gun 26:1 for 310 ml cartridges

- the trigger ratio 26:1 enables to eject even high viscosity auto glass sealants
- · heavy construction for long durability
- the established mechanism is equipped with a wear compensating device. That means, even after longer use, no clearance at the trigger



COX Manual Caulking Gun 26:1 for cartridges and sachets up to 400 ml

- the trigger ratio 26:1 enables to eject even high viscosity auto glass sealants
- heavy construction for long durability
- the established mechanism is equipped with a wear compensating device. That means, even after longer use, no clearance at the trigger



COX Manual Caulking Gun 26:1 for cartridges and sachets up to 600 ml

- the trigger ratio 26:1 enables to eject even high viscosity auto glass sealants
- heavy construction for long durability
- the established mechanism is equipped with a wear compensating device. That means, even after longer use, no clearance at the trigger



COX Manual Caulking Gun 18:1 for 310 ml cartridges

- the trigger ratio 18:1 facilitates ejection of high viscosity sealants compared to standard caulking guns
- solid construction
- approved long-living mechanism



COX Manual Caulking Gun 18:1 for cartridges and sachets up to 400 ml

- the trigger ratio 18:1 facilitates ejection of high viscosity sealants compared to standard caulking guns
- solid construction
- approved long-living mechanism



COX Manual Caulking Gun 18:1 for cartridges and sachets up to 600 ml

- the trigger ratio 18:1 facilitates ejection of high viscosity sealants compared to standard caulking guns
- remaining content of sachets always visible thanks to the transparent barrel
- solid construction
- approved long-living mechanism



■ 2P1021

Plastic Adaptor for sachets

This plastic adaptor is part of every COX caulking gun for sachets and also parts of some battery powered caulking gun for sachets. Whenever a sachet was clamped in your gun you should replace this adaptor.



■ ASB-001

Adaptor Kit for Sachets

Sachet clamped? Or even ripped? We know the problem! And here is the solution: An adaptor that properly fits the cylinder of your gun. That does not clamp the sachet. And that empties the sachet economically. Suitable for following products from our range: AKP-050, AKP-050L, AV-418, AV-618, PCG-180-KF, TM-400, and many others on the market!

NEW: Now with metal support disc!





■ KA-539

Cartridge Opener

A handy tool to remove the bottom seal (left side in the figure) of many aluminium cartridges as well as to open the front seal (right side in the figure) without making a mess.



■ UTO-539

Cartridge Opener 2-fold for regular and wide nozzle openings

A handy tool to remove the bottom seal (left side in the figure) of many aluminium cartridges as well as to open the front seal (right side in the figure) without making a mess. The stem for the nozzle opening is stepped so that you can use it to open both common types of cartridges.



■ RKS-594

Nozzle Cutter

To open plastic cartridges and to cut the nozzles without risk of injury.



■ MK-081

Replacement Blades for RKS-594 package at 5 pieces



Nozzle Cutting Pliers, made of plastic

For easy and tidy cutting a perfect V-notch for sealant application. Pliers made of fiber-reinforced plastic, blade made of aluminium with a millimeter scale.

These pliers cut a narrow anf high V-notch which makes them perfect for the application of high-modulous adhesive material.

depth of cut (at a width of 7 mm): 22 mm





шш

13 mm





Nozzle Cutting Pliers, metal version

Robust pliers for easy and tidy cutting a perfect V-notch for sealant application. Pliers made of metal, blade made of solid steel.

These pliers cut a classical wide V-notch. To apply a higher adhesive bead the nozzle opening must be cut to a bigger diameter.

depth of cut (at a width of 7 mm): 13 mm





■ AGR-1105

Rubber Spacers Round (Ø 11 mm, height 5 mm) mat with 55 pieces

These self-adhesive round rubber spacers are equal with the ones used by BMW. But of course you can use them also on all other vehicles as a universal spacer.





AGV-0906

Rubber Spacers Rectangular (LxWxH: 30 x 9 x 6 mm) package at 100 pieces

Self-adhesive rectangular rubber spacers. You can cut them according to your needs. They are a practically irreplaceable utility when installing windscreens.

Thanks to the self-adhesive underside you can put them wherever you want.



ACHTUNG - SICHERHEITSHEWEISE! 1 Factory of the control of the con

■ ABS-025

ProGlass Airbag Stickers package of 25 pieces

Almost every car manufacturer has an own airbag warning sticker for the windscreen. Our stickers help you to save time and money to purchase different stickers from the manufacturers. Our multi-useable airbag sticker is made of transparent adhesive foil and can be used for all passenger cars with driver airbag, passenger airbag and side-impact airbag.





■ TB-3006

Butyl Tape Ø 3 mm, reel at 6 m

This fine butyl tape is excellent to stick up the window frame before installing a windscreen or to fix a "stubborn" moulding.



■ TO-1437

Pinchweld Cleaning Brushes package at 10 pieces

A clean pinchweld is the base for a properly installed and leak-proof windscreen. But it is not always necessary to use a vacuum cleaner. Many times a brush will be sufficient to clean the pinchweld before cutting down the old polyurethane. The brushes are made of horsehair that is soft to the paint but strong enough to brush away the dirt.





■ KS-125

Body Filler Applicator Set, in 3 parts

A perfect means to trim and correct fresh PU beads after setting a new glass or to fill up gaps. Remaining adhesive can easily be pulled of the plastic after it is cured.





ProGlass Rust Remove Pencil

A practical pen to quickly and tidily erase small corroded points. The "core" of the pen consists of a 3 cm long bundle of fibre glass with a very good abrasive effect. Delivery with two additional bundles of fibre glass, stored inside the shaft, for replacement.





■ PKS-012



Anti-Corrosion Pen touch-up applicator with paint-brush, content: 12 ml

Repairing pen for small corrections of damage to the car's paintwork, e.g. at the pinchweld. Tidy application of the grey anti-corrosion liquid with brush, integrated in the lid. This product is quicksetting and needs no topcoat. That means, right after drying you can start installing the glass.







■ LSS-085

Conductive Silver Pen, 8.5 g

The conductive silver pen is suitable to metal-coat all smooth surfaces. This is a simple method to produce or repair electrically conductive connections. As this pen can also be used overhead it is especially suitable for the repair of defroster wires on a heated rear window.



■ LSL-030

Conductive Silver Paint, 3 g

Conductive paint on silver basis. Suitable to metal-coat almost all surfaces. Applied with a fine paint-brush it can be used e.g. for the repair of defroster wires on a heated rear window.



■ HP-1002

Fine Paint-Brush

Paint-brush in size 2 (= very fine tip) for the application of conductive silver paint.



TVB-0333

Fine Line Tape blue, 3 mm wide, reel at 33 m

The fine line tape is made of PVC as a masking tape for different workings. For example it is perfect to paste up a cutting line to facilitate the tailoring of window films. But you can also use it to easily paste up boundary lines when repairing the wires of a rear window heater.



■ LSK-140

Conductive Silver Bonding Kit, 14 g

2-component epoxy for making conductive bondings.

This adhesive can be used in all situations where soldering is difficult or impossible. Therefore it is just perfect to re-affix a broken electrical connection to a heated rear window.



■ TPB-1910

■ TPB-1925



Textile Protection Tape black 19 mm wide, reel at 10 m

Textile Protection Tape black 19 mm wide, reel at 25 m

The textile protection tape is a multi-purpose adhesive tape. It can be used e.g. to treat creaking linings, plastic parts or cables. It is also very suitable to wrap cable loops.





■ GMK-300

ProGlass Glass/Metal Bonding Kit

- high-tensile and fast-curing special adhesive for glass/metal bondings
- for the permanent bonding of rearview mirror plates made of metal to windscreens
- the 2-component superglue cures hand-tight within 30 seconds
- package content is sufficient for bonding approximately 200 mirror plates
- adhesive cures clear-transparent
- the bonding is resistant against humidity and high variation in temperature
- Note: Not suitable for light-alloy mirror stems (e.g. Ford).
 Danger of tension cracks!
- package contents: 15 ml adhesive, 15 ml activator

quicklink to the product video





3317

Loctite Glass/Metal Bonding Kit, large

Glas/metal bonding kit for durable bondings of interior mirrors. The package contains 24 g glue and 150 ml activator.



3319

Loctite Glass/Metal Bonding Kit, small

Glas/metal bonding kit for durable bondings of interior mirrors. The package contains 5 g glue and 4 ml activator.



■ SFP-10

■ SFP-100

Mirror Adhesive Pads, package at 10 pieces

Mirror Adhesive Pads, package at 100 pieces

Mirror adhesive pads of OEM quality for tension-free bonding of interior mirrors (e.g. Ford). The double-sided adhesive pad has a very high tack. Degrease glass and mirror base well, then press on the mirror strongly for a few seconds - ready!

dimensions: 41 x 28 x 1,0 mm



■ RMS-105

Loctite Interior Mirror Bonding Kit for tension-free bondings

Bonding kit for durable and tension-free bonding of all types of interior mirrors. Package contains 5 ml glue and 10 nylon squares (tinctured with activator).



401

Loctite 401 Superglue tube at 3 g in blister pack

Loctite 401 is especially suitable for bonding rubber, plastic and metal as well as porous materials like polyurethane foam many vehicle mouldings are made of. This cyanoacrylate glue dries within seconds and forms a transparent, hard layer. It is therefore not applicable for flexible bondings.




4850

Loctite 4850 Superglue tube at 5 g in blister pack

Loctite 4850 stays flexible after drying and is particularly applicable for bonding elastomers and rubbers as well as many types of plastic, metal and porous materials. This cyanoacrylate glue dries within seconds and forms a transparent and flexible bonding.





Universal-Moulding with Butyl Glue Type 'T4', reel at 23 m

Universal-Moulding with Butyl Glue 16 mm wide, reel at 23 m


Universal-Moulding with Butyl Glue 19 mm wide, reel at 23 m

Universal Underside Moulding, self-adhesive Type 'VW', reel at 30 m



- With the universal mouldings, compared to model type mouldings, you are able to reduce storage space and at the same time, save a lot of money.
- Our universal mouldings are made of high-quality material and are easy to handle.
- Silk-matt surface for a perfect look
- Material particular fl exible, for neatly fitting borders
- Mouldings are suitable for all LSG windscreens with a thickness of 4-6 mm
- For easier installation the glass channel has a thin layer of butyl glue (marked blue in the figure)
- Underside moulding UP-200 with strong adhesive tape (marked blue in the figure) for safe fixation on the glass
- The included metal filament (white spot in the figure / not for UP-200) avoids unintentional stretching of the moulding during the installation or shrinking over time





■ UPI-5024

Underside Moulding Installer

This moulding installer helps to install the underside moulding UP-200 in the correct position.

Therewith the moulding will automatically be affixed in a constant distance to the glasses edge. By using this tool you achieve a good looking, trouble-free and easy installation.





■ MCA-265

Standard Moulding Maker

The standard moulding maker enables to mitre universal mouldings.

We recommend to stick the cuts with Loctite 4850 superglue.

Suitable replacement blade: TK-5, TK-10 or TKS-100



proflass.

Allocation Table of Universal Mouldings

| YOC | MODEL | FRONT | REAR | YOC | MODEL | FRONT | REAR | YOC | MODEL | FRONT | REAR |
|----------|----------------|-------|---------|------------|---------------------|-------|------|-----------|---------------------|-------|------|
| ALFA | | | | FIAT (cont | inued) | | | LANCIA (c | ontinued) | | |
| 90-94 | 33 (II) | 105 | | 85- | Croma | 107 | 107 | 96- | Y11 | 105 | |
| 85-93 | 75 | 105 | | 3/01- | Doblo | 107 | | 94- | Zeta | 100 | |
| 84-87 | 90 | 105 | | 99- | Multipla | 100 | | MAZDA | | | |
| 84/95-00 | | 100 | | 98- | Palio | 107 | 200 | 89- | 000 IV/DO 0t LITD | 105 | |
| 00- | 147 | 105 | | 94- | Punto I C | 107 | | | 323 IV BG 2trg. HTB | | |
| 92-97 | 155 | 105 | | 99- | Punto II | 105 | | 89-94 | 323BG/L IV5trgFLH | | |
| | 156 | 100 | | 98- | Seicento | 100 | 105 | 9/94-98 | 323 L V 5trg. | 105 | |
| 97- | | | | 01- | Stilo 3/5trg. K | 200 | 100 | | 626III L+K | 105 | |
| 95- | GTV/Spider | 105 | | 87- | Tipo/Tempra | 105 | | 88-91 | 626IIICp GD+FLH | | |
| AUDI | | | | 87- | Tipo 3/5trg. | 100 | 105 | 98- | Demio Van | 100 | |
| 89-94 | 80 B3 Coupé | 100 | | 94/95- | Ulysse/Scudo | 100 | 100 | 90- | MX 5 | 105 | |
| | 100 C4/A6 L+K | 100 | | | Olysse/ ocudo | 100 | | 99- | Premacy | 100 | |
| | 100 C4/A6 L | | 100 | FORD | | | | 92- | RX7 Cp III | 105 | |
| 96- | A3 | 100 | | 90-98 | Escort IV 3/5trg. | | 105 | MERCEDE | | | |
| 94-11/00 | | 100 | | 98- | Focus | 100 | 200 | 96- | W170SLK Roadster | | 200 |
| | AT LTIX | 100 | | 95- | Galaxy | 100 | | 00- | W203 L+K | 107 | 200 |
| BMW | | | | 93- | Mondeo FLH,L,K | 107 | | 88-96 | MB 100 D | 107 | |
| 91/93-98 | E36 3er L+K | 105 | | 82-86 | Sierra I | 107 | | 96- | | | |
| 91- | E36 3erCompact | | 105/107 | 87- | Sierra II | 107 | | | Vito Transporter | 107 | |
| 96- | Z3 Roadster | 105 | | 86- | Transit II | 107 | | MITSUBIS | | | |
| 00- | Mini Cooper | 107 | | 97-00 | Transit III | 107 | | 95- | Carisma | 105 | |
| CITROEN | ' | | | 00- | Transit IV | 107 | | 88-91 | Colt III C50 | 105 | |
| | A.V | 107 | | HONDA | | | | 93- | ColtIVCC/Lancer | 105 | |
| 90- | AX | 107 | | | Oistin III ODV | 105 | | 96- | Colt V | 100 | |
| 83-92 | BX I u. II | 105 | .05 | 84-87 | Civic III CRX | 105 | | 92- | Eclipse I Cp | 105 | |
| 83-87 | BXIL | | 105 | 92- | Civic V 3trg. SR3 | 107 | | 93-96 | Galant L | 105 | |
| 83-87 | BX Break | | 105 | 92-97 | CivicV CRX TargaEG2 | | | 97- | Galant EAO | 105 | |
| 94- | Evasion Jumpy | 100 | | 95- | Civic V L 5trg. | 107 | | 96- | L200 Pick-Up | 100 | |
| 91- | XM L | 107 | | 91- | Concerto SJ4 | 105 | | 88-92 | LancerC60L+HTB | 105 | |
| 97- | Xsara | 107 | | 93- | Integra | 107 | | 93- | Lancer L+K CBO | 105 | |
| 00- | Xsara Picasso | 100 | | 95-11/98 | Shuttle III | 107 | | 91-98 | Pajero II Jeep | 107 | |
| 91- | ZX L | 107 | | HYUNDAI | | | | 99- | Pajero Pinin | 105 | |
| DAEWOO | | | | 95- | Accent I / EXCEL | 105 | | 95/96- | | 100 | |
| | | 100 | | 00- | Accent II | 100 | | 91-95 | Space Runner | 100 | |
| 97- | Lanos | 100 | | 98- | Atos | 100 | | 99- | Space Star | 105 | |
| 97- | Leganza | 105 | | 00- | Atos Prime | 100 | | 92- | Space Wagon II | 100 | |
| 97- | Nubria | 105 | | 06/96- | Cupé J2 | 100 | | 99- | Space Wagon III | 105 | |
| 98- | Cielo | 105 | | 91- | Lantra | 105 | | NISSAN | opass magemin | | |
| DAIHATSU | J | | | 98- | Starex / H200 | 100 | | 00- | Almera N16 | 105 | |
| 99- | Cuore V L701 | 105 | | | Otarox7 11200 | 100 | | 00- | Almera Tino | 100 | 200 |
| 97- | Gran Move | 105 | | KIA | | | | 00- | | 105 | 200 |
| 98- | Sirion | 105 | | 01- | Carens | 100 | | | Maxima Miora K10 | 105 | 105 |
| 97- | Terios | 105 | | 99- | Carnival | 100 | | | Micra K10 | 105 | 105 |
| | 161103 | 100 | | 96- | Clarus | 100 | | 93- | Serena | 105 | |
| FIAT | | | | 01- | Rio | 100 | | 86-93 | Terrano I/Pick-Up | 105 | |
| 94- | Barchetta C | 107 | | 93- | Sephia I | 105 | | OPEL | | | |
| 95/96- | Bravo/Brava | 100 | | 98- | Sephia II / Shuma | 100 | | 98- | Astra G | 107 | |
| 95/96 | Marea | 100 | | LANCIA | | | | 98- | Astra G K | | 105 |
| 95- | Bravo/Marea | | 200 | 85- | Y10 | 105 | 105 | 04/93- | Corsa B 3trg. | | 105 |
| | | | | 00- | 1 10 | 100 | 100 | 94- | Corsa B Combo | | 105 |
| | | | | | | | | | | | |

100 = Art. UP-100B / 105 = Art. UP-105B / 107 = Art. UP-107B / 200 = Art. UP-200 Legend:

Cp = coupé / C = convertible / K = estate / L = limousine

No responsibility is taken for the corectness of this information!

Allocation Table of Universal Mouldings

| YOC | MODEL | FRONT | REAR | YOC | MODEL | FRONT | REAR | YOC | MODEL | FRONT | REAR |
|--------------|--------------------|-------|------|----------|----------------------|-------|------|------------|----------------------|-------|------|
| OPEL (c | ontinued) | | | SUBARU | | | | VW (conti | nued) | | |
| 00- | Corsa C | 107 | | 98- | Forester | 107 | | 97- | Lupo | 200 | 200 |
| 91-98 | Frontera I | 105 | | 95-98 | Legacy II | 107 | | 92-96 | Passat B4 K | | 200 |
| 99- | Frontera II | 105 | | SUZUKI | | | | 98- | Passat B5 K | | 200 |
| 84-92 | Kadett E L, K+C | 105 | | 95- | Baleno L+K | 105 | | 90- | PoloII+II L+Cp | | 200 |
| 84-92 | Kadett E L+K | | 105 | 10/98- | Jimny | 100 | | 95-00 | Polo A03 | | 200 |
| 93- | Monterey | 105 | | 89-93 | Vitara I | 105 | | 95-00 | Polo Classic 4trg. | 107 | |
| 86-93 | Omega A | 105 | | 93-98 | Vitara II | 105 | | 00-02 | Polo A04 | | 200 |
| 97- | Sintra/GM Transpor | t 107 | | TOYOTA | | | | 95- | Sharan | 100 | 200 |
| 94- | Tigra | 107 | | 91- | 4 Runner | 105 | | 00- | Sharan | | 200 |
| 95- | Vectra B | 107 | | 98- | Avensis L | 100 | | 91- | Bus T4 alle | 100 | |
| 96- | Vectra B K | | 105 | 08/01- | Avensis Verso | 100 | | USA MOI | DELS. | | |
| 99- | Zafira | 107 | 105 | 08/01- | Camry | 100 | | 99- | Chevrolet Alero | 107 | |
| PEUGEO |)T | | | 92-97 | Carina IV AT 190/192 | | | 94-97 | Cadillac Seville STS | | |
| 91- | 106 | | 105 | 90-93 | Celica I ST 182 | 107 | | 93- | Camaro Coupé | 100 | |
| 89- | 205 | | 105 | 94-7/99 | | 105 | | 90-94 | Chevrolet Lumina | | |
| 98- | 206 | 100 | 100 | 08/99- | Celica III | 100 | | 93-94 | Chevr.SBlazer/Jimmy | | |
| 96- | 406 L+K | 100 | | 87-92 | Corolla EE90 L+K | | | 94-99 | ChevrS10Blaz./Jimmy | | |
| 94- | 806 | 100 | | 87-92 | Corolla EE92 LTB | | | 84-95 | Chrysler Voyager II | 105 | 105 |
| | | 100 | | 92-97 | Corolla KE 101 LTB | | | 96- | Chrysler Voyager III | | 100 |
| RENAUL | | | | 97- | Corolla E11 | 100 | | 94- | Chrysler Vision | 105 | |
| 94-00 | Laguna I L+K | 107 | | 95- | Hi-Ace LH102 | 107 | | 98- | Chrysler 300 M | 105 | |
| 01- | Laguna II L+K | 107 | | 8/97- | Hi-Lux | 107 | | 95-99 | Cirrus / Stratus | 100 | |
| 97- | Megane Scénic | 105 | | 8/96-98 | Landcruiser HDJ90 | | | 90-99 | Chrysler Neon | 100 | |
| 92-01 | Safrane | 105 | | 98- | Landcruiser HDJ100 | | | 97- | DodgeDakote2DClub | | |
| 00- | Midlum | 107 | | 99- | Lexus RX 300 | 100 | | 93- | JeepGrandCherokee | | |
| 96- | Premium | 107 | | 4/99- | Lexus IS 200 | 100 | | 93- 97- | | 107 | |
| ROVER | | | | 91- | MR2 Cp II | 100 | | | Jeep Wrangler | 103 | |
| 90-95 | 200 | 107 | | 90-00 | Previa I | 107 | | | / MOBILE HOMES | | |
| 95- | 200 | 100 | | 90-00 | Previa II | 100 | | 90- | DenOustenAlliance | | |
| 95- | 400 | 107 | | 01- | Prius | 100 | | 98- | Hymer S-Kl. | 107 | |
| 97- | Freelander | 100 | | 07/00 | RAV4 III | 100 | | 91- | Frankia Pilote | 107 | |
| 97- | MG F Roadster | 100 | | 90-96 | Starlet EP81 | 100 | | | | | |
| SAAB | | | | 96- | | 100 | | | | | |
| | 000 | 107 | | 99- | Yaris | 100 | | | | | |
| 94- | 900 | 107 | | 99- | Yaris Verso | 100 | | | | | |
| SEAT | | | | | Talls Velso | 100 | | | | | |
| 96- | Alhambra | 100 | | VOLVO | 4.40/400 /0:1 | 407 | | | | | |
| 00- | Alhambra | | 200 | 88/99-97 | 440/460 L/Sth. | 107 | | | | | |
| 97- | Arosa | 200 | 200 | 92-/97- | 850/S70/V70 L+K | | | | | | |
| 94-00 | Cordoba 3/5trg. | 107 | | 96- | S40/V40 | 105 | | | | | |
| 93- | Ibiza II | 107 | 200 | VW | | | | | | | |
| 00- | Ibiza III | | 200 | 98- | Beetle | 200 | 200 | | | | |
| 91-00 | Toledo I | 107 | | 91-98 | Golf III | 100 | | | | | |
| SSANG | ONG. | | | 91-98 | Golf III L+K | | 200 | | | | |
| 95- | Musso | 107 | | 98- | Golf IV L+K | | 200 | | | | |
| 50 | 1410000 | 101 | | 98- | Golf IV L+K | | 200 | | | | |
| | | | | 98- | Bora | | 200 | | | | |

<u>Legend:</u> 100 = Art. UP-100B / 105 = Art. UP-105B / 107 = Art. UP-107B / 200 = Art. UP-200

Cp = coupé / C = convertible / K = estate / L = limousine






Rubber Adhesive Pads Ø 10 mm 1.5 mm thick, package at 10 pieces

Rubber Adhesive Pads Ø 20 mm 1.5 mm thick, package at 10 pieces

These self-adhesive rubber pads can be used as a non-skid support pad or as universal spacers.






Sponge Rubber Tape (Neoprene) 5 x 5 mm double-sided self-adhesive, 3 reels at 4.5 m

Sponge Rubber Tape (Neoprene) 5 x 5 mm double-sided self-adhesive, 12 reels at 4.5 m

These tapes are used as a spacer between the car body and bonded windscreens, rear and side windows. At the same time they make a nice view from inside. The doublesided adhesive tapes also prevent a freshly installed glass from sliding.






Sponge Rubber Tape (Neoprene) 5 x 5 mm self-adhesive, 12 reels at 5.5 m

Sponge Rubber Tape (Neoprene) 6 x 6 mm self-adhesive, 3 reels at 5.5 m

Sponge Rubber Tape (Neoprene) 6 x 6 mm self-adhesive, 12 reels at 5.5 m

Sponge Rubber Tapes are mandatory for many Asian cars and work as a spacer between car body and windscreen. At the same time they make a nice view from inside.

The high-quality neoprene sponge has a high density (small pores) and a rich dark colour.





The polyethylene (PE) sponge rubber tapes are used in the same way than the higher grade neoprene tapes.

The difference is the lower density of the PE sponge (bigger pores) and the lighter colour which is more like a dark grey than black.





■ TAC-1210 Acrylic Tape transparent, 12 mm wide

■ TAC-2510

■ TAC-5005

reel at 10 m

■ TAC-1910 Acrylic Tape transparent, 19 mm wide reel at 10 m

> Acrylic Tape transparent, 25 mm wide reel at 10 m

Acrylic Tape transparent, 50 mm wide reel at 5 m

The entirely transparent adhesive tape is 1.0 mm thick and has an extraordinary high tack, also ander high temperatures. It is virtually invisible! Most suitable for glass bondings if unobstrusive look is desired, e.g. for antennas and sensors.



Acrylic Tape black, 9 mm wide reel at 10 m

Acrylic Tape black, 12 mm wide reel at 10 m

Acrylic Tape black, 19 mm wide reel at 10 m

Acrylic Tape black, 25 mm wide reel at 10 m

Acrylic Tape black, 50 mm wide reel at 5 m

The deep black double-sided adhesive tape is 1.1 mm thick and has an extraordinary high tack, also ander high temperatures. It is suitable to bond e.g. antennas on glass, to fix trims and emblems or to attach linings.



Polyethylene Tape dark-grey, 9 mm wide reel at 10 m

Polyethylene Tape dark-grey, 12 mm wide reel at 10 m

Polyethylene Tape dark-grey, 19 mm wide reel at 10 m

Polyethylene Tape dark-grey, 25 mm wide reel at 10 m

The dark-grey double-sided adhesive tape is 0.95 mm thick. It has very good final strength and is especially low-priced. It is most suitable to fix trims and for all other workings which use a lot of tape.



■ TPO-3833

■ TPO-7691

Fixing Tape orange, perforated, 38 mm wide reel at 33 m

Fixing Tape orange, perforated, 76 mm wide reel at 91 m

Especially designed to fix trims, to keep freshly bonded glasses from sliding and to mask the corners of a glass during storage and transport to prevent scratching. Thanks to the perforation (every 15 cm) this tape is very easy to portion from the reel.

The most important thing hereby is: This tape is removable without any residue and it does not corrode the surface of e.g. varnish, rubber or plastic.





■ STG-3850

■ STG-5050

Woven Adhesive Tape black, 38 mm wide reel at 50 m

Woven Adhesive Tape black, 50 mm wide reel at 50 m

Very densely woven and strong adhesive tape to mask and protect all sensitive areas such as mudguard, bonnet edge, A-pillar and roof edge, while cutting out a glass with wires or hand knives. In short-term use this tape usually can be removed without residues and does not corrode the surface of e.g. varnish, rubber or plastic.

NOTE:

In long-term use or when exposed to direct sunlight this tape can leave residues on the vehicle's varnish.



■ GTG-5050

Woven Adhesive Tape grey, 50 mm wide reel at 50 m

Very densely woven and strong adhesive tape to mask and protect all sensitive areas such as mudguard, bonnet edge, A-pillar and roof edge, while cutting out a glass with wires or hand knives. In short-term use this tape usually can be removed without residues and does not corrode the surface of e.g. varnish, rubber or plastic.

NOTE:

In long-term use or when exposed to direct sunlight this tape can leave residues on the vehicle's varnish.



■ MTP-3850



Premium Paper Masking Tape 38 mm wide reel at 50 m

High-grade paper masking tape with a special adhesive film - <u>even</u> after several days of application it does not leave any residue on a <u>vehicle's paintwork, rubber and plastic parts.</u> Due to the high stability (does not elongate noticeable) it is ideal to secure feshly bonded windscreens against sliding. Thanks to the paper carrier the tape can be sectioned very easily and is though very strong.



■ ATG-5050

Woven Adhesive Tape silver, 50 mm wide reel at 50 m

Strong woven adhesive tape to secure freshly bonded windscreens against sliding and for common jobs.

NOTE:

In long-term use or when exposed to direct sunlight this tape can leave residues on the vehicle's varnish.



■ MTG-5050

Paper Masking Tape yellow, 50 mm wide reel at 50 m

Simple paper masking tape. Good stability (does not elongate easily) and therefore also suitable to secure feshly bonded windscreens against sliding. In short-term use this tape usually can be removed without residues and does not corrode the surface of e.g. varnish, rubber or plastic.

NOTE: In long-term use or when exposed to direct sunlight this tape can leave residues on the vehicle's varnish.



■ KRS-1588

Eraser Disk Ø 88 mm x 15 mm to remove glue residues

With this eraser disk all residues of adhesives can be removed without effort from car varnish or other surfaces. Just insert it to the cordless drill and erase the glue residues.







Clear Protective Film, 100 mm wide reel at 2.5 m

Clear Protective Film, 150 mm wide reel at 2.5 m

Clear Protective Film, 200 mm wide reel at 2.5 m

Clear Protective Film, 250 mm wide reel at 2.5 m

Clear Protective Film, 300 mm wide reel at 2.5 m

The self-adhesive clear polyurethane foil has a smooth and glossy surface. It has been developed as a stone-chipping protection for painted car body parts. Thanks to the extreme elongation the film can be applied wrinkle-free to strongly curved parts, e. g. like the housing of a side mirror.

All painted surfaces like fenders, hoods or side mirrors can be protected against stone-chipping by applying this almost invisible film.

Technical data:

film thickness: 200 µmelongation: 700 %

• temperature resistance: -40 to +120°C

durability: 7-10 years

• delivery form: 2.5 m on cardboard reel (inside-Ø 76 mm)



SFS-1550

Black Protective Film, 150 mm wide reel at 5 m

This self-adhesive black protective foil has a medium structured surface. It is suited for covering B-pillars or door frames, as a stone-guard body protection or to protect the trunk sill.

Technical data:

• film thickness: 150 µm

• temperature resistance: -40 to +90°C

• durability: 7-10 years


• delivery form: 5 m on cardboard reel (inside-Ø 76 mm)



PE Protection Foil, self-adhesive, 82 cm wide reel at 25 m

■ PES-0165

PE Protection Foil, self-adhesive, 82 cm wide reel at 1.65 m, for one application



The self-adhesive, transparent PE foil (film thickness: $130 \, \mu m = 0.13 \, mm$) is easy to attach. The bonding film is very strong and allows tight stretching when fixing. This reduces driving noise to a minimum. Crinkle-free mounting assures that the vehicle will stand even a heavier rain shower.

TIP: Due to the strong bonding film this foil should only be applied on varnishes that are in good condition. In doubt it is recommended to recondition the area with a polishing compound. For removal you should warm up the film with a hot air gun - this will reduce the glue residues (possible residues can be removed with the eraser disc KRS-1588).



TINGETUNGS

PMS-3000

Window Guard™ PE Protection Foil, self-adhesive, perforated, 91 cm wide, reel at 30 m

The protection foil is a temporarily substitue for damaged side or rear windows and keeps your vehicle mobile that way.

Window GuardTM is a self-adhesive, clear PE foil (film thickness: 83 μ m = 0,083 mm) with a high level of transparency. Due to the perforation it is especially easy to attach. The bonding film is very strong and allows tight stretching when fixing. This reduces driving noise to a minimum. Crinkle-free mounting assures that the vehicle will stand even a heavier rain shower.

TIP: Due to the strong bonding film this foil should only be applied on varnishes that are in good condition. In doubt it is recommended to recondition the area with a polishing compound. For removal you should warm up the film with a hot air gun - this will reduce the glue residues (possible residues can be removed with the eraser disc KRS-1588).





Sensor Technology



Rain, Light and Air Con Sensors in best quality from OE manufacturers

The basic version of more and more vehicles is already equipped with a rain or light sensor. Since 2003 BMW additionally uses an anti-fogging sensor which controls the air conditioning system.

Indeed it is possible in most cases to transfer the optical unit from the old to the new windscreen, but therefore the adhesive pad - means the crystal clear bond between optical unit and windscreen - has to be renewed. Depending on the model, this can be very time consuming. It is faster and easier to use a new optical unit (all our optical units are

already equipped with an adhesive pad).


To ensure a faultless function of the extensive controlling electronics you should solely use genuine parts. Reproductions which you can be found on the market can eventually lead to installation problems or even malfunction.



■ SOR-199

Rain Sensor for Alfa Romeo, BMW, Mercedes, Rover

| = | _ | |
|---------------------------|----------|-------------------|
| Vehicle Type | Eurocode | YOC |
| Alfa 147 | 2037 | 2001 - |
| Alfa 166 | 2036 | 1998 - |
| BMW E38 | 2433 | 1994 - 2001 |
| BMW E39 | 2434 | 12/1995 - 09/2001 |
| BMW E46 Lim./Coupé | 2436 | 1998 - 09/2001 |
| BMW E53 X5 | 2439 | 04/2000 - 09/2001 |
| Mercedes W129 SL | 5331 | 1989 - 2001 |
| Mercedes W140 S-Class | 5333 | 1991 - 1998 |
| Mercedes W202 C-Class | 5334 | 03/1993 - 05/2000 |
| Mercedes W203 C-Class | 5351 | 05/2000 - 04/2003 |
| Mercedes W203 Sport Coupé | 5352 | 03/2001 - 06/2003 |
| Mercedes W208 CLK | 5341 | 1997 - 2002 |
| Mercedes W210 E-Class | 5337 | 1995 - 2002 |
| Mercedes W215 CL | 5345 | 03/1999 - |
| Mercedes W220 S-Class | 5344 | 1998 - 08/2002 |
| Mercedes W230 SL | 5346 | 2001 - |
| Rover 75 | 7035 | 06/1999 - 01/2004 |



■ SOL-198

Base Plate with Light Sensor for Mercedes W203 C-Class

| Vehicle Type | Eurocode | YOC |
|-----------------------|----------|-------------------|
| Mercedes W203 C-Class | 5351 | 05/2000 - 04/2003 |

■ SPL-801

Cover Plate for Mercedes W203 C-Class

| Vehicle Type | Eurocode | YOC |
|-----------------------|----------|-------------------|
| Mercedes W203 C-Class | 5351 | 05/2000 - 04/2003 |



■ SOL-197A

Light and Rain Sensor for Mercedes

| Vehicle Type | Eurocode | YOC |
|---------------------------|----------|-----------|
| Mercedes W203 C-Class | 5351 | 05/2003 - |
| Mercedes W203 Sport Coupé | 5352 | 07/2003 - |
| Mercedes W209 CLK | 5353 | 2002 - |
| Mercedes W209 Cabrio | 5353 | 2003 - |
| Mercedes W211 E-Class | 5347 | 2002 - |
| Mercedes W219 CLS | 5360 | 2004 - |
| Mercedes W220 S-Class | 5344 | 09/2002 - |
| Mercedes W221 S-Class | 5362 | 2005 - |



■ SOL-197B

Light Sensor for Mercedes W203 C-Class

| Vehicle Type | Eurocode | YOC |
|-----------------------|----------|-----------|
| Mercedes W203 C-Class | 5351 | 05/2003 - |



■ SPL-808

Base Plate for MB

| Vehicle Type | Eurocode | YOC |
|---------------------------|----------|-----------|
| Mercedes W203 C-Class | 5351 | 05/2003 - |
| Mercedes W203 Sport Coupé | 5352 | 07/2003 - |
| Mercedes W209 Coupé | 5353 | 2002 - |
| Mercedes W209 Cabrio | 5353 | 2003 - |
| | | |





■ SOL-803

Light Sensor for Mercedes

| Vehicle Type | Eurocode | YOC |
|-----------------------|----------|-------------------|
| Mercedes W215 Coupé | 5345 | 03/1999 - |
| Mercedes W220 S-Class | 5344 | 10/1998 - 08/2002 |
| Mercedes W230 SL | 5346 | 2001 - |



■ SKA-502

Anti-Fogging Sensor for BMW

| Vehicle Type | Eurocode | YOC |
|------------------|----------|--------|
| BMW E60/E61 5-er | 2445 | 2003 - |
| BMW E63/E64 6-er | 2446 | 2004 - |
| BMW E65 7-er | 2443 | 2003 - |
| BMW E87 1-er | 2448 | 2004 - |
| BMW E90 3-er | 2447 | 2005 - |



■ SKA-502M

Fit-Up Aid for BMW Anti-Fogging Sensor

| Vehicle Type | Eurocode | YOC |
|-----------------|----------|--------|
| BMW E60 5-er | 2445 | 2003 - |
| BMW E63/64 6-er | 2446 | 2004 - |
| BMW E65 7-er | 2443 | 2003 - |
| BMW E87 1-er | 2448 | 2004 - |
| BMW E90 3-er | 2447 | 2005 - |

■ SOL-192A

Light and Rain Sensor for Mercedes, Nissan, Renault

| Vehicle Type | Eurocode | YOC |
|-------------------------------|----------|-----------|
| Mercedes BM639 Viano / Vito | 5438 | 09/2003 - |
| Nissan GT-R | 6053 | 2008 - |
| Nissan Micra K12 | 6011 | 02/2003 - |
| Nissan Murano Z51 | 6051 | 2008 - |
| Nissan Note | 6041 | 2006 - |
| Nissan Pathfinder / Navara | 6037 | 2005 - |
| Nissan Qashqai | 6044 | 2006 - |
| Nissan Tiida | 6046 | 2007 - |
| Nissan X-Trail | 6047 | 2007 - |
| Renault Scénic / Grand Scénic | 7257 | 06/2003 - |
| Renault Modus | 7263 | 07/2004 - |



■ SOL-192A-R Retainer for SOL-192A

Replacement for the original retainer ring in case it breaks during disassembly or has been damaged during an earlier windscreen exchange.



■ SOL-192C

Light and Rain Sensor for BMW, Renault

| Vehicle Type | Eurocode | YOC |
|--------------------|----------|-----------|
| BMW E60/E61 5-er | 2445 | 04/2007 - |
| BMW E70 X5 | 2452 | 02/2007 - |
| BMW F07 5-er GT | 2461 | 2009 - |
| BMW F07 5-er | 2459 | 2010 - |
| Renault Mégane III | 7279 | 10/2007 - |
| Renault Kangoo II | 7474 | 2008 - |
| Renault Laguna III | 7273 | 2008 - |





■ SOL-192D

Light and Rain Sensor for Fiat, Mercedes, Smart, VW

| Vehicle Type | Eurocode | YOC |
|-------------------------|----------|-------------|
| Fiat Ducato III | 3750 | 07/2006 - |
| Mercedes BM906 Sprinter | 5439 | 06/2006 - |
| Mercedes W169 A-Class | 5358 | 2004 - |
| Mercedes W171 SLK | 5356 | 2004 - 2010 |
| Mercedes W245 B-Class | 5358 | 2005 - |
| Smart ForTwo | 5368 | 2007 - |
| Smart ForFour | 5359 | 2004 - |
| Smart Roadster | 5355 | 2003 - |
| VW Crafter | 8590 | 04/2006 - |



■ SOL-189

Light and Rain Sensor for Citroen, Mercedes, Peugeot

| Vehicle Type | Eurocode | YOC |
|-----------------------------|----------|--------|
| Citroen C-Crosser | 2738 | 2007 - |
| Mercedes W204 C-Class | 5364 | 2007 - |
| Mercedes W212 E-Class | 5371 | 2009 - |
| Mercedes W207 E-Class Coupé | 5370 | 2009 - |
| Mercedes GLK | 5369 | 2008 - |
| Peugeot 4007 | 6555 | 2007 - |



■ SOL-189B

Light and Rain Sensor for Chrysler, Jeep

| Vehicle Type | Eurocode | YOC |
|------------------------|----------|--------|
| Chrysler Grand Voyager | A230 | 2008 - |
| Jeep Cherokee | AJ16 | 2008 - |



■ SOL-193A

Light and Rain Sensor for BMW and Mazda

| Vehicle Type | Eurocode | YOC |
|--------------------------|----------|-------------------|
| BMW E39 5-er Limousine | 2434 | 09/2001 - 06/2003 |
| BMW E39/2 5-er Touring | 2434 | 09/2000 - 02/2004 |
| BMW E46/2 3-er Coupé | 2437 | 01/1999 - 05/2006 |
| BMW E46/2C 3-er Cabrio | 2437 | 12/1999 - 11/2006 |
| BMW E46/3 3-er Touring | 2436 | 06/1999 - 08/2005 |
| BMW E46/4 3-er Limousine | 2436 | 01/1998 - 03/2005 |
| BMW E53 X5 - SUV | 2439 | 09/2001 - 11/2006 |
| BMW E65 7-er | 2443 | 10/2001 - 03/2003 |
| BMW E83 X3 - SUV | 2449 | 09/2003 - 08/2007 |
| Mazda 2 (J37L) | 5173 | 2007 - |
| Mazda 3 (J48C) | 5166 | 2003 - |
| Mazda 6 (J50C) | 5164 | 2005 - |



■ SOL-193B

Light and Rain Sensor for BMW

| Vehicle Type | Eurocode | YOC |
|------------------------|----------|-------------------|
| BMW E46 Compact | 2442 | 06/2001 - 08/2001 |
| BMW E60 5-er Limousine | 2445 | 03/2003 - |
| BMW E61 5-er Touring | 2445 | 03/2004 - |
| BMW E63 6-er Coupé | 2446 | 09/2003 - |
| BMW E64 6-er Cabrio | 2446 | 12/2003 - |
| BMW E87 1-er Limousine | 2448 | 06/2004 - |
| BMW E90 3-er Limousine | 2447 | 12/2004 - |
| BMW E91 3-er Touring | 2447 | 06/2005 - |
| BMW E92 3-er Coupé | 2454 | 06/2006 - |
| BMW E93 3-er Cabrio | 2450 | 12/2006 - |
| BMW Z85 Z4 Roadster | 2444 | 02/2003 - |
| BMW Z85 Z4 Coupé | 2453 | 03/2006 - |
| | | |



■ SOL-193C

Light and Rain Sensor for BMW

| Vehicle Type | Eurocode | YOC |
|--------------------------------|----------|-----------|
| BMW R50 Mini Coupé One, Cooper | 2440 | 07/2004 - |
| BMW R52 Mini Cabrio | 2440 | 04/2004 - |
| BMW R53 Mini Coupé, Cooper S | | 07/2004 - |
| BMW Mini / Mlni Clubman | 2455 | 2006 - |





■ SOL-193D

Light and Rain Sensor for Mercedes

| Vehicle Type | Eurocode | YOC |
|-----------------------|----------|-------------------|
| Mercedes W163 M-Class | 5343 | 10/2000 - 06/2005 |



■ SOL-193E

Light and Rain Sensor for Mercedes

| Vehicle Type | Eurocode | YOC |
|----------------------------------|----------|-----------|
| Mercedes W164 M-Class / GL-Class | 5361 | 07/2005 - |
| Mercedes W251 R-Class | 5363 | 10/2005 - |



■ SOL-193F

Light and Rain Sensor for Chrysler, Dodge, Jeep

| Vehicle Type | Eurocode | YOC |
|---------------------|----------|--------|
| Chrysler 300C | A234 | 2004 - |
| Dodge Charger | - | 2006 - |
| Jeep Commander | AJ11 | 2006 - |
| Jeep Grand Cherokee | AJ10 | 2005 - |

40000 F

■ SOL-193G

Light and Rain Sensor for Land Rover, Range Rover

| Vehicle Type | Eurocode | YOC |
|------------------------------------|----------|--------|
| Land Rover L317 Defender Successor | - | 2008 - |
| Land Rover L319 Discovery 3 (LR3) | 7032 | 2004 - |
| Land Rover L320 Baby Range Rover | - | 2005 - |
| Land Rover L322 FaceLift | - | 2007 - |
| Land Rover Freelander | 7038 | 2007 - |
| Range Rover Sport | 7036 | 2005 - |



■ SOL-193H

Light and Rain Sensor for Peugeot

| Vehicle Type | Eurocode | YOC |
|---------------|----------|-----------|
| Peugeot 1007 | 6547 | 2004 - |
| Peugeot 206 | 6539 | 07/2001 - |
| Peugeot 206CC | 6545 | 03/2001 - |
| Peugeot 207 | 6548 | 2006 - |



■ SOL-193J

Light and Rain Sensor for Citroen

| Vehicle Type | Eurocode | YOC |
|--------------|----------|-------------|
| Citroen C2 | 2731 | 2003 - |
| Citroen C3 | 2726 | 2005 - 2010 |



Replacement Adhesive Pads for rain and light sensors


For more and more vehicles a rain or light sensor is already part of the standard equipment. When exchanging a wind-screen, the optical unit of the sensor is also often being replaced, though it is not necessary. Our special adhesive pads, made of entirely transparent, self-adhesive material, enable you to reuse the optical unit.

How to proceed:

First remove the optical unit carefully from the glass with an installation stick or a sensor removal tool. As most of the optical units are made of plastic, they must not get in contact with solvent based cleaners. It is best to peel off the remaining glue with the fingers. For the final cleaning, use a cleaner that

evaporates without residue and does not corrode the plastic, e.g. our primer/cleaner HRS-100. Now first stick on the adhesive pad to the optical unit and then the whole part to the windscreen. For bubble-free, perfect results use our applicator KPA-250.

By the way, our adhesive pads are also suitable for many sensors with a gel pad. On our website you can find an instruction how to proceed in that case. Upon request our sales staff will also be happy to send it to you.





Light/Rain Sensor Adhesive Pad for Seat, VW Dimensions: Ø 32 x 1.5 mm

KPL-166 Package at 5 pieces

■ KPL-166-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for Honda, Kia, Opel, Saab Dimensions: 40 x 27 x 1.0 mm

■ KPL-185 Package at 5 pieces

■ KPL-185-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for Citroen, Mercedes, Peugeot Dimensions: 40 x 35 x 1.5 mm

■ KPL-189 Package at 5 pieces

■ KPL-189-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for Chrysler, Jeep Dimensions: 40 x 35 x 1.0 mm

■ **KPL-189B** Package at 5 pieces

■ KPL-189B-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for Alfa, Audi, Opel, Porsche, Seat, Toyota Dimensions: 27 x 32.5 x 1.5 mm

■ KPL-190 Package at 5 pieces

■ KPL-190-1 Package at 1 piece

a Ri E-150-1 Tackage at 1 piec





Light/Rain Sensor Adhesive Pad for Citroen, Fiat, Mercedes, Nissan, Peugeot, Renault, Smart, VW
Dimensions: Ø 43 x 2.0 mm

■ KPL-192 Package at 5 pieces

KPL-192-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for BMW, Renault Dimensions: Ø 43 x 2.0 mm

■ **KPL-192C** Package at 5 pieces

■ KPL-192C-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for BMW, Chrysler, Citroen, Dodge, Jeep, Landrover, Mazda, Mercedes, Peugeot, Range Rover Dimensions: 55 x 33 x 1.5 mm

■ **KPL-193** Package at 5 pieces

■ KPL-193-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for Mercedes Dimensions: 70 x 42 x 1.5 mm

■ **KPL-197** Package at 5 pieces

■ KPL-197-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for Mercedes Dimensions: 50 x 41.5 (34 x 12.5) x 1.0 mm

■ KPL-198 Package at 5 pieces

KPL-198-1 Package at 1 piece



Rain Sensor Adhesive Pad for Chevrolet, Honda, Hyundai, Kia, Opel, Dimensions: 40 x 28 x 1.0 mm

KPR-188 Package at 5 pieces

■ KPR-188-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for Citroen, Fiat, Lancia, Mercedes, Peugeot Dimensions: Ø 27 x 1.5 mm

KPR-191 Package at 5 pieces

■ KPR-191-1 Package at 1 piece



Light/Rain Sensor Adhesive Pad for VW Group until YOC 98 Dimensions: Ø 28 x 1.0 mm

■ KPR-194 Package at 5 pieces

■ KPR-194-1 Package at 1 piece





Rain Sensor Adhesive Pad for Alfa, Jaguar, Porsche, Seat, Skoda, Toyota, VW Dimensions: Ø 28 x 1.5 mm

■ **KPR-195** Package at 5 pieces

■ KPR-195-1 Package at 1 piece



Rain Sensor Adhesive Pad for Chrysler, Daewoo, Honda, Kia, Nissan Dimensions: 60 x 35 x 1.0 mm

KPR-196
Package at 5 pieces

KPR-196-1 Package at 1 piece



Rain Sensor Adhesive Pad for Alfa, BMW, Mercedes, Rover Dimensions: 56 x 31 x 1.5 mm

KPR-199 Package at 5 pieces

■ KPR-199-1 Package at 1 piece



■ KPA-250

Applicator for Adhesive Pads and Acrylic Tapes Spray bottle at 250 ml

The applicator helps you to avoid air locks when sticking on sensor pads and adhesive tapes with acrylic adhesive (all items of our range with an item number starting with KPR-, KPL-, TAC-, TAB-).

The liquid applicator enables you to correct the position after sticking the sensor to the glass.

Detailed vehicle type allocation table on our website at www.proglass.de or upon request!



Adhesive Pad for Toll Collect Device Dimensions: 52 x 37 x 0.8 mm

■ **KPM-3752** Package at 5 pieces


■ KPM-3752-1 Package at 1 piece



Toll Collect DSRC Adhesive Pad Dimensions: 64 x 44 mm

■ **KPM-4464** Package at 5 pieces

■ KPM-4464-1 Package at 1 piece



Adhesive Pad for camera holder Dimensions: 62 x 60 x 1.5 mm

■ **KPM-6260** Package at 5 pieces

■ KPM-6260-1 Package at 1 piece



Adhesive Pad for camera holder for lane assistant MB Actros

KPM-7474 Package at 5 pieces


■ KPM-7474-1 Package at 1 piece



To take off an optical sensor from a windscreen can be very difficult if the glued surface is extensive. Using too much power with a plastic wedge will easily break the optical unit. Therefore we recommend to use these special tools which clasp the optical sensor and enable to turn it off sidewards.

TIP:

Warming up the windscreen from the outside (with a hot air gun) weakens the bonding and facilitates loosening the optical unit from the glass.







WSR-150-N

Professional Windscreen Repair Kit for stationery use

WSR-150-A

Professional Windscreen Repair Kit for mobile use



This professional windscreen repair kit is a result of our longtime experience in windscreen repair. It contains all components necessary for professional work and for optimum results. Almost no other system is equipped so completely as this kit. By that the price is remarkably favorable - do not hesitate to compare the contents list to systems from other suppliers.

The stationary kit includes a 230 V mains operated UV lamp. The mobile kit includes a 12 V operated UV lamp that connects with a cigarette lighter or vehicle power outlet.

Besides the large range of tool components, the kit also includes all consumables for at least 20 repairs. Each of these consumables can be bought later separately and at fair prices.

Features:

- high-quality and long-life components
- very complete professional case for all kinds of stonechips
- aAll components and consumables also available separately
- video manual and detailed instruction manual included

quicklink to the product video







WSR-150-P

Kit contains:

- ProGlass repair fixture (WSR-150-1N)
- resin chamber small, 3/16" (WSR-150-2N)
- connection hose (WSR-150-3)
- pressure/vacuum pump (WSR-150-5)
- inspection mirror with suction cup (MC-500)
- UV lamp 8W, 230V/50Hz (UVN-300) or UV lamp 8W, 12V (UVA-300)
- cordless mini drill 9.6V (AM-961-X)
- carbide probe (CP-5040)
- cracker (CRK-109)
- Penlight (PF-216) incl. batteries
- lighter, childproof (FZ-8326)
- 1 repair resin, 15 ml (VR-515)
- 1 pit filler resin. 15 ml (VR-415)
- 1 glass repair polish, 25 ml (SP-025)
- 1 dome magnifier 15x (SL-015)
- accessory box with following contents:
 - 3 syringes (1942)
 - 3 cannulas (2496)
 - 20 mylar squares (MR-300)
 - 10 scraper blades (RK-10)
 - 5 injector seals 3/16" (DR-475)
 - 1 carbide drill bit, tapered 0.8 mm (KMB-085-1)
 - 1 carbide drill bit, tapered 1.0 mm (KMB-105-1)
 - 1 carbide drill bit, round 0.8 mm (KMK-110-1)
 - 1 carbide drill bit, round 1.0 mm (KMK-120-1)
 - 1 grinding and polishing kit, in 12 parts (SPS-012)
 - 1 bull's eye maker (SSK-790)
- instructional video (CD-ROM)
- detailed instruction manual
- advertising poster (actually only for A, CH, D)
- rugged, foam lined plastic case 500 x 420 x 125 mm






WSR-150-1N ProGlass Repair Fixture (without resin chamber!)

The 125 mm big sucker of the fixture is mounted to the glass securely by pushing the pump plunger only a few times (optical control through red safety ring on the pump). The solid light alloy arm is movable and swivelling so that the resin chamber can be adjusted over the impact point easily and very precisely.

By turning the screw downward the resin chamber will become vacuum-sealed to the glass. Thanks to the spherical seat the resin chamber will align itself at right angle over the impact point. This guarantees that the seal does not impose more pressure upon the glass than necessary.



WSR-150-2N ProGlass Resin Chamber, 3/16" for all standard repairs

The seal of this chamber has an inside Ø of 4.75 mm. It is dedicated to perform all standard repairs with an impact no bigger than 5 mm. The chamber can be used for repairs on all flat and vertical glasses.



WSR-150-6N

ProGlass Resin Chamber, 3/8" for the repair of large damages



The seal of this chamber has an inside Ø of 9.5 mm. It is suitable for large stone chips as could be found at commercial vehicles or busses. Due to its extra large size, it is also applicable for two impact points close to each other. The chamber can be used for repairs on all flat and vertical glasses.

■ WSR-150-3

Connection Hose for WSR-150



The hose connects the pressure/vacuum pump with our resin chambers. It is also compatible to other repair systems on the market, e. g. AEGIS or Würth.

■ WSR-150-5

Pressure/Vacuum Pump for WSR-150



Pressure/vacuum pump for our ProGlass Professional Windscreen Repair Kit WSR-150. Also compatible to other repair systems on the market, e. g. AEGIS or Würth.

■ SHU-3237

Suction Holder, universal, Ø 32-37 mm



Use the suction holder to fix the pressure/vacuum pump WSR-150-5 to a windscreen or to other smooth surfaces. This is for example very helpful when repairing windscreens on commercial vehicles.



Refill Kit for WSR-150 sufficient for at least 50 repairs

Kit contains:

- 2 repair resins (item no. VR-515)
- 1 pit filler resin (item no. VR-415)
- 2 injector seals (like item no. DR-475)
- 10 scraper blades (item no. RK-10)
- 50 mylar squares (like item no. MR-300)
- 4 syringes (item no. 1942)
- 2 cannulas (item no. 2496)





RS-2030

Resin Dispensing Kit

Kit contains 6 syringes item 1942 and 3 cannulas item 2496 for the laminated glass repair.



1942

Syringe (polypropylene)

Reuseable syringe made of polypropylene for exact dosage of resin.



Cannula 2.0 x 70 mm

Reuseable cannula made of stainless steel for exact dosage of resin in connection with the syringe 1942.



FZ-8326

Lighter "ProGlass", blue

Refillable pocket lighter.



■ VR-515

Repair Resin ExtraPlus, extra thin, dropper bottle at 15 ml

Extra thin repair resin, excellent crack filler.

viscosity at 25°C: 10-20 mPa*s

shore hardness: D75



■ VR-415

Pit Filler Resin Extra, thin, dropper bottle at 15 ml

More fluid pit filler, for a hard and shiny finish.

viscosity at 25°C: 90-100 mPa*s

shore hardness: D80



Injector seals 3/16" for repair system WSR-150 package at 5 pieces

Injector seal (small) for the resin chamber WSR-150-2N.

inside-Ø approx. 4.75 mm, outside-Ø ca. 9.75 mm



■ DR-950

Injector seals 3/8" for repair system WSR-150 package at 5 pieces

Injector seal (large) for the resin chamber WSR-150-6N.

inside-Ø ca. 9.5 mm, outside-Ø ca. 16.0 mm











ProGlass Windscreen Repair Kit for stationery use

ProGlass Windscreen Repair Kit for mobile use

Simple and economic repair system for the professional windscreen repair. The system WSR-100 is distinguished for businesses with a lower repair volume or as a second system.

In this system the pressure and vacuum needed to perform a repair is produced by screwing the plastic injector's piston in and out. The simple construction of the whole system ensures a safe and easy operation. Thanks to the high-quality and extremely thin ProGlass repair resin even finest cracks can be repaired. The system can also be used to repair damages with a finely smashed or very dirty point of impact because an electric mini drill is also included.

Kit contains:

- ProGlass repair fixture (WSR-100-1)
- inspection mirror with sucker (MC-500)
- UV lamp 6W, 230V/50Hz (UVN-200) or 12V (UVA-200)
- mini drill 12V, with mains adaptor 230V (BM-120) or cigarette lighter plug 12V (BM-120-A)
- carbide probe (CP-5040)
- cracker (CRK-109)
- Penlight (PF-216), batteries included
- lighter, childproof (FZ-8326)
- suction cup lubricant, 60 ml (VS-060)
- glass repair polish, 25 ml (SP-025)
- accessory box with following contents:
 - 2 plastic injectors (INJ-M14-F)
 - 1 repair resin, 5 ml (VR-505)
 - 1 pit filler resin, 5 ml (VR-405)
 - 20 mylar squares (MR-300)
 - 10 scraper blades (RK-10)

 - 1 carbide drill bit, tapered 1.0 mm (KMB-105-1)
- 1 carbide drill bit, round 1.0 mm (KMK-120-1)
- detailed instruction manual
- rugged plastic case 450 x 360 x 106 mm with rigid foam lining



■ WSR-100-1



Repair Fixture for WSR-100

Injector holder made of aluminium with two PVC suction cups (Ø 37 mm). For the simple and safe positioning of the injector over the point of impact. Comes with one injector INJ-M14-F.



INJ-M14-F

Injector for Windscreen Repair

Well-priced injector for the ProGlass WSR-100 windscreen repair kit. Compatible with many repair systems on the market like for example Duobond, PMA or Talon (metric fine thread: M12x1,25). Injector seals are not available separately!



■ VR-505

Repair Resin ExtraPlus, extra thin, dropper bottle at 5 ml

Extra thin repair resin, excellent crack filler.

viscosity at 25°C: 10-20 mPa*s

shore hardness: D75



■ VR-405

Pit Filler Resin Extra, thin, dropper bottle at 5 ml

More fluid pit filler, for a hard and shiny finish.

viscosity at 25°C: 90-100 mPa*s

shore hardness: D80



Windscreen Repair Resins

In principle our resins for laminated glass repair can be used with all repairs systems available on the market. The herein mentioned data for viscosity and shore hardness shall help you to choose the right product for your application (by the way, at 20°C water has a viscosity of approx. 1.0 mPa*s, motor oil at 25°C of approx. 100 mPa*s and honey - depending on the type - of approx. 4,000 - 10,000 mPa*s). As the resins have a limited shelf life they should be bought in quantities as needed

and always be stored in a dark and cool place. If stored properly our resins have a shelf life of at least 9 months from the production date, from the delivery from our stock of at least 6 months. To ease control you will find the date of production on each bottle. This ensures the use of only fresh products and gives you more application safety. For further information please also refer to the technical data sheet.



VR-505AF

VR-515AF

Repair Resin ExtraPlus AF, extra thin, acid-free formulation, dropper bottle at 5 ml

Repair Resin ExtraPlus AF, extra thin, acid-free formulation, dropper bottle at 15 ml

This repair resin is absolutely acid-free. Thereby it can also be used by persons who are sensitive to the acrylic acid contained in conventional resins. Commonly occurred discomfort like irritation of skin, eyes or the respiratory system, headache or even light sickness do no longer occur when using this acid-free resin.

Extra thin repair resin, excellent crack filler.

viscosity at 25°C: 10-20 mPa*s

shore hardness: D75



VR-405AF

■ VR-415AF

Pit Filler Resin Extra AF, thin, acid-free formulation, dropper bottle at 5 ml

Pit Filler Resin Extra AF, thin, acid-free formulation, dropper bottle at 15 ml

This pit filler resin is absolutely acid-free. Thereby it can also be used by persons who are sensitive to the acrylic acid contained in conventional resins. Commonly occurred discomfort like irritation of skin, eyes or the respiratory system, headache or even light sickness do no longer occur when using this acid-free resin.

More fluid pit filler, for a hard and shiny finish.

viscosity at 25°C: 90-100 mPa*s

shore hardness: D80





Repair Resin ExtraPlus, extra thin, dropper bottle at 5 ml

Repair Resin ExtraPlus, extra thin, dropper bottle at 15 ml

Extra thin repair resin, excellent crack filler.

viscosity at 25°C: 10-20 mPa*s

shore hardness: D75

Repair Resin Extra, thin, dropper bottle at 5 ml

Repair Resin Extra, thin, dropper bottle at 15 ml

Thin repair resin for all type of stome chips.

viscosity at 25°C: 20-30 mPa*s

shore hardness: D76

■ VR-105 ■ VR-115

■ VR-305

VR-315

Repair Resin Standard, dropper bottle at 5 ml Repair Resin Standard, dropper bottle at 15 ml

Standard repair resin for repairing bull's eyes.

viscosity at 25°C: 40-45 mPa*s

shore hardness: D75





■ VR-405

Pit Filler Resin Extra, thin, dropper bottle at 5 ml

I VR-415

Pit Filler Resin Extra, thin, dropper bottle at 15 ml

More fluid pit filler, for a hard and shiny finish.

viscosity at 25°C: 90-100 mPa*s

shore hardness: D80

VR-205 VR-215

Pit Filler Resin Standard, dropper bottle at 5 ml Pit Filler Resin Standard, dropper bottle at 15 ml

Highly viscous pit filler for a hard finish.

viscosity at 25°C: 300 mPa*s

shore hardness: D78



■ UV-528



Glass Star Windscreen Repair Kit

This system does not need a repair fi xture. Instead it uses a pedestal that is bonded directly over the point of impact and that works as the resin chamber. Simple repair system for occasionally use (e. g. for dealers of used cars).

Kit contains:

- 2 injectors (INJ-581)
- 2 connection hoses (H-538)
- 1 UV battery lamp (batteries included)
- 2 flow regulators
- 1 cure guard
- 1 carbide probe
- 18 pedestals (like P-536)
- 18 adhesive pads (like AS-537)
- 1 repair resin, extra thin (VR-505)
- 1 pit filler resin, thin (VR-405)
- 1 scraper with blade
- 20 mylar squares
- 1 buffing compound
- 1 instruction manual



■ P-536

Pedestal for UV-528 package at 25 pieces

The pedestals are self-adhesive and can be used several times.

Only the adhesive pad has to be exchanged after each use.





Adhesive Pads for UV-528 package at 25 pieces

Use these adhesive pads to renew the pedestals P-536 and as an addtitional adjustment for repairs on strongly curved glasses.



MR-300

Mylar Squares, package at 20 pieces

Squares (approx. 25 x 25 mm) of transparent mylar foil to cover the repair area during UV irradiation.



■ RK-10

Scraper Blades 40 mm wide, package at 10 pieces

Top quality industrial blades with a thickness of 0.009 (=0.23 mm) and a solid metal back. Each blade has a single paper wrapping in the bag to prevent you from injuries.

Heavy Duty Scraper Blades 40 mm wide, package at 10 pieces

Heavy Duty industrial blades with a thickness of 0.012 (=0.30 mm) and a solid metal back. Each blade has a single paper wrapping in the bag to prevent you from injuries.



■ SP-025

Glass Repair Polish, bottle at 25 ml

For polishing the point of impact after a repair. Apply polish on repaired area and polish by hand with a wipe or with a felt polishing wheel on the mini drill until the surface is smooth and shiny.



FPS-005

Polishing Kit in 5 parts for mini drills

The small felt polishing wheels are ideal for polishing the pit filler surface after a laminated glass repair.

Kit contains:

- 5 felt polishing wheels Ø 20 x 7 mm
- 1 wheel post





■ DRB-140



Aluminium Bridge

With the aluminium bridge a constantly and controlled counter pressure from the inside of the windscreen can be generated. Thereby the repair result e.g. of longer cracks, can be influenced very positively. A highly expedient add-on for each windscreen repair kit. The handy bridge is also suitable for fixing freshly bonded mirror plates or sensor units.



MC-500

Inspection Mirror with suction cup

The mirror has a diameter of 50 mm. With the small PVC suction cup it can be fixed on any plain surface. Suction cup and mirror are connected with a ball joint. Sticked to the windscreen from inside it is the perfect helper for windscreen repairs.



■ CP-5040

Carbide Probe

Probe with carbide tip to clean the impact point and to remove loose glass particles before repairing a stone chip.



■ CRK-109

Cracker

This small cracker is appropriate to easen repairings of stone chips by widening them slightly. Therefore the resin can enter better, respectively the air can escape easier. Handling should be trained on an old wind-screen first.

SSK-790

Bull's Eye Maker

The bull's eye maker is used to create stone chips on an old windscreen. By that, repairing technique can be trained in a test environment instead on your clients windscreen!



WZA-4022

Tool Tray made of rigid foam

Everything needed for a windscreen repair will fit into this tool tray. This way you will always have any small parts ready to hand and safely stored at your workplace.

The rigid foam offers a soft surface that will not scratch the paint and is non-skid so that the tray will safely stay on the hood.

outside dimensions (approx.): 47 x 30 x 5.5 cm storage space (approx.): 40 x 22 x 4.0 cm



Steinschlagschaden? Kostenlose* Reparatur HIERIU And the Periodens of the Steinschlagschaden and Windschutzscheiben sind reparabel. Sprechen Sie mit uns darübert Wir Informieren Sie gerne zu den technischen Möglichkeiten und den Vorgaben und Einschränhungen des Gesetzgebers.

7 (Propos

■ WSR-150-P

Poster "Steinschlagschaden?" in size DIN A1 (59.4 x 84.1 cm)

Poster DIN A1 size that shows some typical stone chips. Placed in your sales room, it will draw your clients attention on it and makes an easy start for a sales conversation about stone chip repairing.

Sorry - actually only available in German language!





Windscreen Band-Aid, German package at 50 pieces

Windscreen Band-Aid, English package at 50 pieces

Windscreen Band-Aid, French package at 50 pieces

The windscreen band-aid is a cost-efficient give away. Many bigger companies in our business have been using it successfully for quite a long time.

Make sure to get your part of the windscreen repair business and hand out the windscreen band-aid to as many as possible of your clients.

> The front side is neutral and refers to the specialist mentioned at the back side. At the back side you can attach a printed address label or put on your company stamp.

SPF-050-IND Windscreen Band-Aid, designed individually

NEW: Starting from 500 pieces we print your individually designed windscreen band-aid!

Benefit from this handy promotional item as your business card and the perfect advertising medium for your auto glass business!

The front side gives some general information about windscreen repair. The peelable band-aid (red ring) will be printed with your company name and phone number. You want to provide ready-to-print files from vour graphics designer? In that case you can also design the front side indivisually. Please ask for our layout guidelines.

The reverse side can be designed completely to your wishes. If you want to include a company logo or if you already have an artwork (e.g. your business card), please send us these files in a common file format, best by e-mail.

To offer you the best prices, this product is produced in combination with orders from other customers. This means that we collect the orders and print them together periodically. The fix dates can be found on our website (at the item SPF-050-IND) or ask our sales staff.



■ SML-040

Pocket Microscope 40x with LED lamp





Pocket microscope made of plastic with LED lamp and fourtyfold magnification. Auxiliary tool for the repair and examination of scratches and stone damages on windscreens. For the LED lamp two batteries size AA are needed (not included).

BA-MIGNON Alkaline Battery size AA



Pen Microscope 25x





Pocket microscope made of aluminium and plastic with twentyfivefold magnification. Auxiliary tool for the repair and examination of scratches and stone damages on windscreens.



■ SL-015



Dome Magnifier 15x

Simple dome magnifier made of plastic with a transparent base. Nice tool for the repair and examination of scratches and stone damages on windscreens (fifteenfold magnification).

13



profilass.



I AM-961-X

Cordless Mini Drill 9.6 V with charging unit, collet kit and polishing kit

- precision tool for drilling stone chips
- also suitable for grinding and polishing
- handy and powerful
- continuously adjustable from 8,000 20,000 r.p.m.
- 4 collets for the use of different tools
- exchangeable 9.6 V Ni-MH battery pack
- tool weight incl. battery: 0.300 kg
- charger with interchangeable plugs (EU, GB, US, AUS)









■ AM-961-1

Collet Kit, in 4 parts for AM-961-X

Suitable for all mini drills with a 5.0 mm chuck.

The collets suit for tools with a shaft diameter of 1.6 mm, 2.4 mm, 2.8 mm und 3.2 mm.



■ AM-961-LGX Charger for AM-961-X

technical data:

• input: 110-230V/50Hz AC • output: 12V/500mA DC

• with interchangeable plugs (EU, GB, USA, AUS)



AM-961-BM

Battery Pack for AM-961-X

technical data:

 battery type: Ni-MH • voltage: 9.6 V

• capacity: 1.2 Ah



Mini Drill 12 V with EURO adaptor (230 V / 50 Hz) incl. collet kit and a grinding and polishing kit in 12 parts

- applicable for drilling, grinding and polishing
- handy tool with 10,000 r.p.m.
- delivered with 5 different collets (diameter from 0.8 3.2 mm)
- tool weight: 0.110 kg



Mini Drill 12 V with cigarette lighter plug incl. collet kit and a grinding and polishing kit in 12 parts

- applicable for drilling, grinding and polishing
- handy tool with 10,000 r.p.m.
- delivered with 5 different collets (diameter from 0.8 3.2 mm)
- connects with vehicle's power outlet/cigarette lighter (voltage rating: 12V DC)
- tool weight: 0.110 kg



BM-120-1 Collet Kit

Collet Kit, in 4 parts for BM-120

Suitable for all mini drills with a 5.5 mm chuck.

The collets suit for tools with a shaft diameter of 1.6 mm, 2.4 mm, 3.0 mm und 3.2 mm.



■ SPS-012

Grinding and Polishing Kit in 12 parts for mini drills

A kit for the mini drill that complies with the requirements of car glass glaziers. Grinding adaptors to remove little corrosion spots and polishing adapters to polish stone chip repairings.

Scope of delivery as shown.





■ KMB-085

Carbide Drill Bits, tapered Ø 0.8 mm package at 10 pieces

■ KMB-085-1

Carbide Drill Bits, tapered Ø 0.8 mm single

technical data:

• shaft-Ø: 1.6 mm

• length of shaft: 12.0 mm

• total length: 19.0 mm



■ KMB-105

Carbide Drill Bits, tapered Ø 1.0 mm package at 10 pieces

■ KMB-105-1

Carbide Drill Bits, tapered Ø 1.0 mm single

technical data:

• shaft-Ø: 1.6 mm

• length of shaft: 12.0 mm

• total length: 19.0 mm



■ KMC-085

Carbide Drill Bits, tapered Ø 0.8 mm, rounded tip, package of 10 pieces

■ KMC-085-1

Carbide Drill Bits, tapered Ø 0.8 mm, rounded tip, single



technical data:

shaft-Ø: 1.6 mm

• length of shaft: 12.0 mm

• total length: 19.0 mm



■ KMC-105

Carbide Drill Bits, tapered Ø 1.0 mm, rounded tip, package of 10 pieces

■ KMC-105-1

Carbide Drill Bits, tapered Ø 1.0 mm, rounded tip, single



technical data:

• shaft-Ø: 1.6 mm

• length of shaft: 12.0 mm

• total length: 19.0 mm



Carbide Drill Bits, round Ø 0.8 mm package at 10 pieces

Carbide Drill Bits, round Ø 0.8 mm single

technical data:

• shaft-Ø: 1.6 mm

• length of shaft: 12.0 mm

• total length: 19.0 mm



■ KMK-120

■ KMK-110

Carbide Drill Bits, round Ø 1.0 mm package at 10 pieces

■ KMK-120-1

Carbide Drill Bits, round Ø 1.0 mm single

technical data:

• shaft-Ø: 1.6 mm

• length of shaft: 12.0 mm

• total length: 19.0 mm







■ UVB-150

UV Battery Lamp 4 W

Simple UV lamp with PVC suction cup to fix on the glass. Requires 4 batteries size AA (not included).



UV Battery Lamp 4 W with Torch



Simple UV lamp with PVC suction cup to fix on the glass and integrated torch. Requires 4 batteries size AA (not included).



LR-150

Replacement Tube 4W BLB for UVB-150 and UVB-150T

dimensions:

• length: 133 mm • diamter: 16 mm



LRW-150



Replacement Tube 4W BL for UVB-150 / UVB-150T

dimensions:

• length: 133 mm • diamter: 16 mm



■ BA-MIGNON Alkaline Battery size AA



■ UVN-200



UV Lamp 6 W (230V / 50 Hz) with Euro plug and 5 m connection cable

- two small PVC suction cups for safe fixation on the glass
- 6 W BL tube (proprietary brand) for short curing times*

■ UVA-200



UV Lamp 6 W (12V) with plug for power outlet/cigarette lighter

- two small PVC suction cups for safe fixation on the glass
- 6 W BL tube (proprietary brand) for short curing times*

NOTE: Not suitable for 24V vehicle voltage. Damages because of wrong vehicle voltage are not covered by warranty!

■ LR-200



Replacement Tube 6W BL (proprietary brand) for UVA-200 / UVN-200

dimensions:

length: 212 mmdiameter: 16 mm

^{*}Besides the UV radiation the real curing time also depends on the used resin. With this lamp all our resins cure in only two minutes.







UV Lamp 8 W (230V / 50 Hz) with Euro plug and 5 m connection cable

- two small PVC suction cups for safe fixation on the glass
- 8 W BL tube (proprietary brand) for short curing times*





UV Lamp 8 W (12V) with plug for power outlet/cigarette lighter

- two small PVC suction cups for safe fixation on the glass
- 8 W BL tube (proprietary brand) for short curing times*

NOTE: Not suitable for 24V vehicle voltage. Damages because of wrong vehicle voltage are not covered by warranty!





UV Lamp 8 W (24V) with plug for power outlet/cigarette lighter

- two small PVC suction cups for safe fixation on the glass
- 8 W BL tube (proprietary brand) for short curing times*

This version is build for 24V vehicle voltage (commercial vehicles). Please be sure to use the correct voltage - damages because of wrong vehicle voltage are not covered by warranty!

■ LR-300



Replacement Tube 8W BL (proprietary brand) for UVA-300 / UVN-300

dimensions:

length: 288 mm
diameter: 16 mm

^{*}Besides the UV radiation the real curing time also depends on the used resin. With this lamp all our resins cure in only two minutes.

■ SL-230V



Work Light 8W (230 V / 50 Hz) with Euro plug and 5 m connection cable

Robust work light with electronic ballast (with bright white fluorescent tube - no UV lamp!). With a rotary metal hook.



Flexible Suction Mount with Work Light 450 mm long

Kit contains:

- 1 flexible suction mount (item no. FSH-450)
- 1 work light 8W (item no. SL-230V)



Flexible Suction Mount 450 mm long

The suction mount enables you to easily and safely fix a work light on almost every flat surface on a vehicle. Thanks to the flexible arm the lamp can be adjusted easily. With this device you can for example perform windscreen repairs even in poorly lit places.

technical data:

- suction pad-Ø 120 mm
- flexible arm length: 38 cm
- suitable for lamp-Ø of approx. 25-30 mm

proflass.

SRS-502-ECO Scratch-A-Way, electric version scratch removal system



The Scratch-A-Way machines are especially good for working on a small section of a glass. Thanks to the splash guard you will not mess up the surrounding area of your workplace.

TIP:

Using it together with our glass polish GPF-250 will let you remove scratches even faster and more effective.

Kit contains:

- 1 polishing machine, 230 V / 150 W, 5,000 9,500 rpm
- 3 fine polishing discs
- 1 marker
- 1 loupe, 30-fold magnified
- 1 leather wipe
- 1 instruction manual (multilingual)
- 1 plastic case with foam lining

SRS-400-ECO Scratch-A-Way, pneumatic version scratch removal system



- 1 polishing machine, air consumption 260 l/min., 11,000 rpm (operating pressure 6,0 bar)
- 1 air tool oil
- 5 fine polishing discs
- other contents like item no. SRS-502-ECO





SRS-93054

Fine Polishing Disc Ø 50 mm, with velcro back single

SRS-93066

Fine Polishing Disc Ø 50 mm, with velcro back package at 20 pieces

The fine polishing disc is good for polishing fine scratches on glass in one operation.



■ SRS-93061

Metal Disc Ø 50 mm, with velcro back, single



The metal disc is good to remove deep scratches. To combine with the polish SRS-93110. After this step the glass has to be polished by using a fine polishing disc.



SRS-93110

Scratch-A-Way Polish red, tin at 100 ml



The Scratch-A-Way polish paste is used together with the metal disc SRS-93061 to remove deep scratches.





PE12-175SET Metabo Angle Polisher Set 1200 W, for Backing Pad up to max. 175 mm

- powerful polisher with two-level reduced gear
- Vario-Tacho-Constamatic (VTC) full wave electronics with thumbwheel: for working with customised speeds for the materials used that remain almost constant under load
- ergonomic front cap for safe, low-fatigue guiding
- overload protection: protects the motor from overheating
- electronic soft start for smooth startup
- weight (without power cable): 2.4 kg







Metabo Cling-fit Polishing Sponge, coarse, Ø 160 mm x 25 mm (yellow)

The coarse sponge is more effective but also heats up the glass surface faster. Using it with our glass polish, please take into account that a new sponge absorbs a lot of polish. Only after reaching a certain saturation it will be effective.



PSF-160



Metabo Cling-fit Polishing Sponge, fine, Ø 160 mm x 25 mm (white)

The fine polishing sponge (white) is very soft and therefore adapts perfectly to arched glass with only light pressure. Using it with our glass polish, please take into account that a new sponge absorbs a lot of polish. Only after reaching a certain saturation it will be effective.



PFW-155



Metabo Cling-fit Polishing Felt, soft, Ø 155 mm x 5 mm (white)

The polishing felt is especially good for faster removal of deeper scratches in a small area. Using it with our glass polish the felt will be saturated much faster than a sponge.



GPF-250

■ GPF-250

■ GP-1000

ProGlass Glass Polish bottle at 250 ml, liquid polishing compound

ProGlass Glass Polish box at 1 kg polishing powder, to mix with water (to make approx. 1,450 ml liquid polishing compound)

ProGlass glass polish, liquid or powder, is a high-quality grinding and polishing product, for surface finishing of glasses. The ingredients are the same used successfully in the glass industry to remove scratches and to polish glass surfaces.

For scratch removal we recommend to use a polishing machine or an orbital grinder.

Fine scratches, transport defects, traces from the suction cup lifter, coatings and resistant dirt can also be removed by hand. For that please use a clean cotton cloth, a lint-free tissue, a cloth to polish varnish or anything similar.

Features:

- reliable deep cleaner for the vehicle replacement glazing (<u>removes all</u> <u>oil, grease and silicone residues</u>)
- perfect pre-cleaner for thorough cleaning before applying a water repellent or to fully remove any previously applied coatings
- high-quality polishing agent to remove scratches on the glass surface (e.g. caused by windscreen wipers, ice scrapers, cleaning sponges or similar things)
- simple and safe application
- inoffensive to varnishes, plastics and rubber parts
- for hand and machine polishing



GP-1000



■ XP-050

XERAPOL Scratch Remover tube at 50 g, for acrylic and plexiglass

XERAPOL is a low cost solution for scratched backlights, caravan windows, boat windows, motorcycle windscreens and helmet visors. Easy application by hand or with the machine - use the soft sponge to avoid holograms. Not applicable on polycarbonate!



■ SAS-340





Headlight Restoration Kit Full Set in plastic case

Plastic headlight lenses (polycarbonate) deteriorate with age and become yellow opaque. The brightness of the light is reduced and the risk of accidents during night driving is increased.

With this professional system for the restoration of weathered plastic headlight lenses, you can offer your customers an economical and ecological alternative rather than replace the whole headlight.

The system comes in a foam-lined plastic case, so that all components are properly maintained.

In addition to the parts and materials in the system, you only need a cordless drill, tape (to protect the adjacent parts of the vehicle), a spray bottle with clean water and cleaning paper.

Features:

- suitable for all plastic headlight lenses (standard design and transparent)
- low cost of consumables for each headlight
- needed work-time for each headlight only about 30 minutes
- saves your customers the expensive replacement of the whole headlight
- lights treated with this system are protected against weathering of the plastic lenses for at least 2 years *
- profitable additional business for workshops, car glaziers, vehicle conditioners, dealers of used cars, etc.
- determined at specific long-term tests with different vehicles

Kit contains:

| SAS-340 | description | item no. |
|---------|--|--------------------------|
| 1 | disc sanding pad 76.2 mm with adaptor for cordless drill | SAT-762 |
| 1 | interface pad soft, 76 mm | STS-076 |
| 1 | polishing pad abrasive, 80 mm | SSG-080 |
| 1 | polishing pad fine, 76 mm | SSF-076 |
| 20 | sanding disc grit 500 | SLS-500 (pkg at 10) |
| 20 | sanding disc grit 800 | SLS-800 (pkg at 10) |
| 10 | sanding disc grit 1500 | SLS-1500 (pkg at 5) |
| 6 | sanding disc grit 3000 | SLS-3000 (pkg at 5) |
| 1 | Polish, 235 ml | SAP-235 |
| 1 | Finish, 235 ml | SAF-235 |
| 1 | instruction manual, english | |
| 100 | flyer DIN long (German) | SAS-340-F (pkg.unit=100) |
| 1 | showroom poster DIN A1 (German) | SAS-340-P |
| 1 | foam lined plastic case, approx. 34 x 27.5 x 8.3 cm | |

■ SAS-340-B

Headlight Restoration Kit Starter Set without plastic case

The starter set has a reduced scope of delivery, but besides that it uses the same high-quality components than the full set SAS-340.

Kit contains:

| SAS-340-B | description | item no. |
|-----------|--|--------------------------|
| 1 | disc sanding pad 76.2 mm with adaptor for cordless drill | SAT-762 |
| 1 | interface pad soft, 76 mm | STS-076 |
| 1 | polishing pad abrasive, 80 mm | SSG-080 |
| 1 | polishing pad fine, 76 mm | SSF-076 |
| 10 | sanding disc grit 500 | SLS-500 (pkg at 10) |
| 10 | sanding disc grit 800 | SLS-800 (pkg at 10) |
| 5 | sanding disc grit 1500 | SLS-1500 (pkg at 5) |
| 5 | sanding disc grit 3000 | SLS-3000 (pkg at 5) |
| 1 | Polish, 235 ml | SAP-235 |
| 1 | Finish, 235 ml | SAF-235 |
| 1 | instruction manual, english | |
| 100 | flyer DIN long (German) | SAS-340-F (pkg.unit=100) |





Metabo Disc Sander 220 Watt, Backing Pad Ø 80 mm

- For sanding inner and outer curves by means of small 80 mm packing pad and flexible intermediate disc
- Excellent suitability for sanding and polishing smaller surfaces
- Light and handy machine for convenient one-hand operation
- Vario (V)-electronics for working with customised speeds for the materials used
- Thumbwheel for preselection of speed
- Power Control System: No scratches while placing the running machine on the material
- Low housing shape for sanding at places difficult to reach
- Dust-proof ball bearing for long service life of the machine
- Extraction possibility by means of connecting an all-purpose vacuum cleaner

technical data:

- Diameter of backing pad: 80 mm
- Idle revolution: 5,000 10,000 /min
- Rated input power: 220 W
- Output power: 100 W
- Revolutions at rated load: 6,000 /min
- Swing diameter: 3 mm
- Weight (without power cable): 1.2 kg
- Cable length: 2.5 m

13





■ STS-076

Interface Pad soft, 76 mm

Soft interface pad as a compensating interface for the sanding discs SLS-500, SLS-800, SLS-1500 and SLS-3000. With hook and look fixture.



Sanding Disc Grit 800, Ø 75mm, package at 10 pieces

Sanding Disc Grit 500, Ø 75mm, package at 10 pieces

Sanding Disc Grit 1500, Ø 75mm, package at 5 pieces

Sanding discs with hook and look fastening for headlight restoration.



■ SLS-3000

Sanding Disc Grit 3000, Ø 75mm, package at 5 pieces

Sanding discs with hook and look fastening for headlight restoration.



■ SAP-235

Polish for the Headlight Restoration bottle at 235 ml

Specialized polishing compound for the headlight restoration. Does <u>not</u> contain siloxane!

No polish for car finishes - do not use on painted surfaces!



■ SSG-080

Polishing Pad Abrasive (purple) Ø 80 mm

Hard polishing pad with dense structure, for hook and look fastening.



■ SAF-235

Finish for the headlight restoration bottle at 235 ml

Specialized polishing compound for the headlight restoration. Contains siloxane.

No polish for car finishes - do not use on painted surfaces!



SSF-076

Polishing Pad Fine (grey) Ø 76 mm

Soft polishing pad with fine structure, for hook and look fastening.





■ SAT-762

Disc Sanding Pad 76.2 mm with adaptor for cordless drill

Disc sanding pad with hook and loop fixture for the headlight restoration system SAS-340 / SAS-340-B. With connection thread 5/16" x 24UNF and screwable adaptor for cordless drill.



■ SAS-340-F

Flyer for Headlight Restoration packing unit: 100 pieces

The promotional flyer contains end-user information about the head-light restoration and shows a typical before-after situation. In this flyer it is explained in plain words why do headlights yellow over the years and what are the advantages of the restoration (flyer actually only available in German language).



■ SAS-340-P

Poster "Do your headlights look like this?" size DIN A1 (59.4 x 84.1 cm)


Actually only available in German language.

14




Cleaning, Maintaining & Coating





Paper Towel, 3-ply paper, blue, industrial quality approx. 1000 towels 36 x 36 cm

A top class three-ply paper for highest requirements. Specially soft and absorbent quality.



Paper Towel, 2-ply paper, blue, industrial quality approx. 500 towels 38 x 38 cm

Two-ply paper towel with glued plies for higher volume and better suction.



■ PWH-400

Paper Roll Holder, wall-mounted

Wall mounted paper roll holder, made of blue lacquered steel pipe, galvanised steel sheet and plastic.



■ PBS-400

Paper Roll Holder, free-standing

Free-standing paper roll holder, made of blue lacquered steel pipe, galvanised steel sheet and plastic.





■ SRK-100

ProGlass Glass Cleaner 1:40 Concentrate, bottle at 950 ml

ProGlass Glass Cleaner 1:40 Concentrate, bottle at 100 ml

Mix the very rich concentrate with clear tap water, mixing ratio 1:40. You receive 39 liters (resp. about 4 liters for item SRK-100) of ready for use glass cleaner at an unbeatable price-performance ratio.

The cleaner is a very powerful contamination and fat solvent with low alcoholic content. Cleaning result: absolutely free of streaks. Best suitable also to clean dashboards, linings and other plastics. The small outlet of the bottle cap makes mixing very easy. Just fill a container with the required amount of water and add concentrate.



■ SRS-500

ProGlass Active Glass Cleaner 500 ml aerosol can

Features:

- firmly active foam with excellent stain removing power
- dissolves and removes effortlessly all kind of dirt like insects, dust from the road, nicotine film, oil and grease from auto glasses, mirrors and painted surfaces
- also suitable for cleaning painted surfaces as well as rubber and plastic parts on vehicles
- high active ingredient, therefore more profitable than many other products on the market
- sprayhead system with narrow spray angle for easy reach into edges and corners
- silicone-free and gentle

Note:

Do not spray on hot surfaces. Not suitable for polycarbonate glass.

only available in packing units of 12 pieces.





■ MFT-3530

ProGlass Microfibre Cloth colour: orange, 35 x 30 cm

Our microfibre cloth is perfect for final cleaning of car windows. The fine microfibre absorbs dust and fat contamination particularly well. With its chunky, looped knitting style it is at the same time most suitable for structured surfaces (e.g. dashboards and linings). Washable up to 90°.



■ SFL-1000

Spray Bottle, industrial quality capacity 1.0 litre

Blue, transparent plastic bottle with a capacity of 1,000 ml, for glass cleaner, soapy water and other non-corrosive liquids. Due to the adjustable plastic spray nozzle you will obtain any desired result from atomised spray to a strong jet of water. For transport the nozzle can be locked.



■ DPZ-1500

Compressed Air Sprayer, professional quality capacity 1.5 litre

White, transparent plastic container with a capacity of 1,500 ml, for glass cleaner, soapy water or other non-corrosive liquids. Put container under pressure, using the integrated manual pump. To spray, you only need to push the thumb lever. This type of spray bottle is perfect when a large amount of liquid is needed, e.g. to install window films. The handle is ergonomical shaped, comfortable handling even for frequent use. Due to the adjustable brazen spray nozzle you will obtain any desired result from atomised spray to a strong jet of water. For transport the nozzle can be locked.



■ LPR-500

ProGlass Universal Polish bottle at 500 ml

Universally applicable polishing compound to refresh a weathered car finish, to polish light scratches (good filling properties) or glue residues (e. g. after removing a vehicle labelling).

Long-lasting protection and care for every car finish.



■ HRT-150

ProGlass Hand Cleaning Towels dispensing bucket at 150 towels (approx. 28 x 28 cm)

The wet cleaning towels are perfect to remove even resistant dirt, on the way (in service vehicles, busses or lorries) but also at the work place where quick cleaning is required. Within seconds, fat, oil, grease, primer or auto glass adhesive will be removed. The towels have an agreeable odour and they are eudermic. Suitable to clean tools and all other colourfast and water compliant surfaces, such as many plastics. seat covers, roofliners, interior linings and varnished surfaces.



■ HRT-072

SCRUBS-IN-A-BUCKET Hand Cleaning Towels dispensing bucket at 72 towels (ca. 27 x 31 cm)

Mobile and very effective hand cleansing and tool cleaning system. Removes quickly, thoroughly and gently without water strongest dirt like grease, oil, glue, tar, wax, soot, paint, ink, sealant, polyurethane, etc. After cleaning your hands the towels retain enough cleaning power left for the effective cleaning of tools and equipment.

The towels are tinctured with a special cleaning agent,

Napped side removes stubborn soils. Smooth side for gentle hand cleansing. The product is antibacterial, doesn't strip the skin's natural oils, and is biodegradable.

The single towels are micro-perforated and can be taken from the bucket easily. SCRUBS-IN-A-BUCKET belongs into every service vehicle and are especially useful for mobile auto glass jobs!



■ FSD-025L





Fein Vacuum Cleaner Dustex 25 L

Compact, powerful wet and dry extractor for workshop and assembly work.

Automatic start/stop for connecting up power tools. With soft start function for smooth operation.

Included parts:

- 1 suction hose, 4 m, Ø 35 mm
- 1 filter bag

Technical data:

Input: 1380 WAir flow: 4320 l/minMax. vacuum: 245 mbar

Tank volume: 22 IWeight: 8,0 kg

• Cable with plug: 6 m



■ FDB-025L

Filter bag for DUSTEX 25 L, pack of 5 pieces





■ OMB-0011

Ombrello Glass Treatment Applicator for single use

A contribution to your safety! Perfect visibility even on worst weather conditions! One single application of the patented glass treatment on windscreen and front side windows, lasts for 20,000 km or 10 months. Visibility improves up to 34 %, which means a significant reduction of your reaction time in critical situations. Ombrello glass treatment also makes it easier to remove ice and any contamination.

Despite numerous praised products, based on the auspicious nanotechnology, the patented original still remains our favorite!

None of the competitive products tested on our premises reached the same long-lasting hydrophobic effect like Ombrello.

But look and see the difference yourself!




■ OMB-012P

AQUAPEL Glass Treatment Professional Pack at 12 pieces in carton

Aquapel is the original name of 'Ombrello' in the USA and many other countries. You do not need a blister package and instead would prefer more product for the same money? Then this professional pack for 12 applications is exactly what you need.









■ OMB-6000

Ombrello Display Poster DIN A1 (84 x 59.4 cm)

A large size, coloured advertising poster for your showroom or shopwindow.

(only available in German)



■ OMB-4000

Ombrello Display for 6 blister packs OMB-0011 (delivered without content)



■ OMB-3333

Ombrello Demonstration Jar

A perfect sales promoter for your counter! This glass demonstrates the effect of Ombrello very clearly. The upper part is treated with Ombrello, the lower part is not. Glass contains a powder which turns into a brownish liquid when adding 50 ml water (best to use destilled water). Shaking the glass will show that the water runs off the upper part (treated with Ombrello) immediately whereas the lower part stays hazy for quite a long time.



■ OMB-5000

Ombrello Sticker 40 x 35 mm

The small sticker, made of transparent foil, has a field to fill in the application date. Stick the label to the interior, bottom left corner of the windscreen and be sure, your client will not forget to have the Ombrello treatment renewed in due time.



15 Advertising Material



Cap in navy-blue, large, with embroidered ProGlass logo

Cap in navy-blue, small, with embroidered ProGlass logo

Everybody has its own head - and therefore not every cap fits on every head! For larger heads we suggest the CAP-016, for smaller heads CAP-035.



■ TSHIRT

T-Shirt for Men

T-Shirt in navy-blue, with embroidered ProGlass logo on the left arm and embroidered web address on the right arm. Men's style (slim fit cut), available sizes: M, L, XL



■ POLO-H

Polo Shirt for Men

High-quality polo shirt in navy-blue, with embroidered ProGlass logo on the left arm and embroidered web address on the right arm. Men's style, available sizes: S, M, L



■ POLO-D

Polo Shirt for Ladies

High-quality polo shirt in navy-blue, with embroidered ProGlass logo on the left arm and embroidered web address on the right arm. Ladies' style, available sizes: S, M, L



■ KAFFEE1

Coffee mug "ProGlass"

Porcelain mug, white, content 0,35 l, with imprint "ProGlass" and "www.proglass.de" (on strap-handle)



Ball Pen



Ball pen with ProGlass logo and imprint: www.proglass.de
Tel. 07023/900130

■ MESSER-C

Knife CUTTEX 9 mm



Snap-off blade knife CUTTEX by Martor Solingen with ProGlass logo and imprint: www.proglass.de

Tel. 07023/900130

Blade size 9 mm. Suitable replacement blade item no. ABC-10.

■ ABC-10

Martor Snap-Off Blades, 9 mm wide, package at 10 pieces

Replacement blades for the knife CUTTEX 9 mm





Umbrella, small

Small and light-weight Samsonite pocket umbrella with ProGlass logo on the cover. The umbrella itself is also dark-blue and has not promotional imprint.



CADDY COIN Caddy Coin

with ProGlass logo

Key ring with caddy coin on a snap hook. The chip shows the ProGlass logo on both sides.



■ SPANNBAND Banner "ProGlass" 200 x 100 cm

Large banner with ProGlass logo



■ SPANNBAND2 Banner "ProGlass" 200 x 40 cm

Small banner with ProGlass logo and imprint "Autoglaswerkzeuge & Zubehör" (available with imprints in other languages on request)

Index by Item Numbers

| Item No. | Ш | Item No. | Ш | Item No. | Ш | Item No. | Ш | Item No. | Ш |
|------------|-----|------------|-----|--------------|-----|-------------|-----|--------------|-----|
| 2P1021 | 179 | ATG-5050 | 199 | CKM-021 | 134 | DST-125 | 27 | FBS-129 | 55 |
| 401 | 189 | ATO-100 | 48 | CMM-018 | 135 | DST-733 | 28 | FDB-025L | 258 |
| 1942 | 224 | AV-418 | 179 | CMU-099 | 134 | DST-745 | 28 | FDS-700 | 99 |
| 2496 | 224 | AV-618 | 179 | CP-5040 | 232 | DST-757 | 28 | FEC-416 | 50 |
| 3317 | 188 | BA-LADY | 112 | CRK-109 | 232 | DST-757-WSP | 8 | FEC-416Q | 50 |
| 3319 | 188 | BA-MICRO | 112 | CS-696 | 83 | DWR-120 | 89 | FEC-416Q-A | 51 |
| 4850 | 189 | BA-MIGNON | 112 | CT-318 | 178 | DWR-120 | 89 | FEC-416Q-C | 52 |
| 51847 | 46 | BA-MIGNON | 235 | CTM-310 | 92 | DWS-840 | 150 | FEC-416Q-KFZ | 52 |
| 51848 | 46 | BA-MIGNON | 240 | CTM-310 | 105 | EDS-150 | 21 | FGR-440 | 115 |
| 51849 | 46 | BC-2448 | 176 | CZ-540 | 83 | EDS-150-0 | 21 | FIL-080 | 100 |
| AB-10 | 79 | BC-4814 | 177 | DBP-1824-WSP | 8 | EEB-793-P | 57 | FIL-080-P | 100 |
| AB-10S | 79 | BK-230 | 75 | DBP-4525 | 22 | EEB-795-P | 57 | FIX-080 | 100 |
| ABB-50 | 79 | BK-315 | 75 | DBP-6030 | 22 | EEB-797-P | 57 | FIX-080-P | 100 |
| ABC-10 | 80 | BM-120 | 237 | DBP-6030-S | 22 | EES-804 | 57 | FKM-145 | 68 |
| ABC-10 | 263 | BM-120-1 | 237 | DD-02 | 15 | EES-808 | 57 | FPS-005 | 231 |
| ABS-025 | 183 | BM-120-A | 237 | DD-50 | 15 | EES-812 | 57 | FSB-102 | 55 |
| AC-325 | 178 | BMR-1488 | 87 | DEG-053 | 27 | EHL-140 | 132 | FSB-103 | 55 |
| AC-325C | 178 | BN-308 | 88 | DEG-058 | 27 | EHL-652 | 132 | FSC-120 | 69 |
| AC-625C | 178 | BN-326 | 88 | DEG-061 | 27 | EHN-694 | 131 | FSC-150 | 69 |
| ADAS-18-L | 10 | BN-408 | 88 | DEG-SET | 27 | EHV-500 | 132 | FSC-150 | 69 |
| ADAS-18-S | 10 | BND-2882 | 88 | DFS-100 | 24 | EM-417XP | 56 | FSC-300 | 69 |
| ADR-300 | 10 | BNG-418 | 131 | DG-322 | 47 | ESB-1304-P | 57 | FSC-300 | 69 |
| AEB-406 | 56 | BNL-820 | 131 | DGH-300 | 25 | ESB-1308-P | 57 | FSD-025L | 258 |
| AFSC-18 | 50 | BNZ-2685 | 88 | DGL-200 | 26 | ESB-1312-P | 57 | FSH-450 | 243 |
| AFSC-18-A | 51 | BP-036 | 173 | DGL-201 | 26 | ESS-075 | 123 | FSK-003 | 72 |
| AGR-1105 | 182 | BP-144 | 117 | DGL-201S | 26 | EWA-1702 | 90 | FSK-150 | 68 |
| AGV-0906 | 182 | BP-180 | 13 | DGS-301 | 25 | EWS-620 | 151 | FSK-300 | 68 |
| AHL-818 | 108 | BP-180 | 174 | DH-280 | 23 | FA-500 | 33 | FSL-213 | 73 |
| AHT-817 | 108 | BP-410 | 175 | DHL-300 | 25 | FB-072 | 53 | FSL-216 | 73 |
| AKP-036 | 173 | BP-418 | 174 | DHS-360 | 85 | FB-073 | 53 | FSL-219 | 73 |
| AKP-410 | 172 | BP-2414 | 176 | DLH-511 | 88 | FB-076 | 53 | FSL-450 | 243 |
| AKP-410-LG | 175 | BP-2420 | 176 | DLL-806 | 47 | FB-079 | 53 | FSS-213 | 73 |
| AKP-610 | 172 | BP-2424 | 176 | DLR-160 | 48 | FB-081 | 53 | FSS-216 | 73 |
| AKS-144 | 9 | BP-2430MH | 176 | DM-1094 | 168 | FB-101 | 53 | FSS-219 | 73 |
| AKS-144 | 117 | BP-7220 | 176 | DP001P00 | 23 | FB-107 | 53 | FTL-402 | 112 |
| AM-961-1 | 236 | CADDY COIN | 264 | DP001P01 | 23 | FB-110 | 53 | FTL-402-1 | 112 |
| AM-961-BM | 236 | CAP-016 | 262 | DPZ-1500 | 256 | FB-123 | 53 | FTL-430 | 112 |
| AM-961-LGX | 236 | CAP-035 | 262 | DR-475 | 225 | FB-147 | 54 | FTL-430-1 | 112 |
| AM-961-X | 236 | CDZ-195 | 83 | DR-950 | 225 | FB-157 | 54 | FZ-8326 | 224 |
| AP-25 | 168 | CE-590 | 83 | DRB-140 | 232 | FB-168 | 54 | FZS-80 | 126 |
| AP-100 | 168 | CE-607 | 82 | DS-340 | 28 | FB-176 | 54 | FZS-120 | 126 |
| AP-100-B | 168 | CE-657 | 82 | DSC-452 | 11 | FB-194 | 54 | GB-10L | 13 |
| AP-2500 | 168 | CE-749 | 92 | DSN-37 | 22 | FB-207 | 54 | GBS-180L | 13 |
| APL-25 | 168 | CEG-148 | 82 | DSP-120 | 120 | FB-208 | 54 | GBZ-200 | 110 |
| APL-100 | 168 | CEK-180 | 85 | DSP-200 | 120 | FB-209 | 54 | GBZ-225 | 110 |
| APL-100-B | 168 | CES-125 | 82 | DSP-400 | 120 | FB-210 | 55 | GC-130 | 110 |
| APL-2500 | 168 | CES-250 | 84 | DSP-800 | 120 | FB-211 | 55 | GCK-119 | 111 |
| AS-115 | 8 | CHL-109 | 128 | DSP-1000 | 120 | FB-212 | 55 | GCM-130 | 110 |
| AS-537 | 230 | CHM-108 | 128 | DSS-200 | 122 | FB-217 | 55 | GCO-170L | 111 |
| ASB-001 | 179 | CHX-110 | 128 | DSS-704 | 20 | FBH-190 | 9 | GCO-170S | 111 |



Index by Item Numbers (continuation)

| Item No. | Ш | Item No. | Ш | Item No. | Ш | Item No. | Ш | Item No. | Ш |
|------------|-----|-------------|-------------|---------------|-----|-------------------|----------|----------------|-----|
| GH-701 | 92 | IWH-692 | 104 | KPL-197-1 | 214 | LEC-SET1 | 86 | MSP-2030 | 95 |
| GH-701 | 105 | KA-539 | 180 | KPL-198 | 215 | LEC-SET2 | 87 | MTG-5050 | 199 |
| GH-738 | 108 | KAFFEE1 | 263 | KPL-198-1 | 215 | LH-230 | 85 | MTP-3850 | 199 |
| GH-749 | 108 | KBA-4915-12 | 167 | KPM-3752 | 217 | LHM-108 | 129 | NHL-109 | 129 |
| GH-753 | 106 | KBA-4915-50 | 167 | KPM-3752-1 | 217 | LHX-110 | 129 | NHM-108 | 129 |
| GHK-140 | 107 | KFS-150 | 124 | KPM-4464 | 217 | LM-460 | 75 | NHX-110 | 129 |
| GHK-280 | 107 | KKP-130 | 37 | KPM-4464-1 | 217 | LM-610 | 75 75 | OC-20F | 49 |
| GHK-560 | 115 | KKP-130 | 194 | KPM-6260 | 217 | LPR-500 | 257 | OC-20M | 49 |
| GHS-140 | 107 | KKP-220 | 37 | KPM-6260-1 | 217 | LR-150 | 240 | OD-20M | 49 |
| GHS-280 | 107 | KKP-220 | 194 | KPM-7474 | 217 | LR-200 | 241 | OGC-118 | 111 |
| GKP-100 | 194 | KLR-500 | 57 | KPM-7474-1 | 217 | LR-300 | 242 | OK-50 | 46 |
| GKP-200 | 194 | KM-130 | 118 | KPR-188 | 217 | LR-300 LRW-150 | 242 | OK-50 OK-51 | 46 |
| | | KM-140 | 118 | | | LSH-517 | | OK-51 OK-52 | 46 |
| GMK-300 | 188 | | | KPR-188-1 | 215 | | 130 | OK-52 OK-53 | |
| GP-1000 | 247 | KM-150 | 118 | KPR-191 | 215 | LSK-140 | 187 | | 46 |
| GPF-250 | 247 | KM-1140 | 118 | KPR-191-1 | 215 | LSL-030 | 186 | OK-54 | 46 |
| GS-120 | 71 | KM-9527 | 118 | KPR-194 | 215 | LSOL-10 | 78 | OL-30 | 79 |
| GS-380 | 71 | KMB-085 | 238 | KPR-194-1 | 215 | LSS-085 | 186 | OM-520 | 44 |
| GT-3516 | 158 | KMB-085-1 | 238 | KPR-195 | 216 | LT-415 | 103 | OM-605 | 44 |
| GTG-5050 | 198 | KMB-105 | 238 | KPR-195-1 | 216 | LT-415-1 | 103 | OM-610 | 44 |
| H-1 | 80 | KMB-105-1 | 238 | KPR-196 | 216 | LT-750 | 103 | OMB-0011 | 259 |
| HB-5 | 80 | KMC-085 | 238 | KPR-196-1 | 216 | LT-750-1 | 103 | OMB-012P | 259 |
| HK-5 | 77 | KMC-085-1 | 238 | KPR-199 | 216 | LTK-170 | 116 | OMB-3333 | 260 |
| HLK-012 | 97 | KMC-105 | 238 | KPR-199-1 | 216 | MB-743 | 94 | OMB-4000 | 260 |
| HP-1002 | 186 | KMC-105-1 | 238 | KRS-1588 | 199 | MB-744 | 94 | OMB-5000 | 260 |
| HRS-100 | 21 | KMK-110 | 239 | KS-125 | 184 | MBR-600 | 95 | OMB-6000 | 260 |
| HRT-072 | 257 | KMK-110-1 | 239 | KSC-019 | 73 | MC-500 | 232 | OMS-520 | 45 |
| HRT-150 | 257 | KMK-120 | 239 | KSC-025 | 73 | MCA-265 | 191 | OMS-605 | 45 |
| HWA-2636 | 90 | KMK-120-1 | 239 | KSK-4510 | 116 | MESSER-C | 80 | OMS-610 | 45 |
| HWS-760 | 151 | KPA-250 | 216 | KSP-1580-12 | 167 | MESSER-C | 263 | OP-20F | 49 |
| IND-0609 | 136 | KPA-418 | 171 | KSP-1580-100 | 167 | MFT-3530 | 256 | OP-20M | 49 |
| IND-0612 | 136 | KPA-618 | 171 | KSP-1580S-12 | 167 | MH-120 | 115 | OS-20F | 49 |
| IND-601099 | 136 | KPL-154 | 212 | KSP-1580S-100 | 167 | MHD-110 | 84 | P-536 | 230 |
| IND-601703 | 137 | KPL-154-1 | 212 | KSZ-163 | 181 | MHD-110 | 106 | PBA-1827 | 174 |
| IND-601704 | 137 | KPL-166 | 212 | KSZ-306 | 181 | MHK-069 | 84 | PBM-336 | 254 |
| IND-601720 | 137 | KPL-166-1 | 212 | KUGEL-A | 263 | MHK-069 | 106 | PBS-400 | 254 |
| IND-601721 | 137 | KPL-185 | 213 | L-2 | 78 | MHL-109 | 128 | PBX-538 | 254 |
| IND-601723 | 137 | KPL-185-1 | 213 | LB-10 | 78 | MHM-108 | 128 | PCG-180 | 169 |
| IND-601725 | 137 | KPL-189 | 213 | LB-300 | 98 | MHS-068 | 84 | PCG-180-F | 170 |
| IND-601727 | 137 | KPL-189-1 | 213 | LB-400 | 98 | MHS-068 | 106 | PCG-180-KF | 169 |
| IND-601730 | 137 | KPL-189B | 213 | LBB-10 | 78 | MHX-110 | 128 | PCG-180-URS | 170 |
| IND-601734 | 137 | KPL-189B-1 | 213 | LC-014-M | 113 | MK-081 | 180 | PE12-175SET | 246 |
| IND-601756 | 137 | KPL-190 | 213 | LC-014-S | 113 | ML-101 | 163 | PES-0165 | 201 |
| IND-601796 | 136 | KPL-190-1 | 213 | LC-40 | 174 | MR-300 | 231 | PES-2500 | 201 |
| IND-607703 | 137 | KPL-192 | 214 | LEC-175F | 86 | MS-6 | 71 | PF-216 | 112 |
| IND-611071 | 137 | KPL-192-1 | 214 | LEC-175FL | 86 | MS-180 | 96 | PF-216-1 | 112 |
| IND-611074 | 137 | KPL-192C | 214 | LEC-175FV | 86 | MS-180 | 104 | PFK-050 | 163 |
| INJ-M14-F | 227 | KPL-192C-1 | 214 | LEC-175FZ | 86 | MS-180-WSP | 9 | PFN-300 | 161 |
| ISH-691 | 96 | KPL-193 | 214 | LEC-175G | 87 | MS-181 | 96 | PFW-155 | 246 |
| ISH-691 | 104 | KPL-193-1 | 214 | LEC-175GU | 87 | MS-181 | 104 | PHL-115-1 | 155 |
| IWH-692 | 96 | KPL-197 | 214 | LEC-175GV | 87 | MSK-356 | 115 | PHX-150-1 | 155 |
| 10011-032 | 90 | INI L-131 | <u>۲۱</u> + | LLO-17JGV | 01 | 1VIOIN-000 | 110 | 1 11/1-100-1 | 100 |

Index by Item Numbers (continuation)

| Item No. | Ш | Item No. | Ш | Item No. | Ш | Item No. | Ш | Item No. | Ш |
|----------------|-----|----------------|-----|---------------------|-----|-------------|-----|------------|-----|
| PI-150 | 119 | RW-217 | 146 | SK-116 | 73 | SP-1001 | 165 | TAC-1910 | 196 |
| PI-300 | 119 | RW-239 | 147 | SK-119 | 73 | SP-1010 | 165 | TAC-2510 | 196 |
| PI-400 | 119 | SAF-235 | 251 | SK-1060B | 164 | SPANNBAND | 264 | TAC-5005 | 196 |
| PKS-012 | 184 | SAP-235 | 251 | SK-1060K | 164 | SPANNBAND2 | 264 | TB-3006 | 183 |
| PL-140 | 113 | SAR-012 | 47 | SKA-502 | 206 | SPF-050-D | 234 | TE-125 | 89 |
| PMS-3000 | 201 | SAS-340 | 248 | SKA-502M | 206 | SPF-050-E | 234 | TF-0910 | 197 |
| POLO-D | 262 | SAS-340-B | 249 | SKS-003 | 72 | SPF-050-F | 234 | TF-1210 | 197 |
| POLO-H | 262 | SAS-340-F | 252 | SKS-1060B | 166 | SPF-050-IND | 234 | TF-1910 | 197 |
| PRH-380 | 141 | SAS-340-P | 252 | SKS-1060K | 166 | SPL-801 | 205 | TF-2510 | 197 |
| PRS-118 | 184 | SAT-762 | 252 | SL-015 | 235 | SPL-808 | 205 | THH-540 | 97 |
| PSF-160 | 246 | SB-886 | 132 | SL-230V | 243 | SPS-012 | 237 | THH-540-G | 97 |
| PSG-160 | 246 | SC-313 | 70 | SL-300-S | 160 | SPZ-160 | 25 | TK-5 | 76 |
| PSH-120-1 | 154 | SC-316 | 70 | SL-350-B | 160 | SRD-030 | 152 | TK-10 | 77 |
| PSL-150-1 | 154 | SC-318 | 70 | SLN-102 | 102 | SRE-015 | 152 | TKS-100 | 77 |
| PT-321 | 48 | SC-320 | 70 | SLN-102-01 | 102 | SRK-100 | 255 | TL-130 | 113 |
| PWH-400 | 254 | SCA-316 | 70 | SLP-101 | 102 | SRK-950 | 255 | TM-400 | 177 |
| QC-025 | 173 | SCE-012 | 70 | SLP-101-01 | 102 | SRS-400-ECO | 244 | TMB-5555-3 | 195 |
| QC-200 | 33 | SCHIRM-S | 264 | SLS-500 | 250 | SRS-500 | 255 | TMB-5555-P | 195 |
| QT-5050 | 135 | SCR-006 | 70 | SLS-800 | 250 | SRS-502-ECO | 244 | TMB-6655-3 | 195 |
| RD-02 | 19 | SCR-012 | 70 | SLS-000 SLS-1500 | 250 | SRS-93054 | 245 | TMB-6655-P | 195 |
| RD-02 RD-22 | 19 | SD-02 | 16 | SLS-3000 | 250 | SRS-93061 | | TMC-5545-3 | 195 |
| RD-22 RD-44 | | SD-02 SD-22 | 16 | | | | 245 | | |
| | 19 | | | SLW-193 | 218 | SRS-93066 | 245 | TMC-5545-P | 195 |
| RDK-202 | 20 | SD-44 | 16 | SLW-197 | 218 | SRS-93110 | 245 | TMC-6645-3 | 195 |
| RF-050 | 223 | SDK-202 | 20 | SLW-199 | 218 | SSF-076 | 251 | TMC-6645-P | 195 |
| RFM-683 | 85 | SDM-421 | 94 | SMK-025 | 235 | SSG-080 | 251 | TMF-5545-3 | 194 |
| RH-727 | 117 | SDS-250 | 66 | SML-040 | 235 | SSH-290 | 99 | TMF-5545-P | 194 |
| RK-10 | 72 | SF-300 | 8 | SMQ-525 | 32 | SSK-790 | 233 | TN-310 | 177 |
| RK-10 | 231 | SFE-329 | 66 | SOK-3020 | 162 | STG-3850 | 198 | TN-600 | 177 |
| RK-10HD | 72 | SFL-1000 | 256 | SOK-3030 | 162 | STG-5050 | 198 | TO-1437 | 183 |
| RK-10HD | 231 | SFP-10 | 189 | SOL-189 | 208 | STS-039 | 93 | TPB-1910 | 187 |
| RK-100A | 72 | SFP-100 | 189 | SOL-189B | 208 | STS-076 | 250 | TPB-1925 | 187 |
| RK-100HD | 72 | SFS-1550 | 200 | SOL-192A | 207 | SVR-2 | 79 | TPO-3833 | 197 |
| RK-500 | 33 | SFT-1025 | 200 | SOL-192A-R | 207 | SWA-2316 | 91 | TPO-7691 | 197 |
| RK-500-01 | 33 | SFT-1525 | 200 | SOL-192C | 207 | SWS-580 | 150 | TSHIRT | 262 |
| RKB-410-P | 40 | SFT-2025 | 200 | SOL-192D | 208 | SWS-580-01 | 150 | TSP-292 | 116 |
| RKB-410-S/S | 40 | SFT-2525 | 200 | SOL-193A | 209 | SXE-400 | 249 | TSP-2550 | 114 |
| RKB-415-P | 40 | SFT-3025 | 200 | SOL-193B | 209 | SY-KK1 | 31 | TSP-5050 | 114 |
| RKB-415-S/S | 40 | SGM-05 | 153 | SOL-193C | 209 | SY-KK2 | 31 | TVB-0333 | 186 |
| RKK-10 | 71 | SGM-09 | 153 | SOL-193D | 210 | SY-KK4 | 31 | TWH-500 | 26 |
| RKS-594 | 180 | SHG-200 | 158 | SOL-193E | 210 | SY-KK6 | 31 | UAZ-1950 | 91 |
| RMP-416 | 92 | SHL-109 | 130 | SOL-193F | 210 | SY-KK7 | 31 | UCC-320 | 74 |
| RMP-416-1 | 92 | SHM-108 | 130 | SOL-193G | 211 | SY-KK8 | 31 | UCH-319 | 74 |
| RMS-105 | 189 | SHP-150 | 156 | SOL-193H | 211 | SY-S1ECO | 30 | UCL-322 | 74 |
| RS-123 | 36 | SHP-150-1 | 156 | SOL-193J | 211 | SY-S1PRO | 30 | UCS-321 | 74 |
| RS-2030 | 224 | SHP-200-1 | 157 | SOL-197A | 205 | TAB-0910 | 196 | ULF-481 | 114 |
| RSS-0819 | 93 | SHP-230-1 | 157 | SOL-197B | 205 | TAB-1210 | 196 | ULR-120 | 24 |
| RT-560 | 163 | SHU-3237 | 223 | SOL-198 | 204 | TAB-1910 | 196 | ULR-150 | 24 |
| RTD-509 | 158 | SHV-125-1 | 155 | SOL-803 | 206 | TAB-2510 | 196 | UMF-344 | 76 |
| RW-201 | 144 | SHX-110 | 130 | SOR-199 | 204 | TAB-5005 | 196 | UML-332 | 76 |
| RW-205 | 145 | SK-113 | 73 | SP-025 | 231 | TAC-1210 | 196 | UMS-437 | 76 |
| 1747-200 | 140 | OK-119 | 13 | 3F -023 | 231 | 140-1210 | 130 | UIVIO-431 | 70 |




Index by Item Numbers (continuation)

| ltem No. | Ш | Item No. | Ш | Item No. | Ш | Item No. | Ш | Item No. | Ш |
|-----------|-----|----------|-----|------------|-----|------------|-----|----------|---|
| UP-100B | 190 | UWS-6 | 40 | WK6-S | 66 | WSR-150-A | 220 | | |
| UP-105B | 190 | VKD-02 | 17 | WK7 | 59 | WSR-150-N | 220 | | |
| UP-107B | 190 | VKD-22 | 17 | WK7L | 59 | WSR-150-P | 221 | | |
| UP-200 | 190 | VKD-44 | 17 | WK10HD | 59 | WSR-150-P | 233 | | |
| UPI-5024 | 191 | VKS-202 | 20 | WK11BW5 | 64 | WSS-106 | 95 | | |
| USS-190 | 36 | VR-105 | 229 | WK11EW | 64 | WZA-4022 | 233 | | |
| UTO-539 | 180 | VR-115 | 229 | WK11PP | 65 | WZK-5127 | 142 | | |
| UV-528 | 230 | VR-205 | 229 | WK16LR | 65 | WZK-5132 | 143 | | |
| UVA-200 | 241 | VR-215 | 229 | WK17-4 | 65 | WZK-5942-R | 143 | | |
| UVA-300 | 242 | VR-305 | 229 | WK17-6 | 65 | XKD-02 | 18 | | |
| UVA-324 | 242 | VR-315 | 229 | WK24R-S | 64 | XKD-22 | 18 | | |
| UVB-150 | 240 | VR-405 | 227 | WK24-S | 63 | XKD-44 | 18 | | |
| UVB-150T | 240 | VR-405 | 229 | WK24Z | 63 | XL-2 | 78 | | |
| UVN-200 | 241 | VR-405AF | 228 | WK24ZR-S | 64 | XP-050 | 247 | | |
| UVN-300 | 242 | VR-415 | 225 | WK24Z-S | 63 | XUB-05 | 77 | | |
| UW-51C1 | 39 | VR-415 | 229 | WK24ZV | 63 | ZAW-090 | 90 | | |
| UW-51C1-P | 39 | VR-415AF | 228 | WK24ZVR-S | 63 | ZGL-195 | 32 | | |
| UW-51C2 | 39 | VR-505 | 227 | WK24ZV-S | 63 | ZGL-195 | 36 | | |
| UW-51C2-P | 39 | VR-505 | 229 | WK27L | 64 | ZGS-182 | 36 | | |
| UW-51C4 | 39 | VR-505AF | 228 | WK27M | 64 | ZK-0119 | 41 | | |
| UW-51C4-P | 39 | VR-515 | 225 | WK27RM | 64 | ZK-0119-P | 41 | | |
| UW-119 | 38 | VR-515 | 229 | WK27S | 64 | ZK-0125 | 41 | | |
| UW-125 | 38 | VR-515AF | 228 | WK27XL | 64 | ZK-0125-P | 41 | | |
| UW-138 | 38 | VRS-1000 | 165 | WK28L | 65 | ZK-0138 | 41 | | |
| UW-519 | 38 | W-1414 | 9 | WK28M | 65 | ZK-0138-P | 41 | | |
| UW-525 | 38 | WAB-150 | 89 | WK28RL | 65 | ZKS-110 | 35 | | |
| UW-538 | 38 | WAB-909 | 142 | WK28RM | 65 | ZKS-150 | 41 | | |
| UW-719 | 39 | WAF-1535 | 89 | WK28RS | 65 | ZKS-180 | 41 | | |
| UW-725 | 39 | WAN-3650 | 91 | WK28XL | 65 | ZMK-110 | 35 | | |
| UW-738 | 39 | WAV-899 | 90 | WKB-300 | 142 | ZML-395 | 35 | | |
| UW-1001-P | 38 | WAZ-919 | 91 | WKB-400 | 142 | ZMQ-500 | 32 | | |
| UW-1002-P | 38 | WH-440 | 136 | WKCLS-BX | 60 | ZMS-382 | 35 | | |
| UW-1004-P | 38 | WK1 | 62 | WK-KEY | 59 | ZMX-400 | 32 | | |
| UW-1012 | 42 | WK1-S | 62 | WKSTR | 60 | | | | |
| UW-1022 | 42 | WK1-X | 62 | WKTDM-BX | 61 | | | | |
| UW-3001 | 34 | WK1-ZX | 62 | WKTEC-BX | 61 | | | | |
| UW-3001RK | 34 | WK2 | 62 | WSA-600 | 140 | | | | |
| UW-3007 | 34 | WK2-S | 62 | WSA-600-0 | 141 | | | | |
| UW-5001-P | 38 | WK3 | 62 | WSH-7050 | 141 | | | | |
| UW-5002-P | 38 | WK4 | 62 | WSK-31 | 139 | | | | |
| UW-5004-P | 38 | WK4R-S | 63 | WSL-34 | 138 | | | | |
| UW-5500 | 42 | WK4-S | 62 | WSP-001K | 7 | | | | |
| UW-5501 | 42 | WK4Z | 62 | WSR-100 | 226 | | | | |
| UW-6991 | 37 | WK4ZR-S | 63 | WSR-100-1 | 227 | | | | |
| UW-6992 | 37 | WK4Z-S | 62 | WSR-100-A | 226 | | | | |
| UW-6994 | 37 | WK5 | 63 | WSR-150-1N | 222 | | | | |
| UW-7001-P | 39 | WK5-S | 63 | WSR-150-2N | 222 | | | | |
| UW-7002-P | 39 | WK6-40 | 66 | WSR-150-3 | 223 | | | | |
| UW-7004-P | 39 | WK6-L | 66 | WSR-150-5 | 223 | | | | |
| UWE-3 | 40 | WK6-M | 66 | WSR-150-6N | 222 | | | | |

Room for Your Notes


Room for Your Notes








Room for Your Notes



Room for Your Notes

Room for Your Notes





General Terms And Conditions

1. Conclusion of Contract

The following general terms and conditions are subject to all deliveries and services of ProGlass GmbH, hereinafter called ProGlass. Deviations of these terms and conditions on side of the purchaser are only recognised insofar as ProGlass expressly agrees to them in writing. The purchaser is bound to his order for three weeks. In case of unauthorised withdraw, ProGlass can claim damages including lost profit. ProGlass is entitled to decline acceptance of order for featured articles or goods out of stock, within three weeks after order has been placed.

2. Prices

All prices are net, excluding VAT (Value Added Tax). Prices are subject to change without prior notice at any time.

3. Delivery

FCA (Free Carrier) Weilheim/Teck, Germany, including packing, excluding transportation costs and customs duties. The transportation is at the consignee's risk. Apart from other delivery specifications on part of the purchaser, delivery is carried out by DHL parcel service or, depending on the size of consignment, by forwarding agent DHL.

4. Payment

Purchasing price as well as possible additional charges are payable with delivery. All invoices are to be paid to the imprest account named by ProGlass. Cheque payment is only considered as effected on day of encashment. Possible cheque fees are at the expense of the purchaser. We reserve the right to ask for payment in advance for all new customer accounts.

5. Minimum order

Please note that the different export regulations for EU, EFTA and Third countries may result in different minimum order values. To receive further information for your country please contact us.

6. Return of goods

Please use our RETURN FORM for all returns. Any returns have to be notified and authorised in advance. Acceptance of returned items is at our sole discretion. All returns are subject to a general restocking fee of 15% of the net value of goods. Items will not be credited if they are damaged, used or in any other way not saleable.

7. Warranty

Any warranty claims must be submitted immediately in written form. It is our sole right under this warranty to repair the defective item or replace it, at our option, without charge. Unless otherwise specified, all sold items are expressly warranted to be free from defects in material and workmanship for 12 months (for commercial purchasers) and 24 month respectively (for private individuals) from the date of delivery. All other warranties are disclaimed.

8. Ownership reservation

Title to the goods shall remain with the seller until all outstanding amounts are fully paid. In the case of resale the debt claim to the third party is to be assigned to the seller.

9. Data storage

Person related data in connection with the privity of contract will be stored by us.

10. Place of performance and jurisdiction

Place of performance and jurisdiction is D-73230 Kirchheim unter Teck (Germany). We reserve the right to sue at the place of the registered office or residence of the buyer.

As of April 2014 (updated version on our website www.proglass.de or upon request)



ProGlass GmbH

Michael-Becker-Str. 2 73235 Weilheim/Teck GERMANY

Phone: +49 (0) 7023/90013-0 Fax: +49 (0) 7023/90013-23

E-Mail: info@proglass.de Internet: www.proglass.de

